

Author Index*

- A**
- Abel N (see Rumbak et al). 1996;132:1281-5 (Brief comm.)
 Abel W (see Rumbak et al). 1996;132:1281-5 (Brief comm.)
 Abinader EG (see Goldhammer and Abinader). 1996;132:1298-9 (Brief comm.)
 Abramson SV (see Rials et al). 1996;132:989-94
 Adachi K (see Saito et al). 1996;132:642-7
 Adams DH (see Greaves et al). 1996;132:572-8
 Adler SW (see Iskos et al). 1996;132:116-9
 Affricano C (see Cassone et al). 1996;132:1048-9 (Brief comm.)
 Ageishi Y (see Kitazume et al). 1996;132:711-6
 Aguirre FV (see Tron et al). 1996;132:508-15
 Ajsaka R, Watanabe S, Yamanouchi T, Masuoka T, Sugishita Y. Effect of percutaneous transluminal coronary angioplasty on exercise ventilation in patients with coronary artery disease and normal left ventricular function. 1996;132:48-53
 Akaike M (see Saito et al). 1996;132:642-7
 Akhtar M (see Li et al). 1996;132:986-8
 Akosah KO (see Kontos et al). 1996;132:559-66
 Alali ARK (see Bashour et al). 1996;132:1028-30
 Alderman M (see Neutel et al). 1996;132:1202-6
 Alegria JG (see Cocina et al). 1996;132:1306-7 (Brief comm.)
 Alexander JJ (see Wells et al). 1996;132:882-3 (Brief comm.)
 Allen HD (see Rowland et al). 1996;132:1075-7 (Brief comm.)
 Allen KM (see Coplan et al). 1996;132:1222-5 (Curriculum cardiol.)
 Allton IL (see Okada et al). 1996;132:108-15
 Aloor RK (see Vijay et al). 1996;132:897-9 (Brief comm.)
 Altmann DB, Fahey FJ, Sanborn TA. Bailout stenting for extensive dissection complicating direct infarct angioplasty. 1996;132:191-2 (Brief comm.)
 —, Racz M, Battlemann DS, Bergman G, Spokojny A, Hannan EL, Sanborn TA. Reduction in angioplasty complications after the introduction of coronary stents: results from a consecutive series of 2242 patients. 1996;132:503-7
 Amato M (see Stratmann et al). 1996;132:536-41
 Amirian J (see Feld et al). 1996;132:747-57
 Anand A, Anand N, Anand A. Primary cardiac fibrosarcoma. 1996;132:1320-1 (Letter)
 Anand A (see Anand et al). 1996;132:1320-1 (Letter)
 Anand N (see Anand et al). 1996;132:1320-1 (Letter)
 Anders RJ (see Neutel et al). 1996;132:1202-6
 Angelini A, Basso C, Nava A, Thiene G. Endomyocardial biopsy in arrhythmogenic right ventricular cardiomyopathy. 1996;132:203-6 (Editorial)
 Ansell JE, Hughes R. Evolving models of warfarin management: anticoagulation clinics, patient self-monitoring and patient self-management. 1996;132:1095-1100 (Editorial)
 Antman EM. Magnesium in acute myocardial infarction: overview of available evidence. 1996;132:487-95 (Symposium)
 — (see Greaves et al). 1996;132:572-8
 Arakaki Y (see Shimizu et al). 1996;132:699-701 (Brief comm.)
 Arakawa K (see Kawaguchi et al). 1996;132:9-12
 Aranki SF (see Greaves et al). 1996;132:572-8
 Archer SL (see Gustafson et al). 1996;132:1053-4 (Brief comm.)
 Ares M (see Garcia et al). 1996;132:648-56
 Arima S (see Miyata et al). 1996;132:269-73
 Aristizabal D (see Meza et al). 1996;132:528-35
 Armstrong WF (see Bach et al). 1996;132:721-5
 — (see Donovan and Armstrong). 1996;132:884-6 (Brief comm.)
 Asayama J (see Kondo et al). 1996;132:1127-34
 Asinger R (see Wang et al). 1996;132:152-5 (Curriculum cardiol.)
 Atallah V (see Coplan et al). 1996;132:1222-5 (Curriculum cardiol.)
 Aurigemma GP (see Faggiano et al). 1996;132:408-17 (Curriculum cardiol.)
 — (see Sharma et al). 1996;132:194-7 (Brief comm.)
 Avasthey P (see Sinha et al). 1996;132:1268-72 (Brief comm.)
 Axtell K (see Li et al). 1996;132:986-8
 Azar RR, Waters DD. The inflammatory etiology of unstable angina. 1996;132:1101-6 (Editorial)
 Azuma A (see Kondo et al). 1996;132:1127-34

- B**
- Baba T (see Hano et al). 1996;132:1293-5 (Brief comm.)
 Bach DS, Armstrong WF, Donovan CL, Muller DWM. Quantitative Doppler tissue imaging for assessment of regional myocardial velocities during transient ischemia and reperfusion. 1996;132:721-5
 Bach RG (see Tron et al). 1996;132:508-15
 Bahu M (see Bogun et al). 1996;132:758-64
 Baker EJ (see Rosenthal et al). 1996;132:657-63
 Baladi NA, Bashour TT, Yap AG, Yakel DL, Pong T, Podolin R, Morelli RL, Mason DT, Kerwin W, Emerick R. Papillary muscle rupture after successful coronary artery bypass procedures: report of three cases treated by prompt reoperation. 1996;132:1272-5 (Brief comm.)
 — (see Bashour et al). 1996;132:1050-2 (Brief comm.)
 Ball SG, Hall AS. Who should be treated with angiotensin-converting enzyme inhibitors after myocardial infarction? 1996;132:244-50 (Symposium)
 Ballal RS, Eisenberg MJ, Ellis SG. Training in cardiac catheterization at high-volume and low-volume centers: Is there a difference in case mix? 1996;132:460-2 (Editorial)
 Banitt PF. Total anomalous pulmonary venous connection to unroofed coronary sinus in patient with no symptoms. 1996;132:886-8 (Brief comm.)
 Barbee RW (see Kates et al). 1996;132:303-13
 — (see Meza et al). 1996;132:871-81 (Prog. cardiol.)
 Barbour SI, Louie EK, O'Keefe JP. Penetration of the atrial-ventricular septum by spread of infection from aortic valve endocarditis: early diagnosis by transthoracic echocardiography and implications for surgical management. 1996;132:1287-9 (Brief comm.)
 Bartorelli AL (see De Cesare et al). 1996;132:716-20
 Bashour TT, Alali ARK, Mason DT, Saalouke M. Echinococcosis of the heart: clinical and echocardiographic features in 19 patients. 1996;132:1028-30
 —, Chen F, Yap A, Mason DT, Baladi N. Fatal myocardial ischemia caused by compression of the left coronary system by a large left sinus of Valsalva aneurysm. 1996;132:1050-2 (Brief comm.)
 —, Lee D, Millhouse FG, Hanna ES, Mason DT, Crew JR. Patent double internal mammary artery implants (Vineberg's procedure) 27 years later with development of collaterals supplying the left anterior descending and circumflex coronary arteries. 1996;132:1285-7 (Brief comm.)
 —, Saalouke M, Mason DT, Nasri M. Separate myxomas in left atrium and right ventricle. 1996;132:1295-8 (Brief comm.)
 — (see Baladi et al). 1996;132:1272-5 (Brief comm.)
 Basso C (see Angelini et al). 1996;132:203-6 (Editorial)
 — (see Valente and Basso). 1996;132:1321 (Letter reply)
 Battlemann DS (see Altmann et al). 1996;132:503-7
 Bauerlein EJ (see Bilsker et al). 1996;132:1093-4 (Brief comm.)
 Bebawi M (see Vijay et al). 1996;132:897-9 (Brief comm.)
 Beekman RH III (see Hijazi et al). 1996;132:827-35
 Belardinelli R, Georgiou D, Cianci G, Purcaro A. Effects of exercise training on left ventricular filling at rest and during exercise in patients with ischemic cardiomyopathy and severe left ventricular systolic dysfunction. 1996;132:61-70
 Belli M (see Lucia et al). 1996;132:187-9 (Brief comm.)
 Benditt DG (see Iskos et al). 1996;132:116-9
 Benito F, Jimenez S, Sanchez C, Garcia J. Double-balloon dilatation of a stenosed bioprosthetic tricuspid valve in repaired tetralogy of Fallot. 1996;132:891-2 (Brief comm.)
 Benoit CH (see Mandak et al). 1996;132:1063-6 (Brief comm.)
 Berg RA (see Kern et al). 1996;132:1156-62
 Berghlund H (see Kim et al). 1996;132:1163-72
 — (see Nishioka et al). 1996;132:1265-7 (Brief comm.)
 Bergman G (see Altmann et al). 1996;132:503-7
 Berni A (see Nigri et al). 1996;132:698-9 (Brief comm.)
 Berning J (see Bonarjee et al). 1996;132:71-7
 Bertolasi CA (see Gagliardi et al). 1996;132:946-51
 Bhagwat AR, Hoyt BD. Respiratory variation of carotid artery flow in cardiac tamponade. 1996;132:1068-70 (Brief comm.)
 —, Maze SS. Atrial septal defect: increase in left-to-right shunt after myocardial infarction. 1996;132:1308-9 (Brief comm.)
 Bhargava V (see Kimura et al). 1996;132:328-36
 Bianchi A (see Pasquett et al). 1996;132:1081-4 (Brief comm.)
 Biehler M (see Li et al). 1996;132:986-8
 Bienenfeld L, Frishman W, Glasser SP. The placebo effect in cardiovascular disease. 1996;132:1207-21 (Curriculum cardiol.)
 Bilge A, Pierard LA, Kulbertus HE. Isolated cardiac metastasis of

*July, pp. 1-250; August, pp. 251-502; September, pp. 503-710; October, pp. 711-920; November, pp. 921-1106; December, pp. 1107-1374.

- adrenal carcinoma: transesophageal echocardiographic features. 1996;132:1066-8 (Brief comm.)
- Bilsker MS, Bauerlein EJ, Kamerman ML. Bullet embolus from the heart to the right subclavian artery after gunshot wound to the right chest. 1996;132:1093-4 (Brief comm.)
- Binkley PF (see Tice et al). 1996;132:621-7
- Birnbaum Y (see Hale et al). 1996;132:258-62
- Biro S (see Miyata et al). 1996;132:269-73
- Bjerrgard P (see Bleyer et al). 1996;132:1304-6 (Brief comm.)
- Björnstad K, Duran RM, Nassau KG, Gometza B, Hatle LK, Duran CMG. Clinical and echocardiographic follow-up after aortic valve reconstruction with bovine or autologous pericardium. 1996;132:1173-8
- Black IW (see Grimm et al). 1996;132:286-96
- Blanck Z (see Li et al). 1996;132:986-8
- Blanksma PK (see Posma et al). 1996;132:1020-7
- (see Posma et al). 1996;132:1031-41 (Curriculum cardi.)
- Blefari T (see Cassone et al). 1996;132:1048-9 (Brief comm.)
- Bleyer FL, Quattromani A, Caracciolo EA, Bjerrgard P. An aggressive approach in converting resistant atrial fibrillation. 1996;132:1304-6 (Brief comm.)
- Blondheim D (see Marmor et al). 1996;132:1195-201
- Bogun F, Daoud E, Goyal R, Harvey M, Knight B, Weiss R, Bahu M, Man KC, Strickberger SA, Morady F. Comparison of atrial-His intervals in patients with and without dual atrioventricular nodal physiology and atrioventricular nodal reentrant tachycardia. 1996;132:758-64
- (see Goyal et al). 1996;132:765-7
- Bonarjee VVS, Carstensen S, Caidahl K, Nilsen DWT, Edner M, Lindvall K, Snapinn SM, Berning J. CONSENSUS II multicenter study group. Benefit of converting enzyme inhibition on left ventricular volumes and ejection fraction in patients receiving β -blockade after myocardial infarction. 1996;132:71-7
- Bondanini F (see Cassone et al). 1996;132:1048-9 (Brief comm.)
- Booth DC (see Marcum et al). 1996;132:1275-7 (Brief comm.)
- Borer JS (see Chen et al). 1996;132:343-7
- Borggreve M (see Enbergs et al). 1996;132:1263-5 (Brief comm.)
- Boudoulas H (see Malkowski et al). 1996;132:145-51
- Bouillianne O, Millaire A, de Groote P, Puisieux F, Cesbron JY, Jude B, Hatron PY, Ducloux G. Prevalence and clinical significance of antiphospholipid antibodies in heart valve disease: a case-control study. 1996;132:790-5
- Bourne MW (see Steffens et al). 1996;132:156-73 (Prog. cardi.)
- Bozkurt B (see Nagueh et al). 1996;132:1070-3 (Brief comm.)
- Brand FN, Larson M, Friedman LM, Kannel WB, Castelli WP. Epidemiologic assessment of angina before and after myocardial infarction: the Framingham Study. 1996;132:174-8 (Prog. cardi.)
- Branzi A (see Tartagni et al). 1996;132:1042-7 (Prog. cardi.)
- Brath LK (see Kontos et al). 1996;132:559-66
- Breall WS (see Friedman et al). 1996;132:933-7
- Breithardt G (see Enbergs et al). 1996;132:1263-5 (Brief comm.)
- Brili S (see Van Praagh et al). 1996;132:382-90
- (see Van Praagh et al). 1996;132:391-402
- Brodsky MA (see Douban et al). 1996;132:664-71 (Curriculum cardi.)
- Browne KF (see Vlietstra et al). 1996;132:1049-50 (Brief comm.)
- Brundage BH (see Wang et al). 1996;132:550-8
- Buettner GR (see Lindower et al). 1996;132:1147-55
- Buongiorno A (see Lucia et al). 1996;132:187-9 (Brief comm.)
- C**
- Caidahl K (see Bonarjee et al). 1996;132:71-7
- Caiola S (see Lucia et al). 1996;132:187-9 (Brief comm.)
- Calzolari A (see Drago et al). 1996;132:280-5
- Cameron DE (see Oski et al). 1996;132:836-40
- Canter CE (see Oski et al). 1996;132:836-40
- Cantwell P (see Kohli et al). 1996;132:198-200 (Brief comm.)
- Cao Q-L (see Magni et al). 1996;132:376-81
- Capomolla S (see Traversi et al). 1996;132:809-19
- Caracciolo EA (see Bleyer et al). 1996;132:1304-6 (Brief comm.)
- Cardiac Insufficiency Bisoprolol Study (see Copie et al). 1996;132:369-75
- Carsen J (see Torp-Pedersen et al). 1996;132:235-43 (Symposium)
- Caracciolo EA (see Tron et al). 1996;132:508-15
- Carstensen S (see Bonarjee et al). 1996;132:71-7
- Case CL (see Johnson et al). 1996;132:120-4
- (see Miga et al). 1996;132:776-8
- Caserta T (see Rowland et al). 1996;132:1075-7 (Brief comm.)
- Cassidy MM (see Milani et al). 1996;132:726-32
- Cassone R, Moroni C, Parlapiano C, Bondanini F, Blefari T, Affricano C. Endothelin-1 plasma levels in essential hypertension: increased levels with coronary artery disease. 1996;132:1048-9 (Brief comm.)
- Castelli WP (see Brand et al). 1996;132:174-8 (Prog. cardi.)
- Caterine MR (see Lindower et al). 1996;132:1147-55
- Cesari M, Pavan E, Sacchetto A, Rossi GP. Endothelin-1: A scientist's curiosity, or a real player in ischemic heart disease? 1996;132:1236-43 (Prog. cardi.)
- Cesbron JY (see Bouillianne et al). 1996;132:790-5
- Chakko S, Fernandez A, Sequeira R, Kessler KM, Myerburg RJ. Heart rate variability during the first 24 hours of successfully reperfused acute myocardial infarction: paradoxical decrease after reperfusion. 1996;132:586-92
- Chambers JD Jr, Haire WD, Deligonul U. Multiple early percutaneous transluminal coronary angioplasty failures related to lupus anticoagulant. 1996;132:189-90 (Brief comm.)
- Chan H-w (see Lee et al). 1996;132:1135-46
- Chan K-k (see Lee et al). 1996;132:1135-46
- Chandra S (see Grimm et al). 1996;132:286-96
- Chatterjee K (see Zhu et al). 1996;132:91-100
- Cheirif J (see Kates et al). 1996;132:303-13
- (see Meza et al). 1996;132:528-35
- (see Meza et al). 1996;132:871-81 (Prog. cardi.)
- Chen F (see Bashour et al). 1996;132:1050-2 (Brief comm.)
- Chen J, Okin PM, Roman MJ, Hochreiter C, Devereux RB, Borer JS, Kligfield P. Combined rest and exercise electrocardiographic repolarization findings in relation to structural and functional abnormalities in asymptomatic aortic regurgitation. 1996;132:343-7
- Chen M-F (see Ho et al). 1996;132:457-9 (Brief comm.)
- Chen M-z (see Lee et al). 1996;132:1135-46
- Chen W-F (see Liang et al). 1996;132:1077-9 (Brief comm.)
- Cheng TO. Coronary embolism. 1996;132:1314-5 (Letter)
- Sinus of Valsalva aneurysms. 1996;132:1319 (Letter)
- (see Wang et al). 1996;132:672-84 (Prog. cardi.)
- Chennareddy SB, Siddique M, Karim MY, Kudesia V. Erythromycin-induced polymorphic ventricular tachycardia with normal QT interval. 1996;132:691-4 (Brief comm.)
- Chiariello M (see Indolfi et al). 1996;132:542-9
- Choi WB (see Fawzy et al). 1996;132:356-60
- Chokshi SK (see Rumbak et al). 1996;132:1281-5 (Brief comm.)
- Chou T-C (see Khan and Chou). 1996;132:1089-93 (Brief comm.)
- Chua TP (see Chugh et al). 1996;132:900-4 (Editorial)
- Chugh SS, Chua TP, Coats AJS. Peripheral chemoreflex in chronic heart failure: friend and foe. 1996;132:900-4 (Editorial)
- Chung J (see Gustafson et al). 1996;132:1053-4 (Brief comm.)
- Cianci G (see Belardinelli et al). 1996;132:61-70
- Cioffi G (see Traversi et al). 1996;132:809-19
- Cipolla GD (see Thomas et al). 1996;132:969-72
- Clark WA (see Marius-Nunez et al). 1996;132:805-8
- Coats AJS (see Chugh et al). 1996;132:900-4 (Editorial)
- Cocina EG, Rosas G, Ruiz F, Torres F, Alegria JG, Tello R, de Vega NG, de la Calzada CS. Left ventricular pseudaneurysm: a cause of unilateral pulmonary edema by compressing the left pulmonary artery. 1996;132:1306-7 (Brief comm.)
- Cody RJ (see Tice et al). 1996;132:621-7
- Coffeen PR (see Iskos et al). 1996;132:116-9
- Cohen MB, Snow JS, Merkatz KA, Kholwadwala D, Jadonath RL, Goldner BG, Cohen TJ. Suppression of ventricular tachycardia by sotalol in myotonic dystrophy. 1996;132:446-9 (Brief comm.)
- Cohen TJ (see Cohen et al). 1996;132:446-9 (Brief comm.)
- Cohn LH (see Greaves et al). 1996;132:572-8
- Collins JJ Jr (see Greaves et al). 1996;132:572-8
- Collins TJ (see Meza et al). 1996;132:528-35
- Conant R (see Ginzton et al). 1996;132:733-46
- Condorelli M (see Indolfi et al). 1996;132:542-9
- CONSENSUS II multicenter study group (see Bonarjee et al). 1996;132:71-7
- Copie X, Pousset F, Lechat P, Jaillon P, Guize L, Le Heuzey J-Y. Cardiac Insufficiency Bisoprolol Study Investigators. Effects of β -blockade with bisoprolol on heart rate variability in advanced heart failure: analysis of scatterplots of R-R intervals at selected heart rates. 1996;132:369-75
- Coplan NL, Kurkovic V, Allen KM, Atallah V. Early exercise testing to stratify risk for development of restenosis after percutaneous transluminal coronary angioplasty. 1996;132:1222-5 (Curriculum cardi.)
- Coppola A (see Lucia et al). 1996;132:187-9 (Brief comm.)

Corbelli C (see Tartagni et al). 1996;132:1042-7 (Prog. cardiol.)
Couper GS (see Greaves et al). 1996;132:572-8
Creager MA (see Goldhaber et al). 1996;132:314-8
Crew JR (see Bashour et al). 1996;132:1285-7 (Brief comm.)
Cunningham MJ (see Narins et al). 1996;132:197-8 (Brief comm.)
Curkovic V (see Coplan et al). 1996;132:1222-5 (Curriculum cardi.)

D

Dalvi B (see Kerkar et al). 1996;132:888-91 (Brief comm.)
— (see Shah et al). 1996;132:696-8 (Brief comm.)
D'Amore PA (see Rohovsky et al). 1996;132:1015-9
Dangas G, Fuster V. Management of restenosis after coronary intervention. 1996;132:428-36 (Prog. cardiol.)
Daoud E (see Bogun et al). 1996;132:758-64
— (see Goyal et al). 1996;132:765-7
David D (see Klein et al). 1996;132:1079-81 (Brief comm.)
Debbas N (see Eeckhout et al). 1996;132:263-8
De Cesare NB, Bartorelli AL, Galli S, Loaldi A, Fabbicchi F, Sganzerla P, Montorsi P, Guazzi MD. Treatment of ostial lesions of the left anterior descending coronary artery with Palmaz-Schatz coronary stent. 1996;132:716-20
de Feyter PJ (see von Birgelen et al). 1996;132:516-27
Degawa T (see Nakamura et al). 1996;132:251-7
— (see Nakamura et al). 1996;132:567-71
de Groot P (see Bouillianne et al). 1996;132:790-5
Delabays A (see Magni et al). 1996;132:376-81
de la Calzada CS (see Cocina et al). 1996;132:1306-7 (Brief comm.)
Delehanty JM (see Narins et al). 1996;132:197-8 (Brief comm.)
Deligonul U (see Chambers et al). 1996;132:189-90 (Brief comm.)
— (see Porter et al). 1996;132:41-7
Dellavalle A (see Steffenino et al). 1996;132:1115-8
DeMaria AN (see Kimura et al). 1996;132:328-36
De Martinis C (see Lucia et al). 1996;132:187-9 (Brief comm.)
Denes P (see Marius-Nunez et al). 1996;132:805-8
Deng Y-B, Matsumoto M, Munehira J. Determination of mitral valve area in patients with mitral stenosis by the flow-convergence-region method during changing hemodynamic conditions. 1996;132:633-41
— (see Wang et al). 1996;132:672-84 (Prog. cardiol.)
Derugin N (see Saeed et al). 1996;132:921-32
De Segni E (see Klein et al). 1996;132:1079-81 (Brief comm.)
Deshpande S (see Li et al). 1996;132:986-8
Detrano RC (see Wang et al). 1996;132:550-8
de Vega NG (see Cocina et al). 1996;132:1306-7 (Brief comm.)
Devereux RB (see Chen et al). 1996;132:343-7
Dhala A (see Li et al). 1996;132:986-8
Di Ciommo V (see Drago et al). 1996;132:280-5
Di Lorenzo E (see Indolfi et al). 1996;132:542-9
Di Mario C (see Pasquett et al). 1996;132:1081-4 (Brief comm.)
— (see von Birgelen et al). 1996;132:516-27
— (see von Birgelen et al). 1996;132:694-6 (Brief comm.)
Dobell ARC, Van Praagh R. The Holmes heart: historic associations and pathologic anatomy. 1996;132:437-45 (Prog. cardiol.)
Doevendans PA (see Wehrens et al). 1996;132:685-6 (Brief comm.)
Doherty TM (see Wang et al). 1996;132:550-8
Doi Y (see Naito et al). 1996;132:54-60
Dolev E (see Harpaz et al). 1996;132:1311-3 (Brief comm.)
Donohue TJ (see Tron et al). 1996;132:508-15
Donovan CL, Armstrong WF. Contrast enhancement of mitral regurgitation to estimate left ventricular systolic pressure. 1996;132:884-6 (Brief comm.)
— (see Bach et al). 1996;132:721-5
Dorn GW II (see Lenihan et al). 1996;132:1179-88
Douban S, Brodsky MA, Whang DD, Whang R. Significance of magnesium in congestive heart failure. 1996;132:664-71 (Curriculum cardi.)
Douglas DE, Fyfe DA. Use of miniature biplane transesophageal echocardiography during pediatric atrial catheter interventional procedures. 1996;132:179-86 (Prog. cardiol.)
Drago F, Turchetta A, Calzolari A, Giordano U, Di Ciommo V, Santilli A, Pompei E, Ragonese P. Reciprocating supraventricular tachycardia in children: low rate at rest as a major factor related to propensity to syncope during exercise. 1996;132:280-5
Ducloux G (see Bouillianne et al). 1996;132:790-5
Duissillant GR, Mintz GS, Pichard AD, Kent KM, Satler LF, Popma JJ, Griffin J, Leon MB. Intravascular ultrasound identification of calcified intraluminal lesions misdiagnosed as thrombi by coronary angiography. 1996;132:687-9 (Brief comm.)

Duran CMG (see Björnstad et al). 1996;132:1173-8
Duran RM (see Björnstad et al). 1996;132:1173-8

E

Edner M (see Bonarjee et al). 1996;132:71-7
Eeckhout E, Stauffer J-C, Vogt P, Debbas N, Kappenberger L, Goy J-J. Comparison of elective Wiktor stent placement with conventional balloon angioplasty for new-onset lesions of the right coronary artery. 1996;132:263-8
Eisenberg MJ (see Ballal et al). 1996;132:460-2 (Editorial)
— (see Rashid et al). 1996;132:1301-4 (Brief comm.)
Elin RJ (see Seelig and Elin). 1996;132:471-7 (Symposium)
Ellis SG (see Ballal et al). 1996;132:460-2 (Editorial)
Emerick R (see Baladi et al). 1996;132:1272-5 (Brief comm.)
Emura I (see Okura et al). 1996;132:1309-11 (Brief comm.)
Enbergs A, Borggrete M, Kurlmann G, Fahrenkamp A, Scheld HH, Jehle J, Breithardt G. Ventricular tachycardia caused by cardiac rhabdomyoma in a young adult with tuberous sclerosis. 1996;132:1263-5 (Brief comm.)
Epstein LM (see Lee et al). 1996;132:973-8
Erikson JM, Velasco CE. Endothelin-1 and myocardial preconditioning. 1996;132:84-90
Ewenstein BM (see Piccoli et al). 1996;132:850-5 (Curriculum cardi.)
Ewy GA (see Kern et al). 1996;132:1156-62

F

Fabbicchi F (see De Cesare et al). 1996;132:716-20
Faggiano P, Aurigemma GP, Rusconi C, Gaasch WH. Progression of valvular aortic stenosis in adults: literature review and clinical implications. 1996;132:408-17 (Curriculum cardi.)
Fahey FJ (see Altmann et al). 1996;132:191-2 (Brief comm.)
Fahrenkamp A (see Enbergs et al). 1996;132:1263-5 (Brief comm.)
Fain E (see Trappe et al). 1996;132:599-607
Falkenhahn D (see Spielberg et al). 1996;132:579-85
Fallani F (see Tartagni et al). 1996;132:1042-7 (Prog. cardiol.)
Fallon JT (see Jiang et al). 1996;132:137-44
Fatkin D, Feneley MP. Patterns of Doppler-measured blood flow velocity in the normal and fibrillating human left atrial appendage. 1996;132:995-1003
Fawzy ME, Choi WB, Mimish L, Sivanandam V, Lingamanaicker J, Khan A, Patel A, Khan B. Immediate and long-term effect of mitral balloon valvotomy on left ventricular volume and systolic function in severe mitral stenosis. 1996;132:356-60
Feld S, Li G, Wu A, Felli P, Amirian J, Vaughn WK, Gornet T, Swenson C, Smalling RW. Reduction of canine infarct size by bolus intravenous administration of liposomal prostaglandin E₁: comparison with control, placebo liposomes, and continuous intravenous infusion of prostaglandin E₁. 1996;132:747-57
Felli P (see Feld et al). 1996;132:747-57
Fellner JM (see Mollod and Felner). 1996;132:841-9 (Curriculum cardi.)
Feneley MP (see Fatkin and Feneley). 1996;132:995-1003
Fernandez A (see Chakko et al). 1996;132:586-92
Fernandez RN (see Marius-Nunez et al). 1996;132:805-8
Fieguth H-G (see Trappe et al). 1996;132:599-607
Figge G (see Kern et al). 1996;132:1156-62
Finkelhor RS (see Wells et al). 1996;132:882-3 (Brief comm.)
Finkelstein SM (see Haidet et al). 1996;132:319-27
Fishbein MC (see Nishioka et al). 1996;132:1265-7 (Brief comm.)
Fitzpatrick AP (see Lee et al). 1996;132:973-8
Flatt LJ. Stepping off the treadmill. 1996;132:1323-4 (Letter)
Fleishmann N (see Friedman et al). 1996;132:933-7
Folsom AR, McGovern PG, Nabulsi AA, Shahar E, Kahn ESB, Winkhart SP, White AD. Changes in plasma lipids and lipoproteins associated with starting or stopping postmenopausal hormone replacement therapy. 1996;132:952-8
Fontana G (see Nishioka et al). 1996;132:1265-7 (Brief comm.)
Fontanet H (see Rumbak et al). 1996;132:1281-5 (Brief comm.)
Forni G (see Traversi et al). 1996;132:809-19
Fortuin NJ (see Rayburn and Fortuin). 1996;132:628-32
Fox R (see Porter et al). 1996;132:964-8
Foy P (see Rowland et al). 1996;132:1075-7 (Brief comm.)
Friedman LM (see Brand et al). 1996;132:174-8 (Prog. cardiol.)
Friedman M, Breall WS, Goodwin ML, Sparagon BJ, Ghandour G, Fleishmann N. Effect of type A behavioral counseling on frequency of episodes of silent myocardial ischemia in coronary patients. 1996;132:933-7

- Frishman WH, Heiman M, Karpenos A, Ooi WL, Mitzner A, Goldkorn R, Greenberg S. Twenty-four-hour ambulatory electrocardiography in elderly subjects: prevalence of various arrhythmias and prognostic implications (report from the Bronx Longitudinal Aging Study). 1996;132:297-302
- , Hotchkiss H. Selective and nonselective dopamine receptor agonists: an innovative approach to cardiovascular disease treatment. 1996;132:861-70 (Prog. cardiol.)
- (see Bienenfeld et al). 1996;132:1207-21 (Curriculum cardiol.)
- (see Gombert-Maitland and Frishman). 1996;132:1244-62 (Prog. cardiol.)
- Fujii K (see Naito et al). 1996;132:54-60
- Fuster V (see Dangas and Fuster). 1996;132:428-36 (Prog. cardiol.)
- Fyfe B (see Schechter et al). 1996;132:455-7 (Brief comm.)
- Fyfe DA (see Douglas and Fyfe). 1996;132:179-86 (Prog. cardiol.)
- G**
- Gaasch WH (see Faggiano et al). 1996;132:408-17 (Curriculum cardiol.)
- (see Sharma et al). 1996;132:194-7 (Brief comm.)
- Gagliardi JA, Prado NG, Marino JC, Lederer S, Ramos AO, Bertolasi CA. Exercise training and heparin pretreatment in patients with coronary artery disease. 1996;132:946-51
- Galal O (see Rao et al). 1996;132:403-7
- Gallardo A (see Pan et al). 1996;132:1119-26
- Galli S (see De Cesare et al). 1996;132:716-20
- Garcia J (see Benito et al). 1996;132:891-2 (Brief comm.)
- Garcia MJ, Rodriguez L, Ares M, Griffin BP, Klein AL, Stewart WJ, Thomas JD. Myocardial wall velocity assessment by pulsed Doppler tissue imaging: characteristic findings in normal subjects. 1996;132:648-56
- Gatzka C (see Schobel et al). 1996;132:1004-9
- Ge S (see Grauer et al). 1996;132:938-45
- Geggel RL (see Hijazi et al). 1996;132:827-35
- Georgeson S, Neibart RM. Quadricuspid aortic valve diagnosed by transesophageal echocardiography. 1996;132:1292-3 (Brief comm.)
- Georgiou D (see Belardinelli et al). 1996;132:61-70
- Gerson MC (see Lenihan et al). 1996;132:1179-88
- Geschwind J-F (see Saeed et al). 1996;132:921-32
- Ghandour G (see Friedman et al). 1996;132:933-7
- Gil R (see Pasquett et al). 1996;132:1081-4 (Brief comm.)
- Gillette PC (see Johnson et al). 1996;132:120-4
- (see Miga et al). 1996;132:776-8
- Ginzton LE, Rodrigues D, Shapiro SM, Laks MM, Conant R, Lobodzinski SM. Estimation of regional end-systolic wall stress during exercise in coronary artery disease. 1996;132:733-46
- Giordano U (see Drago et al). 1996;132:280-5
- Giraud GD (see Grauer et al). 1996;132:938-45
- Glantz SA (see Zhu et al). 1996;132:91-100
- Glasser SP (see Bienenfeld et al). 1996;132:1207-21 (Curriculum cardiol.)
- Globits S (see Saeed et al). 1996;132:921-32
- Glogar D, Yang P, Steurer G. Management of acute myocardial infarction: evaluating the past, practicing in the present, elaborating the future. 1996;132:465-70 (Symposium)
- (see Steurer et al). 1996;132:478-82 (Symposium)
- Goel P (see Jhamb et al). 1996;132:608-11
- (see Reddy et al). 1996;132:894-7 (Brief comm.)
- Goldberg AD (see Levine et al). 1996;132:1189-94
- Goldhaber SZ, Hirsch DR, MacDougall RC, Polak JF, Creager MA. Bolus recombinant urokinase versus heparin in deep venous thrombosis: a randomized controlled trial. 1996;132:314-8
- (see Ibrahim et al). 1996;132:856-60 (Curriculum cardiol.)
- (see Piccoli et al). 1996;132:850-5 (Curriculum cardiol.)
- (see Piccoli et al). 1996;132:1010-4
- Goldhammer E, Abinader EG. Circadian fluctuations of late potentials detected by signal-averaged electrocardiogram. 1996;132:1298-9 (Brief comm.)
- Goldkorn R (see Frishman et al). 1996;132:297-302
- Goldman ME (see Schechter et al). 1996;132:455-7 (Brief comm.)
- Goldner BG (see Cohen et al). 1996;132:446-9 (Brief comm.)
- Gombert-Maitland M, Frishman WH. Recombinant growth hormone: a new cardiovascular drug therapy. 1996;132:1244-62 (Prog. cardiol.)
- Gometza B (see Bjørnstad et al). 1996;132:1173-8
- Goodwin ML (see Friedman et al). 1996;132:933-7
- Gorenflo M. Endothelin and pulmonary blood flow. 1996;132:1318-9 (Letter reply)
- Gornet T (see Feld et al). 1996;132:747-57
- Gottdiener JS (see Papademetriou et al). 1996;132:1299-1301 (Brief comm.)
- Gould L. Premature gray hair and coronary artery disease. 1996;132:1317 (Letter)
- Goy J-J (see Eeckhout et al). 1996;132:263-8
- Goyal R, Zivin A, Souza J, Shaikh SA, Harvey M, Bogun F, Daoud E, Man KC, Strickberger SA, Morady F. Comparison of the ages of tachycardia onset in patients with atrioventricular nodal reentrant tachycardia and accessory pathway-mediated tachycardia. 1996;132:765-7
- (see Bogun et al). 1996;132:758-64
- Goyal V (see Kerkar et al). 1996;132:888-91 (Brief comm.)
- Graceffo MA, O'Rourke RA. Cardiac transplant rejection is associated with a decrease in the high-frequency components of the high-resolution, signal-averaged electrocardiogram. 1996;132:820-6
- Gradus-Pizlo I (see Wilensky et al). 1996;132:13-22
- Grauer SE, Pantely GA, Xu J, Ge S, Giraud GD, Shiota T, Sahn DJ. Myocardial imaging with a new transpulmonary lipid-fluorocarbon echo contrast agent: experimental studies in pigs. 1996;132:938-45
- Gray PG (see Malkowski et al). 1996;132:145-51
- Greaves SC, Rutherford JD, Aranki SF, Cohn LH, Couper GS, Adams DH, Rizzo RJ, Collins JJ Jr, Antman EM. Current incidence and determinants of perioperative myocardial infarction in coronary artery surgery. 1996;132:572-8
- Greco C (see Nigri et al). 1996;132:698-9 (Brief comm.)
- Greenberg S (see Frishman et al). 1996;132:297-302
- Greener Y (see Meza et al). 1996;132:871-81 (Prog. cardiol.)
- Griffin BP (see Garcia et al). 1996;132:648-56
- Griffin J (see Duissailant et al). 1996;132:687-9 (Brief comm.)
- Grimm RA, Chandra S, Klein AL, Stewart WJ, Black IW, Kidwell GA, Thomas JD. Characterization of left atrial appendage Doppler flow in atrial fibrillation and flutter by Fourier analysis. 1996;132:286-96
- Grogin HR (see Lee et al). 1996;132:973-8
- Grubb BP (see Kosinski et al). 1996;132:451-2 (Brief comm.)
- Guazzi MD (see De Cesare et al). 1996;132:716-20
- Guize L (see Copie et al). 1996;132:369-75
- Guo J-x (see Lee et al). 1996;132:1135-46
- Guo L-j (see Lee et al). 1996;132:1135-46
- Guo R (see Malkowski et al). 1996;132:145-51
- Gussenhoven EJ, van der Lugt A, van der Steen AFW, Ligtoet KM. What have we learned from in vitro intravascular ultrasound? 1996;132:702-10 (Editorial)
- Gustafson JG, Chung J, Archer SL. Pseudo-myocardial infarction in transurethral resection syndrome. 1996;132:1053-4 (Brief comm.)
- Guthrie R (see Tice et al). 1996;132:621-7
- H**
- Hahn H (see Kosinski et al). 1996;132:451-2 (Brief comm.)
- Haidet GC, Wennberg PW, Finkelstein SM, Morgan DJ. Effects of aging per se on arterial stiffness: systemic and regional compliance in beagles. 1996;132:319-27
- Haire WD (see Chambers et al). 1996;132:189-90 (Brief comm.)
- Hale SL, Birnbaum Y, Kloner RA. β -Estradiol, but not α -estradiol, reduces myocardial necrosis in rabbits after ischemia and reperfusion. 1996;132:258-62
- Hall AS (see Ball and Hall). 1996;132:244-50 (Symposium)
- Hamasaki S (see Miyata et al). 1996;132:269-73
- Hamer HPM (see Posma et al). 1996;132:1020-7
- Hammons RT (see Stoddard et al). 1996;132:337-42
- Han HC (see Na et al). 1996;132:78-83
- Hanawa H (see Okura et al). 1996;132:1309-11 (Brief comm.)
- Hanna ES (see Bashour et al). 1996;132:1285-7 (Brief comm.)
- Hannan EL (see Altmann et al). 1996;132:503-7
- Hano O, Baba T, Hayano M, Yano K. Congenital defect of the left pericardium with sick sinus syndrome. 1996;132:1293-5 (Brief comm.)
- Harpaz D, Manahemi D, Dolev E, Kishon Y. Free-floating left atrial thrombus: medical management directed by transesophageal echocardiography. 1996;132:1311-3 (Brief comm.)
- Hartland GD (see Rankin et al). 1996;132:452-4 (Brief comm.)
- Harvey M (see Bogun et al). 1996;132:758-64
- (see Goyal et al). 1996;132:765-7

- Hashida K (see Watanabe et al). 1996;132:23-9
 Hatle LK (see Bjørnstad et al). 1996;132:1173-8
 Hatron PY (see Boullianne et al). 1996;132:790-5
 Hattori T, Sumimoto T, Yuasa F, Kaida M, Jikuhara T, Hikosaka M, Sugiura T, Iwasaka T. Influence of intrinsic limb vasodilator capacity on exercise tolerance in patients with recent myocardial infarction. 1996;132:593-8
 Haught WH, Mansour M, Rothlein R, Kishimoto TK, Mainolfi EA, Hendricks JB, Hendricks C, Mehta JL. Alterations in circulating intercellular adhesion molecule-1 and L-selectin: further evidence for chronic inflammation in ischemic heart disease. 1996;132:1-8
 Hayano M (see Hano et al). 1996;132:1293-5 (Brief comm.)
 He J (see Jiang et al). 1996;132:137-44
 Heaney L (see Marius-Nunez et al). 1996;132:805-8
 Heiman M (see Frishman et al). 1996;132:297-302
 Heinrich R (see Ishii et al). 1996;132:796-804
 Hendricks C (see Haught et al). 1996;132:1-8
 Hendricks JB (see Haught et al). 1996;132:1-8
 Heo J (see Iskandrian et al). 1996;132:1226-35 (Prog. cardiol.)
 — (see Tartagni et al). 1996;132:1042-7 (Prog. cardiol.)
 Hernandez E (see Holdaway et al). 1996;132:449-51 (Brief comm.)
 Hernandez E (see Pan et al). 1996;132:1119-26
 Higaki J (see Iiyama et al). 1996;132:779-82
 — (see Rakugi et al). 1996;132:213-21 (Symposium)
 Higgins CB (see Saeed et al). 1996;132:921-32
 — (see Steffens et al). 1996;132:156-73 (Prog. cardiol.)
 Hijazi ZM, Lloyd TR, Beekman RH III, Geggel RL. Transcatheter closure with single or multiple Gianturco coils of patent ductus arteriosus in infants weighing ≤ 8 kg: retrograde versus antegrade approach. 1996;132:827-35
 Hikosaka M (see Hattori et al). 1996;132:593-8
 Hilwig RW (see Kern et al). 1996;132:1156-62
 Hirsch DR (see Goldhaber et al). 1996;132:314-8
 Ho Y-L, Kao H-L, Wu C-C, Chen M-F, Lee Y-T. Intravascular ultrasonographic characterization of calcification of the patent ductus arteriosus in adults. 1996;132:457-9 (Brief comm.)
 Hochreiter C (see Chen et al). 1996;132:343-7
 Hod H (see Shechter et al). 1996;132:483-6 (Symposium)
 Hodges M (see Wang et al). 1996;132:152-5 (Curriculum cardi.)
 Hoit BD (see Bhagwat and Hoit). 1996;132:1068-70 (Brief comm.)
 — (see Lenihan et al). 1996;132:1179-88
 Holdaway B, Hernandez E, Mohanty PK, Topaz O. Anomalous sinus node artery originating from the left main coronary artery. 1996;132:449-51 (Brief comm.)
 Hong MK, Satler LF, Mintz GS, Wong SC, Kent KM, Pichard AD, Popma JJ, Leon MB. Treatment of spontaneous coronary artery dissection with intracoronary stenting. 1996;132:200-2 (Brief comm.)
 Hong SK (see Na et al). 1996;132:78-83
 Hori M (see Naito et al). 1996;132:54-60
 Hotchkiss H (see Frishman and Hotchkiss). 1996;132:861-70 (Prog. cardiol.)
 Howell RH (see Papademetriou et al). 1996;132:1299-1301 (Brief comm.)
 Hu G (see Wang et al). 1996;132:672-84 (Prog. cardiol.)
 Huang S-C (see Liang et al). 1996;132:1077-9 (Brief comm.)
 Huang S-H (see Jeng et al). 1996;132:783-9
 Huang SKS (see Pires et al). 1996;132:125-9
 Hughes R (see Ansell and Hughes). 1996;132:1095-1100 (Editorial)
 Hunt R (see Meza et al). 1996;132:871-81 (Prog. cardiol.)
 Hunt WE, Wooley CF. The pulsatile pain of acute aortic dissection: a neurosurgeon's personal experience. 1996;132:1267-8 (Brief comm.)
 Huth C (see Lenihan et al). 1996;132:1179-88

I

- Ibrahim S, MacPherson DR, Goldhaber SZ. Chronic venous insufficiency: mechanisms and management. 1996;132:856-60 (Curriculum cardi.)
 Ichiro K (see Kitazume et al). 1996;132:711-6
 Iiyama K, Nagano M, Yo Y, Nagano N, Kamide K, Higaki J, Mikami H, Ogihara T. Impaired endothelial function with essential hypertension assessed by ultrasonography. 1996;132:779-82
 Ikeda S (see Watanabe et al). 1996;132:23-9
 Indolfi C, Piscione F, Perrone-Filardi P, Prastaro M, Di Lorenzo E, Sacca L, Salvatore M, Condorelli M, Chiariello M. Inotropic stimulation by dobutamine increases left ventricular regional

- function at the expense of metabolism in hibernating myocardium. 1996;132:542-9
 Ioli A (see Joffe et al). 1996;132:1055-8 (Brief comm.)
 Ireland MA (see Rankin et al). 1996;132:452-4 (Brief comm.)
 Ishihara H (see Kanda et al). 1996;132:361-8
 Ishihara M, Sato H, Tateishi H, Kawagoe T, Shimatani Y, Kurisu S, Sakai K. Attenuation of the no-reflow phenomenon after coronary angioplasty for acute myocardial infarction with intracoronary papaverine. 1996;132:959-63
 Ishii M, Jones M, Shiota T, Heinrich R, Yamada I, Sinclair B, Yoganathan AP, Sahn DJ. Evaluation of eccentric aortic regurgitation by color Doppler jet and color Doppler-imaged vena contracta measurements: an animal study of quantified aortic regurgitation. 1996;132:796-804
 Iskandrian AS, Heo J, Schelbert HR. Myocardial viability: methods of assessment and clinical relevance. 1996;132:1226-35 (Prog. cardiol.)
 — (see Tartagni et al). 1996;132:1042-7 (Prog. cardiol.)
 Iskos D, Lurie KG, Adler SW, Shultz JJ, Coffeen PR, Mulligan KA, Benditt DG. Effect of parenteral d-sotalol on transvenous atrial defibrillation threshold in a canine model of atrial fibrillation. 1996;132:116-9
 Isner JM (see Rohovsky et al). 1996;132:1015-9
 Ito H (see Naito et al). 1996;132:54-60
 Iwama T (see Kitazume et al). 1996;132:711-6
 Iwasaka T (see Hattori et al). 1996;132:593-8
 Izumi T (see Okura et al). 1996;132:1309-11 (Brief comm.)

J

- Jacobs LE (see Joffe et al). 1996;132:1055-8 (Brief comm.)
 Jadonath RL (see Cohen et al). 1996;132:446-9 (Brief comm.)
 Jaillon P (see Copie et al). 1996;132:369-75
 Jaipuria N (see Sinha et al). 1996;132:1268-72 (Brief comm.)
 Jazayeri M (see Li et al). 1996;132:986-8
 Jehle J (see Enbergs et al). 1996;132:1263-5 (Brief comm.)
 Jeng C-M (see Lin et al). 1996;132:1073-4 (Brief comm.)
 Jeng C-Y (see Jeng et al). 1996;132:783-9
 Jeng J-R, Sheu WH-H, Jeng C-Y, Huang S-H, Shieh S-M. Effect of doxazosin on fibrinolysis in hypertensive patients with and without insulin resistance. 1996;132:783-9
 Jhamb DK, Singh B, Sharda B, Kaul U, Goel P, Talwar KK, Wasir HS. Comparative study of the efficacy of metoprolol and verapamil in patients with syncope and positive head-up tilt test response. 1996;132:608-11
 Jiang L, Vazquez de Prada JA, Lee M-Y, He J, Padial LR, Fallon JT, King ME, Palacios IF, Weyman AE, Levine RA. Quantitative assessment of stenotic aortic valve area by using intracardiac echocardiography: in vitro validation and initial in vivo illustration. 1996;132:137-44
 Jikuhara T (see Hattori et al). 1996;132:593-8
 Jimenez S (see Benito et al). 1996;132:891-2 (Brief comm.)
 Joffe II, Jacobs LE, Owen AN, Ioli A, Weiss SE, Nakhjavan FK, Mayer TG, Kotler MN. Tricuspid papillary muscle rupture after coronary artery bypass surgery: identification by transesophageal echocardiography. 1996;132:1055-8 (Brief comm.)
 Johnson G III (see Okada et al). 1996;132:108-15
 Johnson TB, Varney FL Jr, Gillette PC, McKay CA, Case CL, Whitsett JH, Knick BJ. Lack of proarrhythmia as assessed by Holter monitor after atrial radiofrequency ablation of supraventricular tachycardia in children. 1996;132:120-4
 Jones M (see Ishii et al). 1996;132:796-804
 Jude B (see Boullianne et al). 1996;132:790-5

K

- Kahn ESB (see Folsom et al). 1996;132:952-8
 Kaida M (see Hattori et al). 1996;132:593-8
 Kaieda H (see Miyata et al). 1996;132:269-73
 Kakadekar AP (see Rosenthal et al). 1996;132:657-63
 Kamada T (see Naito et al). 1996;132:54-60
 Karmann ML (see Bilsker et al). 1996;132:1093-4 (Brief comm.)
 Kamide K (see Iiyama et al). 1996;132:779-82
 — (see Rakugi et al). 1996;132:213-21 (Symposium)
 Kamishima T (see Okura et al). 1996;132:1309-11 (Brief comm.)
 Kamitani A (see Rakugi et al). 1996;132:213-21 (Symposium)
 Kamiya T (see Shimizu et al). 1996;132:699-701 (Brief comm.)
 Kan JS (see Oski et al). 1996;132:836-40
 Kanda H, Yokota M, Ishihara H, Nagata K, Kato R, Sobue T. A novel inotropic vasodilator, OPC-18790, reduces myocardial

- oxygen consumption and improves mechanical efficiency with congestive heart failure. 1996;132:361-8
- Kannel WB (see Brand et al). 1996;132:174-8 (Prog. cardiol.)
- Kao H-L (see Ho et al). 1996;132:457-9 (Brief comm.)
- Kaplinsky E (see Klein et al). 1996;132:1079-81 (Brief comm.)
- (see Shechter et al). 1996;132:483-6 (Symposium)
- Kappenberger L (see Eeckhout et al). 1996;132:263-8
- Karim MY (see Chennareddy et al). 1996;132:691-4 (Brief comm.)
- Karpenos A (see Frishman et al). 1996;132:297-302
- Kashan F (see Vijay et al). 1996;132:897-9 (Brief comm.)
- Kates MA, Meza MF, Barbee RW, Revall S, Moreno CA, Perry B, Murgo JP, Cheirif J. Potential clinical implications of abnormal myocardial perfusion patterns immediately after reperfusion in a canine model: a myocardial contrast echocardiography. 1996;132:303-13
- Kato H (see Kikuta et al). 1996;132:101-7
- Kato K (see Okura et al). 1996;132:1309-11 (Brief comm.)
- Kato R (see Kanda et al). 1996;132:361-8
- Katz ES (see Konecky et al). 1996;132:893-4 (Brief comm.)
- Kaul U (see Jhamb et al). 1996;132:608-11
- Kawagoe T (see Ishihara et al). 1996;132:959-63
- Kawaguchi H, Mori T, Kawano T, Kono S, Sasaki J, Arakawa K. Band neutrophil count and the presence and severity of coronary atherosclerosis. 1996;132:9-12
- Kawai H (see Saito et al). 1996;132:642-7
- Kawano T (see Kawaguchi et al). 1996;132:9-12
- Kawata K (see Kondo et al). 1996;132:1127-34
- Kawataki M (see Miyata et al). 1996;132:269-73
- Kearney M (see Rohovsky et al). 1996;132:1015-9
- Kelly RF, Parrillo JE, Schaefer GL. Oxygen administration and acute myocardial infarct size. 1996;132:1316-7 (Letter reply)
- Kent KM (see Duissailant et al). 1996;132:687-9 (Brief comm.)
- (see Hong et al). 1996;132:200-2 (Brief comm.)
- Kerber RE (see Lindower et al). 1996;132:1147-55
- Kerkar P, Vora A, Kulkarni H, Narula D, Goyal V, Dalvi B. Percutaneous balloon dilatation of cor triatriatum sinister. 1996;132:888-91 (Brief comm.)
- Kern KB, Figge G, Hilwig RW, Sanders AB, Berg RA, Otto CW, Ewy GA. Active compression-decompression versus standard cardiopulmonary resuscitation in a porcine model: no improvement in outcome. 1996;132:1156-62
- Kern MJ (see Tron et al). 1996;132:508-15
- Kerwin W (see Baladi et al). 1996;132:1272-5 (Brief comm.)
- Kessler KM (see Chakko et al). 1996;132:586-92
- Khan A (see Fawzy et al). 1996;132:356-60
- Khan B (see Fawzy et al). 1996;132:356-60
- Khan ZU, Chou T-C. Right ventricular infarction mimicking acute anteroseptal left ventricular infarction. 1996;132:1089-93 (Brief comm.)
- Kholwadwala D (see Cohen et al). 1996;132:446-9 (Brief comm.)
- Khoury A (see Tron et al). 1996;132:508-15
- Kidwell GA (see Grimm et al). 1996;132:286-96
- Kikuta K, Yasue H, Yoshimura M, Morita E, Sumida H, Kato H, Kugiyama K, Ogawa H, Okumura K, Ogawa Y, Nakao K. Increased plasma levels of B-type natriuretic peptide in patients with unstable angina. 1996;132:101-7
- Kim C-J, Berglund H, Nishioka T, Luo H, Siegel RJ. Correspondence of aortic valve area determination from transesophageal echocardiography, transthoracic echocardiography, and cardiac catheterization. 1996;132:1163-72
- (see Nishioka et al). 1996;132:1265-7 (Brief comm.)
- Kim S, Kuroda T, Nishinaga M, Yamasawa M, Watanabe S, Mitsuhashi T, Ueda S, Shimada K. Relation between severity of mitral regurgitation and prognosis of mitral valve prolapse: echocardiographic follow-up study. 1996;132:348-55
- Kim YI (see Na et al). 1996;132:78-83
- Kimura BJ, Bhargava V, Palinski W, Russo RJ, DeMaria AN. Distortion of intravascular ultrasound images because of non-uniform angular velocity of mechanical-type transducers. 1996;132:328-36
- King A, Wen M-S, Yeh S-J, Wang C-C, Lin F-C, Wu D. Catheter-induced atrioventricular nodal block during radiofrequency ablation. 1996;132:979-85
- (see Wen et al). 1996;132:612-20
- King ME (see Jiang et al). 1996;132:137-44
- King SB III (see Thomas et al). 1996;132:969-72
- Kip K (see Kosinski et al). 1996;132:451-2 (Brief comm.)
- Kishimoto TK (see Haight et al). 1996;132:1-8
- Kishon Y (see Harpaz et al). 1996;132:1311-3 (Brief comm.)
- Kitazume H, Ichiro K, Iwama T, Ageishi Y. Repeat coronary angioplasty as the treatment of choice for restenosis. 1996;132:711-6
- Kittusamy PK (see Rumbak et al). 1996;132:1281-5 (Brief comm.)
- Klein AL (see Garcia et al). 1996;132:648-56
- (see Grimm et al). 1996;132:286-96
- Klein HO, Levi A, Kaplinsky E, De Segni E, David D. Congenital long-QT syndrome: deleterious effect of long-term high-rate ventricular pacing and definitive treatment by cardiac transplantation. 1996;132:1079-81 (Brief comm.)
- Kligfield P (see Chen et al). 1996;132:343-7
- Kloner RA (see Hale et al). 1996;132:258-62
- Knick BJ (see Johnson et al). 1996;132:120-4
- Knight B (see Bogun et al). 1996;132:758-64
- Köber L (see Torp-Pedersen et al). 1996;132:235-43 (Symposium)
- Kohli V, Mangru N, Pearce LA, Cantwell P, Young M-L. Radiofrequency ablation of ventricular tachycardia in an infant with cardiac tumors. 1996;132:198-200 (Brief comm.)
- Kohn H (see Kondo et al). 1996;132:1127-34
- Kohn Y (see Kondo et al). 1996;132:1127-34
- Komiyama N, Nakanishi S, Nishiyama S, Seki A. Intravascular imaging of serial changes of disease in saphenous vein grafts after coronary artery bypass grafting. 1996;132:30-40
- Kondo H (see Naito et al). 1996;132:54-60
- Kondo M, Azuma A, Yamada H, Kohn H, Kawata K, Tatsukawa H, Ohnishi K, Kohn Y, Asayama J, Nakagawa M. Estimation of coronary flow reserve with the instantaneous coronary flow velocity versus pressure relation: a new index of coronary flow reserve independent of perfusion pressure. 1996;132:1127-34
- Konecky N, Rosenzweig BP, Katz ES, Kronzon I. Right atrial thrombus complicating mitral valvuloplasty. 1996;132:893-4 (Brief comm.)
- Kono S (see Kawaguchi et al). 1996;132:9-12
- Kontos MC, Brath LK, Akosah KO, Mohanty PK. Cardiac complications in noncardiac surgery: relative value of resting two-dimensional echocardiography and dipyridamole thallium imaging. 1996;132:559-66
- Kop WJ (see Papademetriou et al). 1996;132:1299-1301 (Brief comm.)
- Kosinski D, Grubb BP, Kip K, Hahn H. Exercise-induced neurocardiogenic syncope. 1996;132:451-2 (Brief comm.)
- Kothari SS (see Reddy et al). 1996;132:894-7 (Brief comm.)
- Kotler MN (see Joffe et al). 1996;132:1055-8 (Brief comm.)
- Kowey PR (see Rials et al). 1996;132:989-94
- Krantz DS (see Papademetriou et al). 1996;132:1299-1301 (Brief comm.)
- Kricsfeld A (see Porter et al). 1996;132:41-7
- (see Porter et al). 1996;132:964-8
- Kronzon I (see Konecky et al). 1996;132:893-4 (Brief comm.)
- Kudesia V (see Chennareddy et al). 1996;132:691-4 (Brief comm.)
- Kugiyama K (see Kikuta et al). 1996;132:101-7
- Kulbertus HE (see Joffe et al). 1996;132:1066-8 (Brief comm.)
- Kulkarni H (see Kerkar et al). 1996;132:888-91 (Brief comm.)
- (see Shah et al). 1996;132:696-8 (Brief comm.)
- Kurisu S (see Ishihara et al). 1996;132:959-63
- Kurlemann G (see Enbergs et al). 1996;132:1263-5 (Brief comm.)
- Kuroda T (see Kim et al). 1996;132:348-55

L

- Lai W-T, Lee C-S, Wu J-C, Sheu S-H, Wu S-N. Effects of verapamil, propranolol, and procainamide on adenosine-induced negative dromotropism in human beings. 1996;132:768-75
- Laks MM (see Ginzton et al). 1996;132:733-46
- Lam KKH (see Lee et al). 1996;132:1135-46
- Lam L (see Lee et al). 1996;132:1135-46
- Lang RM. Anesthesia in peripartum cardiomyopathy. 1996;132:1320 (Letter reply)
- Langenfeld M (see Schobel et al). 1996;132:1004-9
- Larson M (see Brand et al). 1996;132:174-8 (Prog. cardiol.)
- Laing M (see Okada et al). 1996;132:108-15
- LaVeen RF (see Porter et al). 1996;132:964-8
- Lavie CJ (see Milani et al). 1996;132:726-32
- Lechat P (see Copie et al). 1996;132:369-75
- Lederer S (see Gagliardi et al). 1996;132:946-51
- Lee C-S (see Lai et al). 1996;132:768-75
- Lee D (see Bashour et al). 1996;132:1285-7 (Brief comm.)
- Lee G, Wong E, Mason DT. New concepts in pain management and in the application of low-power laser for relief of cervicothoracic pain syndromes. 1996;132:1329-34 (Editorial)

- Lee H-Y, Rao PS. Percutaneous transluminal coronary angioplasty in Takayasu's arteritis. 1996;132:1084-6 (Brief comm.)
- Lee M-Y (see Jiang et al). 1996;132:137-44
- Lee RJ, Wong M, Siu A, Namekawa-Wong M, Epstein LM, Fitzpatrick AP, Grogan HR, Scheinman MM, Lesh MD. Long-term results of electrophysiologically guided sotalol therapy for life-threatening ventricular arrhythmias. 1996;132:973-8
- Lee SW-I, Chen M-z, Chan H-w, Lam L, Guo J-x, Mao J-m, Lam KKH, Guo L-j, Li H-y, Chan K-k. No subacute thrombosis and femoral bleeding complications under full anticoagulation in 150 consecutive patients receiving non-heparin-coated intra-coronary Palmaz-Schatz stents. 1996;132:1135-46
- Lee Y-T (see Ho et al). 1996;132:457-9 (Brief comm.)
- Le Heuzey J-Y (see Copie et al). 1996;132:369-75
- Lenihan DJ, Gerson MC, Dorn GW II, Hoit BD, Walsh RA, Rosser S, Huth C. Effects of changes in atrioventricular gradient and contractility on left ventricular filling in human diastolic cardiac dysfunction. 1996;132:1179-88
- Leon MB (see Duissailant et al). 1996;132:687-9 (Brief comm.)
- (see Hong et al). 1996;132:200-2 (Brief comm.)
- Lesch M (see Levine et al). 1996;132:1189-94
- Lesh MD (see Lee et al). 1996;132:973-8
- Levi A (see Klein et al). 1996;132:1079-81 (Brief comm.)
- Levine AB (see Levine et al). 1996;132:1189-94
- Levine RA (see Jiang et al). 1996;132:137-44
- Levine TB, Levine AB, Goldberg AD, Tobes M, Narins B, Lesch M. Clinical status of patients removed from a transplant waiting list rivals that of transplant recipients at significant cost savings. 1996;132:1189-94
- Li G (see Feld et al). 1996;132:747-57
- (see Nagueh et al). 1996;132:1070-3 (Brief comm.)
- Li H, Axtell K, Biehl M, Dushpande S, Dhala A, Blanck Z, Sra J, Jazayeri M, Akhtar M. Sudden death in patients with implantable cardioverter-defibrillators. 1996;132:986-8
- Li H-y (see Lee et al). 1996;132:1135-46
- Li W (see von Birgelen et al). 1996;132:516-27
- Li Z-A (see Wang et al). 1996;132:672-84 (Prog. cardi.)
- Liang C-D, Huang S-C, Chen W-F. Renal artery stenosis complicated by hypertensive heart disease in a young child: successful therapy by balloon angioplasty. 1996;132:1077-9 (Brief comm.)
- Lie KI (see Posma et al). 1996;132:1020-7
- (see Posma et al). 1996;132:1031-41 (Curriculum cardi.)
- Ligtvoet KM (see Gussenhoven et al). 1996;132:702-10 (Editorial)
- Lin F-C (see King et al). 1996;132:979-85
- (see Wen et al). 1996;132:612-20
- Lin M-H, Shen C-T, Wang N-K, Lin Y-M, Jeng C-M. Magnetic resonance imaging of anomalous origin of the right pulmonary artery from the ascending aorta in association with ventricular septal defect. 1996;132:1073-4 (Brief comm.)
- Lin Y-M (see Lin et al). 1996;132:1073-4 (Brief comm.)
- Lindower PD, Spencer KT, Catherine MR, Sharma MK, Buettner GR, Kerber RE. Prolonged coronary artery occlusion-reperfusion sequences reduce myocardial free radical production: an electron paramagnetic resonance study. 1996;132:1147-55
- Lindvall K (see Bonarjee et al). 1996;132:71-7
- Lingamanaicker J (see Fawzy et al). 1996;132:356-60
- Liu L (see Wang et al). 1996;132:672-84 (Prog. cardi.)
- Lloyd TR (see Hijazi et al). 1996;132:827-35
- Loaldi A (see De Cesare et al). 1996;132:716-20
- Lobodzinski SM (see Ginzton et al). 1996;132:733-46
- Longaker RA (see Stoddard et al). 1996;132:337-42
- Louie EK (see Barbour et al). 1996;132:1287-9 (Brief comm.)
- Lu Q (see Wang et al). 1996;132:672-84 (Prog. cardi.)
- Lucia P, Caiola S, Coppola A, Maroccia E, Belli M, Buongiorno A, De Martinis C. Early increase of vasoactive intestinal peptide in acute myocardial infarction. 1996;132:187-9 (Brief comm.)
- Ludomirski A (see Magni et al). 1996;132:376-81
- Luo H (see Kim et al). 1996;132:1163-72
- (see Nishioka et al). 1996;132:1265-7 (Brief comm.)
- Lurie KG (see Iskos et al). 1996;132:116-9
- M**
- MacDougall RC (see Goldhaber et al). 1996;132:314-8
- MacPherson DR (see Ibrahim et al). 1996;132:856-60 (Curriculum cardi.)
- Magnani B (see Tartagni et al). 1996;132:1042-7 (Prog. cardi.)
- Magni G, Cao Q-L, Sugeng L, Delabays A, Marx G, Ludomirski A, Vogel M, Pandian NG. Volume-rendered, three-dimensional echocardiographic determination of the size, shape, and position of atrial septal defects: validation in an in vitro model. 1996;132:376-81
- Mainolfi EA (see Haught et al). 1996;132:1-8
- Malcolm I. Diastolic mitral regurgitation with atrial flutter. 1996;132:1321-2 (Letter)
- Malcolm I. P mitrale-P pulmonale variation. 1996;132:1322 (Letter)
- Malkowski MJ, Boudoulas H, Wooley CF, Guo R, Pearson AC, Gray PG. Spectrum of structural abnormalities in floppy mitral valve echocardiographic evaluation. 1996;132:145-51
- Man KC (see Bogun et al). 1996;132:758-64
- (see Goyal et al). 1996;132:765-7
- Manahemi D (see Harpaz et al). 1996;132:1311-3 (Brief comm.)
- Mandak JS, Benoit CH, Starkey RH, Nassef LA Jr. Echocardiography in the evaluation of cardiac pheochromocytoma. 1996;132:1063-6 (Brief comm.)
- Mangru N (see Kohli et al). 1996;132:198-200 (Brief comm.)
- Mano T (see Naito et al). 1996;132:54-60
- Mansour M (see Haught et al). 1996;132:1-8
- Mao J-m (see Lee et al). 1996;132:1135-46
- Maor-Kendler Y (see Shimoni et al). 1996;132:193-4 (Brief comm.)
- March KL (see Wilensky et al). 1996;132:13-22
- Marcum JL, Booth DC, Sapin PM. Acute myocardial infarction caused by blunt chest trauma: successful treatment by direct coronary angioplasty. 1996;132:1275-7 (Brief comm.)
- Marinchak RA (see Rials et al). 1996;132:989-94
- Marino JC (see Gagliardi et al). 1996;132:946-51
- Marius-Nunez AL, Heaney L, Fernandez RN, Clark WA, Ranganini A, Silber E, Denes P. Intermittent inotropic therapy in an outpatient setting: a cost-effective therapeutic modality in patients with refractory heart failure. 1996;132:805-8
- Mark AL (see Stratmann et al). 1996;132:536-41
- Marmor A, Raphael T, Marmor M, Blondheim D. Evaluation of contractile reserve by dobutamine echocardiography: noninvasive estimation of the severity of heart failure. 1996;132:1195-201
- Marmor M (see Marmor et al). 1996;132:1195-201
- Maroccia E (see Lucia et al). 1996;132:187-9 (Brief comm.)
- Martuscelli E (see Nigri et al). 1996;132:698-9 (Brief comm.)
- Marx G (see Magni et al). 1996;132:376-81
- Marzocchi A (see Tartagni et al). 1996;132:1042-7 (Prog. cardi.)
- Mason DT. Duplicate publication—Left atrial function after atrial fibrillation cardioversion. 1996;132:1322-3 (Letter)
- Forty-two years in cardiology. 1996;132:1335-40 (Editorial)
- In appreciation. 1996;132:1324 (Letter)
- (see Baladi et al). 1996;132:1272-5 (Brief comm.)
- (see Bashour et al). 1996;132:1028-30
- (see Bashour et al). 1996;132:1050-2 (Brief comm.)
- (see Bashour et al). 1996;132:1285-7 (Brief comm.)
- (see Bashour et al). 1996;132:1295-8 (Brief comm.)
- (see Lee et al). 1996;132:1329-34 (Editorial)
- Massie BM, Shah NB, Pitt B, Packer M. Importance of assessing changes in ventricular response to atrial fibrillation during evaluation of new heart failure therapies: experience from trials of flecainide. 1996;132:130-6
- Masuoka T (see Ajisaka et al). 1996;132:48-53
- Masuyama T (see Naito et al). 1996;132:54-60
- Matsumoto M (see Deng et al). 1996;132:633-41
- Mayer TG (see Joffe et al). 1996;132:1055-8 (Brief comm.)
- Maze SS (see Bhagwat and Maze). 1996;132:1308-9 (Brief comm.)
- Mazzola F (see Pires et al). 1996;132:125-9
- McCormack J (see Rumbak et al). 1996;132:1281-5 (Brief comm.)
- McGovern PG (see Folsom et al). 1996;132:952-8
- McKay CA (see Johnson et al). 1996;132:120-4
- Medina A (see Pan et al). 1996;132:1119-26
- Mehta JL (see Haught et al). 1996;132:1-8
- Melian F (see Pan et al). 1996;132:1119-26
- Mendoza I (see Zaim et al). 1996;132:274-9
- Mendzelevski B (see Shaheen et al). 1996;132:1058-60 (Brief comm.)
- Meredith PA. Implications of the links between hypertension and myocardial infarction for choice of drug therapy in patients with hypertension. 1996;132:222-8 (Symposium)
- Merkatz KA (see Cohen et al). 1996;132:446-9 (Brief comm.)
- Merz CNB, Rozanski A. Remodeling cardiac rehabilitation into secondary prevention programs. 1996;132:418-27 (Curriculum cardi.)
- Meyer TE (see Sharma et al). 1996;132:194-7 (Brief comm.)
- Meza M, Greener Y, Hunt R, Perry B, Revall S, Barbee W, Murgo JP, Cheirif J. Myocardial contrast echocardiography: reliable,

- AM. Embolic stroke after ligation of the pulmonary artery in patients with functional single ventricle. 1996;132:836-40
O'Sullivan J (see Van Praagh et al). 1996;132:382-90
O'Sullivan J (see Van Praagh et al). 1996;132:391-402
Otto CW (see Kern et al). 1996;132:1156-62
Owen AN (see Joffe et al). 1996;132:1055-8 (Brief comm.)

P

- Pacifico A (see Zaim et al). 1996;132:274-9
Packer M (see Massie et al). 1996;132:130-6
Padial LR (see Jiang et al). 1996;132:137-44
Page RL. CPR during pregnancy. 1996;132:1319 (Letter reply)
Palacios IF (see Jiang et al). 1996;132:137-44
Palinski W (see Kimura et al). 1996;132:328-36
Pan M, Suárez de Lezo J, Velasco F, Romero M, Medina A, Segura J, Hernández E, Pavlovic D, Melian F, Gallardo A, Zayas R, Ruiz M, Torres A. Reduction of thrombotic and hemorrhagic complications after stent implantation. 1996;132:1119-26
Pandian NG (see Magni et al). 1996;132:376-81
Pantely GA (see Grauer et al). 1996;132:938-45
Papademetriou V, Gottdiener JS, Kop WJ, Howell RH, Krantz DS. Transient coronary occlusion with mental stress. 1996;132:1299-1301 (Brief comm.)
Parlapiano C (see Cassone et al). 1996;132:1048-9 (Brief comm.)
Parmley WW (see Zhu et al). 1996;132:91-100
Parrillo JE (see Kelly et al). 1996;132:1316-7 (Letter reply)
Pasquetti G, Di Mario C, Bianchi A, von Birgelen C, Reimers B, Gil R, Serruys PW. Ultrasound-guided treatment of acute coronary stent thrombosis. 1996;132:1081-4 (Brief comm.)
Patel A (see Fawzy et al). 1996;132:356-60
Patel MM (see Rumbak et al). 1996;132:1281-5 (Brief comm.)
Pauletto FJ (see Rials et al). 1996;132:989-94
Pavan E (see Cesari et al). 1996;132:1236-43 (Prog. cardi.)
Pavlovic D (see Pan et al). 1996;132:1119-26
Pearse LA (see Kohli et al). 1996;132:198-200 (Brief comm.)
Pearson AC (see Malkowski et al). 1996;132:145-51
— (see Tice et al). 1996;132:621-7
Perkins V. Anesthesia in peripartum cardiomyopathy. 1996;132:1320 (Letter)
— CPR during pregnancy. 1996;132:1319 (Letter)
Perrone-Filardi P (see Indolfi et al). 1996;132:542-9
Perry B (see Kates et al). 1996;132:303-13
— (see Meza et al). 1996;132:871-81 (Prog. cardi.)
Persaud D (see Rosenthal et al). 1996;132:657-63
Peterson JW (see Tice et al). 1996;132:621-7
Pfitzner P (see Trappe et al). 1996;132:599-607
Piccoli A, Prandoni P, Ewenstein BM, Goldhaber SZ. Cancer and venous thromboembolism. 1996;132:850-5 (Curriculum cardi.)
—, Goldhaber SZ. Epidemiologic characteristics, management, and outcome of deep venous thrombosis in a tertiary-care hospital: the Brigham and Women's Hospital DVT Registry. 1996;132:1010-4
Pichard AD (see Duissailant et al). 1996;132:687-9 (Brief comm.)
— (see Hong et al). 1996;132:200-2 (Brief comm.)
Pieczek A (see Rohovsky et al). 1996;132:1015-9
Pierard LA (see Bilge et al). 1996;132:1066-8 (Brief comm.)
Piotrowski JJ (see Wells et al). 1996;132:882-3 (Brief comm.)
Piovaccari G (see Tartagni et al). 1996;132:1042-7 (Prog. cardi.)
Pires LA, Huang SKS, Mazzola F, Wagshal AB. Long-term outcome after radiofrequency catheter ablation of atrioventricular nodal reentrant tachycardia with the anterior-approach method. 1996;132:125-9
Piscione F (see Indolfi et al). 1996;132:542-9
Pitt B (see Massie et al). 1996;132:130-6
Pizzuto F (see Negri et al). 1996;132:698-9 (Brief comm.)
Podolin R (see Baladi et al). 1996;132:1272-5 (Brief comm.)
Polak JF (see Goldhaber et al). 1996;132:314-8
Pompei E (see Drago et al). 1996;132:280-5
Pong T (see Baladi et al). 1996;132:1272-5 (Brief comm.)
Popma JJ (see Duissailant et al). 1996;132:687-9 (Brief comm.)
— (see Hong et al). 1996;132:200-2 (Brief comm.)
Porter TR, Kricsfeld A, Deligonul U, Xie F. Detection of regional perfusion abnormalities during adenosine stress echocardiography with intravenous perfluorocarbon-exposed sonicated dextrose albumin. 1996;132:41-7
—, LaVen RF, Fox R, Kricsfeld A, Xie F. Thrombolytic enhancement with perfluorocarbon-exposed sonicated dextrose albumin microbubbles. 1996;132:964-8

- Posma JL, Blanksma PK, van der Wall EE, Hamer HPM, Mooyaart EL, Lie KI. Assessment of quantitative hypertrophy scores in hypertrophic cardiomyopathy: magnetic resonance imaging versus echocardiography. 1996;132:1020-7
—, van der Wall EE, Blanksma PK, van der Wall E, Lie KI. New diagnostic options in hypertrophic cardiomyopathy. 1996;132:1031-41 (Curriculum cardi.)
Pou R (see Schecter et al). 1996;132:455-7 (Brief comm.)
Pousset F (see Copie et al). 1996;132:369-75
Pozzoli M (see Traversi et al). 1996;132:809-19
Prado NG (see Gagliardi et al). 1996;132:946-51
Prandoni P (see Piccoli et al). 1996;132:850-5 (Curriculum cardi.)
— (see Piccoli et al). 1996;132:1010-4
Prastaro M (see Indolfi et al). 1996;132:542-9
Puentes G (see Wang et al). 1996;132:550-8
Puisieux F (see Boullianne et al). 1996;132:790-5
Purcaro A (see Belardinelli et al). 1996;132:61-70

Q

- Quattromani A (see Bleyer et al). 1996;132:1304-6 (Brief comm.)
Qureshi SA (see Rosenthal et al). 1996;132:657-63

R

- Rabinowitz B (see Shechter et al). 1996;132:483-6 (Symposium)
Racz M (see Altmann et al). 1996;132:503-7
Ragonese P (see Drago et al). 1996;132:280-5
Rahko PS. Sinus of Valsalva aneurysms. 1996;132:1319 (Letter reply)
Rajani M (see Reddy et al). 1996;132:894-7 (Brief comm.)
Rakugi H, Yu H, Kamitani A, Nakamura Y, Ohishi M, Kamide K, Nakata Y, Takami S, Higaki J, Ogihara T. Links between hypertension and myocardial infarction. 1996;132:213-21 (Symposium)
Ramee SR (see Meza et al). 1996;132:528-35
Ramos AO (see Gagliardi et al). 1996;132:946-51
Ramos SG (see Rossi and Ramos). 1996;132:207-10 (Editorial)
Ranganini A (see Marius-Nunez et al). 1996;132:805-8
Rankin JM, Hartland GD, Ireland MA. Right atrial thrombus mimicking myxoma in a heart transplant recipient. 1996;132:452-4 (Brief comm.)
Rao KD (see Sinha et al). 1996;132:1268-72 (Brief comm.)
Rao PS. Transcatheter occlusion of patent ductus arteriosus: which method to use and which ductus to close. 1996;132:905-9 (Editorial)
—, Galal O, Wilson AD. Feasibility and effectiveness of repeated balloon dilatation of restenosed congenital obstructions after previous balloon valvuloplasty/angioplasty. 1996;132:403-7
— (see Lee and Rao). 1996;132:1084-6 (Brief comm.)
Rao V (see Steurer et al). 1996;132:478-82 (Symposium)
Raphael T (see Marmor et al). 1996;132:1195-201
Rashid J, Eisenberg MJ, Topol EJ. Cocaine-induced aortic dissection. 1996;132:1301-4 (Brief comm.)
Rayburn BK, Fortuin NJ. Severely symptomatic mitral stenosis with a low gradient: a case for low-technology medicine. 1996;132:628-32
Reardon MJ (see Nagueh et al). 1996;132:1070-3 (Brief comm.)
Reddy SCB, Taneja K, Kothari SS, Goel P, Sharma S, Rajani M, Wasir HS. Mediastinal lipoma mimicking dextrocardia and cardiac enlargement: diagnosis by magnetic resonance imaging. 1996;132:894-7 (Brief comm.)
Reimers B (see Pasquetti et al). 1996;132:1081-4 (Brief comm.)
Reisner SA (see Roguin et al). 1996;132:689-91 (Brief comm.)
Revall S (see Kates et al). 1996;132:303-13
— (see Meza et al). 1996;132:871-81 (Prog. cardi.)
Rials SJ, Wu Y, Pauletto FJ, Abramson SV, Marinchak RA, Kowey PR. Effect of an intravenous angiotensin-converting enzyme inhibitor on the electrophysiologic features of normal and hypertrophied feline ventricles. 1996;132:989-94
Ribichini F (see Steffenino et al). 1996;132:1115-8
Rinkevich D (see Roguin et al). 1996;132:689-91 (Brief comm.)
Risher WH (see Narins et al). 1996;132:197-8 (Brief comm.)
Rizzo RJ (see Greaves et al). 1996;132:572-8
Robinson KA (see Thomas et al). 1996;132:969-72
Rodrigues D (see Ginzton et al). 1996;132:733-46
Rodriguez L (see Garcia et al). 1996;132:648-56
Roelandt JRTC (see von Birgelen et al). 1996;132:516-27
Roguin A, Rinkevich D, Milo S, Reisner SA. Diagnosis of mitral

- valve aneurysms by transesophageal echocardiography. 1996;132:689-91 (Brief comm.)
- Rohovsky S, Kearney M, Pieczek A, Rosenfield K, Schainfeld R, D'Amore PA, Isner JM. Elevated levels of basic fibroblast growth factor in patients with limb ischemia. 1996;132:1015-9
- Roman MJ (see Chen et al). 1996;132:343-7
- Romero M (see Pan et al). 1996;132:1119-26
- Rosas G (see Cocina et al). 1996;132:1306-7 (Brief comm.)
- Rosenfield K (see Rohovsky et al). 1996;132:1015-9
- Rosenschein U, Topol EJ. Uncoupling clinical outcomes and coronary angiography: a review and perspective of recent trials in coronary artery disease. 1996;132:910-20 (Editorial)
- Rosenthal E, Qureshi SA, Tabatabaie AH, Persaud D, Kakadekar AP, Baker EJ, Tynan M. Medium-term results of experimental stent implantation into the ductus arteriosus. 1996;132:657-63
- Rosenzweig BP (see Konecky et al). 1996;132:893-4 (Brief comm.)
- Ross RD. Endothelin and pulmonary blood flow. 1996;132:1317-8 (Letter)
- Rosser S (see Lenihan et al). 1996;132:1179-88
- Rossi GP (see Cesari et al). 1996;132:1236-43 (Prog. cardiol.)
- Rossi MA, Ramos SG. Coronary microvascular abnormalities in Chagas' disease. 1996;132:207-10 (Editorial)
- Rothlein R (see Haight et al). 1996;132:1-8
- Rottman J (see Zaim et al). 1996;132:274-9
- Rowland DG, Caserta T, Foy P, Wheller JJ, Allen HD. Congenital absence of the pulmonary valve with tetralogy of Fallot with associated aortic stenosis and patent ductus arteriosus: a prenatal diagnosis. 1996;132:1075-7 (Brief comm.)
- Rozanski A (see Merz and Rozanski). 1996;132:418-27 (Curriculum cardiol.)
- Ruiz F (see Cocina et al). 1996;132:1306-7 (Brief comm.)
- Ruiz M (see Pan et al). 1996;132:1119-26
- Rumbak MJ, Chokshi SK, Abel N, Abel W, Kittusamy PK, McCormack J, Patel MM, Fontanet H. Left phrenic nerve paresis complicating catheter radiofrequency ablation for Wolff-Parkinson-White syndrome. 1996;132:1281-5 (Brief comm.)
- Rusconi C (see Faggiano et al). 1996;132:408-17 (Curriculum cardiol.)
- Russo RJ (see Kimura et al). 1996;132:328-36
- Rutherford JD (see Greaves et al). 1996;132:572-8
- S**
- Saalouke M (see Bashour et al). 1996;132:1028-30
- (see Bashour et al). 1996;132:1295-8 (Brief comm.)
- Sacca L (see Indolfi et al). 1996;132:542-9
- Sacchetto A (see Cesari et al). 1996;132:1236-43 (Prog. cardiol.)
- Saeed M, Wendland MF, Szolozar D, Sakuma H, Geschwind J-F, Globits S, Derugin N, Higgins CB. Quantification of the extent of area at risk with fast contrast-enhanced magnetic resonance imaging in experimental coronary artery stenosis. 1996;132:921-32
- Sahn DJ (see Grauer et al). 1996;132:938-45
- (see Ishii et al). 1996;132:796-804
- Saito M, Kawai H, Akaike M, Adachi K, Nishida Y, Saito S. Cardiac dysfunction with Becker muscular dystrophy. 1996;132:642-7
- Saito S (see Saito et al). 1996;132:642-7
- Sakai K (see Ishihara et al). 1996;132:959-63
- Sakuma H (see Saeed et al). 1996;132:921-32
- (see Steffens et al). 1996;132:156-73 (Prog. cardiol.)
- Salvatore M (see Indolfi et al). 1996;132:542-9
- Sanarico M (see Traversi et al). 1996;132:809-19
- Sanborn TA (see Altmann et al). 1996;132:191-2 (Brief comm.)
- (see Altmann et al). 1996;132:503-7
- Sanchez C (see Benito et al). 1996;132:891-2 (Brief comm.)
- Sanders AB (see Kern et al). 1996;132:1156-62
- Sandusky G (see Wilensky et al). 1996;132:13-22
- Santilli A (see Drago et al). 1996;132:280-5
- Sapin PM (see Marcum et al). 1996;132:1275-7 (Brief comm.)
- Sardella G (see Nigri et al). 1996;132:698-9 (Brief comm.)
- Sasaki J (see Kawaguchi et al). 1996;132:9-12
- Satler LF (see Duissailant et al). 1996;132:687-9 (Brief comm.)
- (see Hong et al). 1996;132:200-2 (Brief comm.)
- Sato H (see Ishihara et al). 1996;132:959-63
- Schaer GL (see Kelly et al). 1996;132:1316-7 (Letter reply)
- Schainfeld R (see Rohovsky et al). 1996;132:1015-9
- Schecter SO, Fyfe B, Pou R, Goldman ME. Intramural left atrial hematoma complicating mitral annular calcification. 1996;132:455-7 (Brief comm.)
- Scheinman MM (see Lee et al). 1996;132:973-8
- Schelbert HR (see Iskandrian et al). 1996;132:1226-35 (Prog. cardiol.)
- Scheld HH (see Enbergs et al). 1996;132:1263-5 (Brief comm.)
- Schmieder RE (see Schobel et al). 1996;132:1004-9
- Schnohr P, Nyboe J. Premature gray hair and coronary artery disease. 1996;132:1317 (Letter reply)
- Schobel HP, Langenfeld M, Gatzka C, Schmieder RE. Treatment and post-treatment effects of α - versus β -receptor blockers on left ventricular structure and function in essential hypertension. 1996;132:1004-9
- Schuurbiers JCH (see von Birgelen et al). 1996;132:516-27
- Scott NA (see Thomas et al). 1996;132:969-72
- Secci A (see Wang et al). 1996;132:550-8
- Seelig MS, Elin RJ. Is there a place for magnesium in the treatment of acute myocardial infarction? 1996;132:471-7 (Symposium)
- Segura J (see Pan et al). 1996;132:1119-26
- Seki A (see Komiyama et al). 1996;132:30-40
- Sekiya M (see Watanabe et al). 1996;132:23-9
- Sequeira R (see Chakko et al). 1996;132:586-92
- Serruys PW (see Pasquett et al). 1996;132:1081-4 (Brief comm.)
- (see von Birgelen et al). 1996;132:516-27
- (see von Birgelen et al). 1996;132:694-6 (Brief comm.)
- Sganzerla P (see De Cesare et al). 1996;132:716-20
- Shah C, Narula D, Kulkarni H, Dalvi B. Spontaneous coronary artery dissection in a young man with inferior wall myocardial infarction. 1996;132:696-8 (Brief comm.)
- Shah NB (see Massie et al). 1996;132:130-6
- Shahar E (see Folsom et al). 1996;132:952-8
- Shaheen J, Mendzelevski B, Tzivoni D. Dobutamine-induced ST segment elevation and ventricular fibrillation with nonsignificant coronary artery disease. 1996;132:1058-60 (Brief comm.)
- Shaikh SA (see Goyal et al). 1996;132:765-7
- Shapiro SM (see Ginzton et al). 1996;132:733-46
- Sharda B (see Jhamb et al). 1996;132:608-11
- Sharma M, Aurigemma GP, Meyer TE, Gaasch WH. Recurrent syncope after successful aortic valve replacement. 1996;132:194-7 (Brief comm.)
- Sharma MK (see Lindower et al). 1996;132:1147-55
- Sharma S (see Reddy et al). 1996;132:894-7 (Brief comm.)
- Shechter M, Hod H, Kaplinsky E, Rabinowitz B. The rationale of magnesium as alternative therapy for patients with acute myocardial infarction without thrombolytic therapy. 1996;132:483-6 (Symposium)
- Sheu C-T (see Lin et al). 1996;132:1073-4 (Brief comm.)
- Shetty GG (see Sinha et al). 1996;132:1268-72 (Brief comm.)
- Sheu S-H (see Lai et al). 1996;132:768-75
- Sheu WH-H (see Jeng et al). 1996;132:783-9
- Shibata A (see Okura et al). 1996;132:1309-11 (Brief comm.)
- Shieh S-M (see Jeng et al). 1996;132:783-9
- Shimada K (see Kim et al). 1996;132:348-55
- Shimatanai Y (see Ishihara et al). 1996;132:959-63
- Shimizu W, Yamada K, Arakaki Y, Kamiya T, Shimomura K. Monophasic action potential recordings during T-wave alternans in congenital long QT syndrome. 1996;132:699-701 (Brief comm.)
- Shimomura K (see Shimizu et al). 1996;132:699-701 (Brief comm.)
- Shimoni A, Maor-Kendler Y, Neuman Y. Verapamil-induced acute right heart failure. 1996;132:193-4 (Brief comm.)
- Shiota T (see Grauer et al). 1996;132:938-45
- (see Ishii et al). 1996;132:796-804
- Shuler S (see Meza et al). 1996;132:528-35
- Shultz JJ (see Iskos et al). 1996;132:116-9
- Shuman JL (see Zhu et al). 1996;132:91-100
- Siddique M (see Chennareddy et al). 1996;132:691-4 (Brief comm.)
- Siegel RJ (see Kim et al). 1996;132:1163-72
- (see Nishioka et al). 1996;132:1265-7 (Brief comm.)
- Sievers RE (see Zhu et al). 1996;132:91-100
- Sigurdsson A, Swedberg K. The role of neurohormonal activation in chronic heart failure and postmyocardial infarction. 1996;132:229-34 (Symposium)
- Silber E (see Marius-Nunez et al). 1996;132:805-8
- Sinclair B (see Ishii et al). 1996;132:796-804
- Singh B (see Jhamb et al). 1996;132:608-11
- Singh BP (see Sinha et al). 1996;132:1268-72 (Brief comm.)
- Singh DV (see Narins et al). 1996;132:197-8 (Brief comm.)
- Sinha PR, Singh BP, Jaipuria N, Rao KD, Shetty GG, Avasthey P. Intrapericardial echogenic images and development of constrictive pericarditis in patients with pericardial effusion. 1996;132:1268-72 (Brief comm.)
- Siu A (see Lee et al). 1996;132:973-8

- Sivanandam V (see Fawzy et al). 1996;132:356-60
- Slager CJ (see von Birgelen et al). 1996;132:516-27
- Sleight P. Myocardial infarction and hypertension links and interactions: introduction. 1996;132:211-2 (Symposium)
- Smalling RW (see Feld et al). 1996;132:747-57
- Smetana R. Editorial: Magnesium in Acute Myocardial Infarction. 1996;132:463-4 (Symposium)
- (see Steurer et al). 1996;132:478-82 (Symposium)
- Snappin SM (see Bonarjee et al). 1996;132:71-7
- Snoep G (see Wehrens et al). 1996;132:685-6 (Brief comm.)
- Snow JS (see Cohen et al). 1996;132:446-9 (Brief comm.)
- Sobue T (see Kanda et al). 1996;132:361-8
- Solomon SL (see Nagueh et al). 1996;132:1070-3 (Brief comm.)
- Sonnemaker R (see Meza et al). 1996;132:528-35
- Souza J (see Goyal et al). 1996;132:765-7
- Sparagon BJ (see Friedman et al). 1996;132:933-7
- Spencer KT (see Lindower et al). 1996;132:1147-55
- Spielberg C, Falkenhahn D, Willich SN, Wegscheider K, Voller H. Circadian, day-of-week, and seasonal variability in myocardial infarction: comparison between working and retired patients. 1996;132:579-85
- Spokojny A (see Altmann et al). 1996;132:503-7
- Spray TL (see Oski et al). 1996;132:836-40
- Sra J (see Li et al). 1996;132:986-8
- Starkey RH (see Mandak et al). 1996;132:1063-6 (Brief comm.)
- Stauffer J-C (see Eeckhout et al). 1996;132:263-8
- Steffenino G, Dellavalle A, Ribichini F, Uslenghi E. Coronary stenting after unsuccessful emergency angioplasty in acute myocardial infarction: results in a series of consecutive patients. 1996;132:1115-8
- Steffens JC, Sakuma H, Bourne MW, Higgins CB. Magnetic resonance imaging in ischemic heart disease. 1996;132:156-73 (Prog. cardiol.)
- Steurer G, Yang P, Rao V, Mohl W, Glogar D, Smetana R. Acute myocardial infarction, reperfusion injury, and intravenous magnesium therapy: basic concepts and clinical implications. 1996;132:478-82 (Symposium)
- (see Glogar et al). 1996;132:465-70 (Symposium)
- Stewart WJ (see Garcia et al). 1996;132:648-56
- (see Grimm et al). 1996;132:286-96
- Stoddard MF, Hammons RT, Longaker RA. Doppler transesophageal echocardiographic determination of aortic valve area in adults with aortic stenosis. 1996;132:337-42
- Stratmann HG, Younis LT, Wittry MD, Amato M, Mark AL, Miller DD. Dipyridamole technetium 99m sestamibi myocardial tomography for preoperative cardiac risk stratification before major or minor nonvascular surgery. 1996;132:536-41
- Strickberger SA (see Bogun et al). 1996;132:758-64
- (see Goyal et al). 1996;132:765-7
- Suárez de Lezo J (see Pan et al). 1996;132:1119-26
- Sugeng L (see Magni et al). 1996;132:376-81
- Sugishita Y (see Ajisaka et al). 1996;132:48-53
- Sugiura T (see Hattori et al). 1996;132:593-8
- Sumida H (see Kikuta et al). 1996;132:101-7
- Sumimoto T (see Hattori et al). 1996;132:593-8
- Sumiyoshi M, Nakata Y, Yasuda M, Tokano T, Ogura S, Nakazato Y, Yamaguchi H. Clinical and electrophysiologic features of exercise-induced atrioventricular block. 1996;132:1277-81 (Brief comm.)
- Sun Y-p (see Zhu et al). 1996;132:91-100
- Swedberg K (see Sigurdsson and Swedberg). 1996;132:229-34 (Symposium)
- Swenson C (see Feld et al). 1996;132:747-57
- Swetelitsch EM, Murphy GW. Acute electrocardiographic pseudo-infarction pattern in the setting of diabetic ketoacidosis and severe hyperkalemia. 1996;132:1086-9 (Brief comm.)
- Szolar D (see Saeed et al). 1996;132:921-32
- T**
- Tabatabaie AH (see Rosenthal et al). 1996;132:657-63
- Tagliente MR, Troise D, Milella L, Vairo U. Isolated anomalous origin of left pulmonary artery from the ascending aorta. 1996;132:1289-92 (Brief comm.)
- Takami S (see Rakugi et al). 1996;132:213-21 (Symposium)
- Takenaka T. Coronary embolism. 1996;132:1315-6 (Letter reply)
- Talwar KK (see Jhamb et al). 1996;132:608-11
- Tamato Y (see Okura et al). 1996;132:1309-11 (Brief comm.)
- Tanaka H (see Miyata et al). 1996;132:269-73
- Taneja K (see Reddy et al). 1996;132:894-7 (Brief comm.)
- Tang W (see Wang et al). 1996;132:550-8
- Tartagni F, Fallani F, Corbelli C, Monetti N, Piovaccari G, Marzocchi A, Zannoli R, Branzi A, Magnani B, Heo J, Iskandrian AS. Dynamic planar myocardial perfusion imaging in patients with one-vessel disease with intracoronary injection of technetium 99m tetroxime during papaverine-induced coronary hyperemia. 1996;132:1042-7 (Prog. cardiol.)
- Tateishi H (see Ishihara et al). 1996;132:959-63
- Tatsukawa H (see Kondo et al). 1996;132:1127-34
- Tavazzi L (see Traversi et al). 1996;132:809-19
- Tello R (see Cocina et al). 1996;132:1306-7 (Brief comm.)
- Thiene G (see Angelini et al). 1996;132:203-6 (Editorial)
- Thomas CN, Robinson KA, Cipolla GD, King SB III, Scott NA. Local intracoronary heparin delivery with a microporous balloon catheter. 1996;132:969-72
- Thomas JD (see Garcia et al). 1996;132:648-56
- (see Grimm et al). 1996;132:286-96
- Tice FD, Peterson JW, Orsinelli DA, Binkley PF, Cody RJ, Guthrie R, Pearson AC. Vascular hypertrophy is an early finding in essential hypertension and is related to arterial pressure waveform contour. 1996;132:621-7
- Tobes M (see Levine et al). 1996;132:1189-94
- Tokano T (see Sumiyoshi et al). 1996;132:1277-81 (Brief comm.)
- Topaz O (see Holdaway et al). 1996;132:449-51 (Brief comm.)
- Topol EJ (see Rashid et al). 1996;132:1301-4 (Brief comm.)
- (see Rosenschein and Topol). 1996;132:910-20 (Editorial)
- Torp-Pedersen C, Køber L, Carlsen J. Angiotensin-converting enzyme inhibition after myocardial infarction: the Trandolapril Cardiac Evaluation study. 1996;132:235-43 (Symposium)
- Torres A (see Pan et al). 1996;132:1119-26
- Torres F (see Cocina et al). 1996;132:1306-7 (Brief comm.)
- Tosti-Croce C (see Nigri et al). 1996;132:698-9 (Brief comm.)
- Trappe H-J, Pfitzner P, Wenzlaff P, Fain E, Fieguth H-G. First experience with a new nonthoracotomy defibrillation lead system. 1996;132:599-607
- Traversi E, Pozzoli M, Cioffi G, Capomolla S, Forni G, Sanarico M, Tavazzi L. Mitral flow velocity changes after 6 months of optimized therapy provide important hemodynamic and prognostic information in patients with chronic heart failure. 1996;132:809-19
- Troise D (see Tagliente et al). 1996;132:1289-92 (Brief comm.)
- Tron C, Donohue TJ, Bach RG, Wolford T, Carraciolo EA, Aguirre FV, Khoury A, Kern MJ. Differential characterization of human coronary collateral blood flow velocity. 1996;132:508-15
- Trumbold C, Van Schaik T. Publisher's announcement. 1996;132:1107
- Tsunoda T (see Nakamura et al). 1996;132:251-7
- (see Nakamura et al). 1996;132:567-71
- Turchetta A (see Drago et al). 1996;132:280-5
- Tynan M (see Rosenthal et al). 1996;132:657-63
- Tzivoni D (see Shaheen et al). 1996;132:1058-60 (Brief comm.)
- U**
- Ueda S (see Kim et al). 1996;132:348-55
- Ui K (see Nakamura et al). 1996;132:251-7
- (see Nakamura et al). 1996;132:567-71
- Uslenghi E (see Steffenino et al). 1996;132:1115-8
- V**
- Vairo U (see Tagliente et al). 1996;132:1289-92 (Brief comm.)
- Valente M, Basso C. Primary cardiac fibrosarcoma. 1996;132:1321 (Letter reply)
- van Dantzig JM (see Wehrens et al). 1996;132:685-6 (Brief comm.)
- van der Lugt A (see Gussenhoven et al). 1996;132:702-10 (Editorial)
- van der Steen AFW (see Gussenhoven et al). 1996;132:702-10 (Editorial)
- van der Wall E (see Posma et al). 1996;132:1031-41 (Curriculum cardiol.)
- van der Wall EE (see Posma et al). 1996;132:1020-7
- van der Wall EE (see Posma et al). 1996;132:1031-41 (Curriculum cardiol.)
- Van Praagh R (see Dobell and Van Praagh). 1996;132:437-45 (Prog. cardiol.)
- (see Van Praagh et al). 1996;132:382-90

- (see Van Praagh et al). 1996;132:391-402
- Van Praagh S, O'Sullivan J, Brili S, Van Praagh R. Juxtaposition of the morphologically left atrial appendage in solitus and inversus atria: a study of 18 postmortem cases. 1996;132:391-402
- , —, —, —. Juxtaposition of the morphologically right atrial appendage in solitus and inversus atria: a study of 35 postmortem cases. 1996;132:382-90
- Van Schaik T (see Trumbold and Van Schaik). 1996;132:1107
- Varney FL Jr (see Johnson et al). 1996;132:120-4
- Vaughn WK (see Feld et al). 1996;132:747-57
- Vazquez de Prada JA (see Jiang et al). 1996;132:137-44
- Velasco CE (see Erikson and Velasco). 1996;132:84-90
- Velasco F (see Pan et al). 1996;132:1119-26
- Vijay V, Alor RK, Yalla SMR, Bebawi M, Kashan F. Pericardial tamponade from Kaposi's sarcoma: role of early pericardial window. 1996;132:897-9 (Brief comm.)
- Vlietstra RE, Nunn CM, Narvarte J, Browne KF. Contrast nephropathy after coronary angioplasty in chronic renal insufficiency. 1996;132:1049-50 (Brief comm.)
- Vogel M (see Magni et al). 1996;132:376-81
- Vogt P (see Eeckhout et al). 1996;132:263-8
- Voller H (see Spielberg et al). 1996;132:579-85
- von Birgelen C, Di Mario C, Li W, Schuurbiens JCH, Slager CJ, de Feyter PJ, Roelandt JRTC, Serruys PW. Morphometric analysis in three-dimensional intracoronary ultrasound: an in vitro and in vivo study performed with a novel system for the contour detection of lumen and plaque. 1996;132:516-27
- , —, —, Serruys PW. Structural and functional characterization of an intermediate stenosis with intracoronary ultrasound and Doppler: a case of "reverse Glasgow modeling." 1996;132:694-6 (Brief comm.)
- (see Pasquett et al). 1996;132:1081-4 (Brief comm.)
- Vora A (see Kerkar et al). 1996;132:888-91 (Brief comm.)
- W**
- Wagshal AB (see Pires et al). 1996;132:125-9
- Wakatsuki T (see Nakamura et al). 1996;132:251-7
- (see Nakamura et al). 1996;132:567-71
- Walsh RA (see Lenihan et al). 1996;132:1179-88
- Wang C-C (see King et al). 1996;132:979-85
- (see Wen et al). 1996;132:612-20
- Wang C-H (see Wong et al). 1996;132:1060-3 (Brief comm.)
- Wang K, Asinger R, Hodges M. Electrocardiograms of Wolff-Parkinson-White syndrome simulating other conditions. 1996;132:152-5 (Curriculum cardiol.)
- Wang N-K (see Lin et al). 1996;132:1073-4 (Brief comm.)
- Wang S, Detrano RC, Secci A, Tang W, Doherty TM, Puentes G, Wong N, Brundage BH. Detection of coronary calcification with electron-beam computed tomography: evaluation of interexamination reproducibility and comparison of three image-acquisition protocols. 1996;132:550-8
- Wang X-F, Li Z-A, Cheng TO, Xie M-X, Hu G, Deng Y-B, Liu L, Lu Q. Four-dimensional echocardiography: methods and clinical application. 1996;132:672-84 (Prog. cardiol.)
- Wasir HS (see Jhamb et al). 1996;132:608-11
- (see Reddy et al). 1996;132:894-7 (Brief comm.)
- Watanabe K, Sekiya M, Ikeda S, Miyagawa M, Hashida K. Preventive effects of probucol on restenosis after percutaneous transluminal coronary angioplasty. 1996;132:23-9
- Watanabe S (see Ajisaka et al). 1996;132:48-53
- (see Kim et al). 1996;132:348-55
- Waters DD (see Azar and Waters). 1996;132:1101-6 (Editorial)
- Weber MA (see Neutel et al). 1996;132:1202-6
- Wegscheider K (see Spielberg et al). 1996;132:579-85
- Wehrens XHT, Doevendans PA, van Dantzig JM, Snoep G, Wellens HJ. Infected sternal fracture hematoma after cardiopulmonary resuscitation initially seen as pericarditis. 1996;132:685-6 (Brief comm.)
- Weiss R (see Bogun et al). 1996;132:758-64
- Weiss SE (see Joffe et al). 1996;132:1055-8 (Brief comm.)
- Weisse AB. Oxygen administration and acute myocardial infarct size. 1996;132:1316 (Letter)
- Wellens HJ (see Wehrens et al). 1996;132:685-6 (Brief comm.)
- Wells KE, Alexander JJ, Piotrowski JJ, Finkelhor RS. Massive aortic thrombus detected by transesophageal echocardiography as a cause of peripheral emboli in young patients. 1996;132:882-3 (Brief comm.)
- Wen M-S, Yeh S-J, Wang C-C, King A, Lin F-C, Wu D. Radiofrequency ablation therapy of the posteroseptal accessory pathway. 1996;132:612-20
- (see King et al). 1996;132:979-85
- (see Wong et al). 1996;132:1060-3 (Brief comm.)
- Wendland MF (see Saeed et al). 1996;132:921-32
- Wennberg PW (see Haidet et al). 1996;132:319-27
- Wenzlaff P (see Trappe et al). 1996;132:599-607
- Weyman AE (see Jiang et al). 1996;132:137-44
- Whang DD (see Douban et al). 1996;132:664-71 (Curriculum cardiol.)
- Whang R (see Douban et al). 1996;132:664-71 (Curriculum cardiol.)
- Wheller JJ (see Rowland et al). 1996;132:1075-7 (Brief comm.)
- White AD (see Folsom et al). 1996;132:952-8
- White CJ (see Meza et al). 1996;132:528-35
- Whitsett JH (see Johnson et al). 1996;132:120-4
- Wilensky RL, Gradus-Pizlo I, Sandusky G, March KL. Vascular repair mechanisms after directional atherectomy or percutaneous transluminal coronary angioplasty in atherosclerotic rabbit iliac arteries. 1996;132:13-22
- Willich SN (see Spielberg et al). 1996;132:579-85
- Wilson AD (see Rao et al). 1996;132:403-7
- Winkhart SP (see Folsom et al). 1996;132:952-8
- Wittry MD (see Stratmann et al). 1996;132:536-41
- Wolfe CL (see Zhu et al). 1996;132:91-100
- Wolford T (see Tron et al). 1996;132:508-15
- Wong C-W, Wang C-H, Wen M-S, Yeh S-J, Wu D. Effective therapy with transthoracic video-assisted endoscopic coagulation of the left stellate ganglion and upper sympathetic trunk in congenital long-QT syndrome. 1996;132:1060-3 (Brief comm.)
- Wong E (see Lee et al). 1996;132:1329-34 (Editorial)
- Wong M (see Lee et al). 1996;132:973-8
- Wong N (see Wang et al). 1996;132:550-8
- Wong SC (see Hong et al). 1996;132:200-2 (Brief comm.)
- Wooley CF (see Hunt and Wooley). 1996;132:1267-8 (Brief comm.)
- (see Malkowski et al). 1996;132:145-51
- Wu A (see Feld et al). 1996;132:747-57
- Wu C-C (see Ho et al). 1996;132:457-9 (Brief comm.)
- Wu D (see King et al). 1996;132:979-85
- (see Wen et al). 1996;132:612-20
- (see Wong et al). 1996;132:1060-3 (Brief comm.)
- Wu J-C (see Lai et al). 1996;132:768-75
- Wu S-N (see Lai et al). 1996;132:768-75
- Wu Y (see Rials et al). 1996;132:989-94
- X**
- Xie F (see Porter et al). 1996;132:41-7
- (see Porter et al). 1996;132:964-8
- Xie M-X (see Wang et al). 1996;132:672-84 (Prog. cardiol.)
- Xu J (see Grauer et al). 1996;132:938-45
- Y**
- Yabuki S (see Nakamura et al). 1996;132:251-7
- (see Nakamura et al). 1996;132:567-71
- Yakel DL (see Baladi et al). 1996;132:1272-5 (Brief comm.)
- Yalla SMR (see Vijay et al). 1996;132:897-9 (Brief comm.)
- Yamada H (see Kondo et al). 1996;132:1127-34
- Yamada I (see Ishii et al). 1996;132:796-804
- Yamada K (see Shimizu et al). 1996;132:699-701 (Brief comm.)
- Yamaguchi H (see Sumiyoshi et al). 1996;132:1277-81 (Brief comm.)
- Yamaguchi T (see Nakamura et al). 1996;132:251-7
- (see Nakamura et al). 1996;132:567-71
- Yamamoto K (see Naito et al). 1996;132:54-60
- Yamanouchi T (see Ajisaka et al). 1996;132:48-53
- Yamasawa M (see Kim et al). 1996;132:348-55
- Yang P (see Glogar et al). 1996;132:465-70 (Symposium)
- (see Steurer et al). 1996;132:478-82 (Symposium)
- Yano K (see Hano et al). 1996;132:1293-5 (Brief comm.)
- Yap AG (see Baladi et al). 1996;132:1272-5 (Brief comm.)
- (see Bashour et al). 1996;132:1050-2 (Brief comm.)
- Yasuda M (see Sumiyoshi et al). 1996;132:1277-81 (Brief comm.)

- Yasue H (see Kikuta et al). 1996;132:101-7
Yeh S-J (see King et al). 1996;132:979-85
— (see Wen et al). 1996;132:612-20
— (see Wong et al). 1996;132:1060-3 (Brief comm.)
Yo Y (see Iiyama et al). 1996;132:779-82
Yoganathan AP (see Ishii et al). 1996;132:796-804
Yokota M (see Kanda et al). 1996;132:361-8
Yoon YW (see Na et al). 1996;132:78-83
Yoshimura M (see Kikuta et al). 1996;132:101-7
Young M-L (see Kohli et al). 1996;132:198-200 (Brief comm.)
Young MD. Looking back. 1996;132:1324 (Letter)
Younis LT (see Stratmann et al). 1996;132:536-41
Yu H (see Rakugi et al). 1996;132:213-21 (Symposium)
Yuasa F (see Hattori et al). 1996;132:593-8

Subject index*

A

Abbott, Maude

The Holmes heart: historic associations and pathologic anatomy (Dobell and Van Praagh). 1996;132:437-45 (Prog. cardiol.)

Abnormal myocardial perfusion patterns; see Perfusion

Accessory pathway; see Heart conduction system

Acquired immunodeficiency syndrome

Pericardial tamponade from Kaposi's sarcoma: role of early pericardial window (Vijay et al). 1996;132:897-9 (Brief comm.)

Adenosine

Detection of regional perfusion abnormalities during adenosine stress echocardiography with intravenous perfluorocarbon-exposed sonicated dextrose albumin (Porter et al). 1996;132:41-7

Effects of verapamil, propranolol, and procainamide on adenosine-induced negative dromotropism in human beings (Lai et al). 1996;132:768-75

Endothelin-1 and myocardial preconditioning (Erikson and Velasco). 1996;132:84-90

Adrenal carcinoma; see Carcinoma

Adrenergic alpha receptor blockers

Treatment and post-treatment effects of α - versus β -receptor blockers on left ventricular structure and function in essential hypertension (Schobel et al). 1996;132:1004-9

Adrenergic beta receptor blockers

Benefit of converting enzyme inhibition on left ventricular volumes and ejection fraction in patients receiving β -blockade after myocardial infarction (Bonarjee et al). 1996;132:71-7

Effects of β -blockade with bisoprolol on heart rate variability in advanced heart failure: analysis of scatterplots of R-R intervals at selected heart rates (Copie et al). 1996;132:369-75

Treatment and post-treatment effects of α - versus β -receptor blockers on left ventricular structure and function in essential hypertension (Schobel et al). 1996;132:1004-9

Age factors

Comparison of the ages of tachycardia onset in patients with atrioventricular nodal reentrant tachycardia and accessory pathway-mediated tachycardia (Goyal et al). 1996;132:765-7

Aged

Twenty-four-hour ambulatory electrocardiography in elderly subjects: prevalence of various arrhythmias and prognostic implications (report from the Bronx Longitudinal Aging Study) (Frishman et al). 1996;132:297-302

Aging

Effects of aging per se on arterial stiffness: systemic and regional compliance in beagles (Haidet et al). 1996;132:319-27

AIDS; see Acquired immunodeficiency syndrome

Albinism

Detection of regional perfusion abnormalities during adenosine stress echocardiography with intravenous perfluorocarbon-

Z

Zaim B (see Zaim et al). 1996;132:274-9

Zaim S, Zaim B, Rottman J, Mendoza I, Nasir N Jr, Pacifico A.

Characterization of spontaneous recurrent ventricular arrhythmias detected by electrogram-storing defibrillators in sudden cardiac death survivors with no inducible ventricular arrhythmias at baseline electrophysiologic testing. 1996;132:274-9

Zannoli R (see Tartagni et al). 1996;132:1042-7 (Prog. cardiol.)

Zayas R (see Pan et al). 1996;132:1119-26

Zhu B-q, Sun Y-p, Sievers RE, Shuman JL, Glantz SA, Chatterjee K, Parmley WW, Wolfe CL. L-Arginine decreases infarct size in rats exposed to environmental tobacco smoke. 1996;132:91-100

Zivin A (see Goyal et al). 1996;132:765-7

Zoghbi WA (see Nagueh et al). 1996;132:1070-3 (Brief comm.)

exposed sonicated dextrose albumin (Porter et al). 1996;132:41-7

Thrombolytic enhancement with perfluorocarbon-exposed sonicated dextrose albumin microbubbles (Porter et al). 1996;132:964-8

Alpha-estradiol; see Estradiol

Ambulatory care

Intermittent inotropic therapy in an outpatient setting: a cost-effective therapeutic modality in patients with refractory heart failure (Marius-Nunez et al). 1996;132:805-8

American Heart Journal

In appreciation (Mason). 1996;132:1324 (Letter)

Forty-two years in cardiology (Mason). 1996;132:1335-40 (Editorial)

Looking back (Young). 1996;132:1324 (Letter)

Publisher's announcement. (Trumbold and Van Schaik). 1996;132:1107

Stepping off the treadmill (Flatt). 1996;132:1323-4 (Letter)

Anesthesia

Anesthesia in peripartum cardiomyopathy (Perkins) (Letter); (Lang) (Reply). 1996;132:1320

Aneurysm

Diagnosis of mitral valve aneurysms by transesophageal echocardiography (Roguin et al). 1996;132:689-91 (Brief comm.)

Fatal myocardial ischemia caused by compression of the left coronary system by a large left sinus of Valsalva aneurysm (Bashour et al). 1996;132:1050-2 (Brief comm.)

Left ventricular pseudoaneurysm: a cause of unilateral pulmonary edema by compressing the left pulmonary artery (Cocina et al). 1996;132:1306-7 (Brief comm.)

Sinus of Valsalva aneurysms (Cheng) (Letter); (Rahko) (Reply). 1996;132:1319

Angicoagulants

Evolving models of warfarin management: anticoagulation clinics, patient self-monitoring and patient self-management (Ansell and Hughes). 1996;132:1095-100 (Editorial)

Angina, unstable

Increased plasma levels of B-type natriuretic peptide in patients with unstable angina (Kikuta et al). 1996;132:101-7

The inflammatory etiology of unstable angina (Azar and Waters). 1996;132:1101-6 (Editorial)

Angina pectoris

Epidemiologic assessment of angina before and after myocardial infarction: the Framingham Study (Brand et al). 1996;132:174-8 (Prog. cardiol.)

Angioplasty

Distal coronary flow velocity immediately after direct angioplasty for acute myocardial infarction (Nakamura et al). 1996;132:251-7

Angioplasty, balloon, adverse effects

Bailout stenting for extensive dissection complicating direct infarct angioplasty (Altmann et al). 1996;132:191-2 (Brief comm.)

Angioplasty, transluminal, percutaneous coronary

Acute myocardial infarction caused by blunt chest trauma: successful treatment by direct coronary angioplasty (Marcum et al). 1996;132:1275-7 (Brief comm.)

Atrial natriuretic peptide release during myocardial ischemia induced by percutaneous transluminal coronary angioplasty (Nigri et al). 1996;132:698-9 (Brief comm.)

*July, pp. 1-250; August, pp. 251-502; September, pp. 503-710; October, pp. 711-920; November, pp. 921-1106; December, pp. 1107-1374.

Angioplasty, transluminal, percutaneous coronary—cont'd

- Attenuation of the no-reflow phenomenon after coronary angioplasty for acute myocardial infarction with intracoronary papaverine (Ishihara et al). 1996;132:959-63
- Comparison of elective Wiktor stent placement with conventional balloon angioplasty for new-onset lesions of the right coronary artery (Eeckhout et al). 1996;132:263-8
- Contrast nephropathy after coronary angioplasty in chronic renal insufficiency (Vlietstra et al). 1996;132:1049-50 (Brief comm.)
- Coronary stenting after unsuccessful emergency angioplasty in acute myocardial infarction: results in a series of consecutive patients (Steffenino et al). 1996;132:1115-8
- Early exercise testing to stratify risk for development of restenosis after percutaneous transluminal coronary angioplasty (Coplan et al). 1996;132:1222-5 (Curriculum cardi.)
- Effect of percutaneous transluminal coronary angioplasty on exercise ventilation in patients with coronary artery disease and normal left ventricular function (Ajisaka et al). 1996;132:48-53
- High serum concentration of lipoprotein(a) is a risk factor for restenosis after percutaneous transluminal coronary angioplasty in Japanese patients with single-vessel disease (Miyata et al). 1996;132:269-73
- Multiple early percutaneous transluminal coronary angioplasty failures related to lupus anticoagulant (Chambers et al). 1996;132:189-90 (Brief comm.)
- Percutaneous transluminal coronary angioplasty in Takayasu's arteritis (Lee and Rao). 1996;132:1084-6 (Brief comm.)
- Preventive effects of probucol on restenosis after percutaneous transluminal coronary angioplasty (Watanabe et al). 1996;132:23-9
- Reduction in angioplasty complications after the introduction of coronary stents: results from a consecutive series of 2242 patients (Altmann et al). 1996;132:503-7
- Repeat coronary angioplasty as the treatment of choice for restenosis (Kitazume et al). 1996;132:711-6
- Uncoupling clinical outcomes and coronary angiography: a review and perspective of recent trials in coronary artery disease (Rosenschein and Topol). 1996;132:910-20 (Editorial)
- Vascular repair mechanisms after directional atherectomy or percutaneous transluminal coronary angioplasty in atherosclerotic rabbit iliac arteries (Wilensky et al). 1996;132:13-22

Angiotensin-converting enzyme inhibitors

- Angiotensin-converting enzyme inhibition after myocardial infarction: the Trandolapril Cardiac Evaluation study (Torp-Pedersen et al). 1996;132:235-43 (Symposium)
- Benefit of converting enzyme inhibition on left ventricular volumes and ejection fraction in patients receiving β -blockade after myocardial infarction (Bonarjee et al). 1996;132:71-7
- Effect of an intravenous angiotensin-converting enzyme inhibitor on the electrophysiologic features of normal and hypertrophied feline ventricles (Rials et al). 1996;132:989-94
- Myocardial infarction and hypertension links and interactions: introduction (Sleight). 1996;132:211-2 (Symposium)
- The role of neurohormonal activation in chronic heart failure and postmyocardial infarction (Sigurdsson and Swedberg). 1996;132:229-34 (Symposium)
- Who should be treated with angiotensin-converting enzyme inhibitors after myocardial infarction? (Ball and Hall). 1996;132:244-50 (Symposium)

Angular velocity; see Transducers**Anomalous pulmonary venous connection; see Coronary vessel anomalies****Anomalous sinus node artery; see Coronary vessel anomalies****Anoxia**

- Technetium 99m-Q12 kinetics in perfused rat myocardium: effects of hypoxia and low flow (Okada et al). 1996;132:108-15

Anti-arrhythmia agents

- Management of acute myocardial infarction: evaluating the past, practicing in the present, elaborating the future (Glogar et al). 1996;132:465-70 (Symposium)

Antibodies, antiphospholipid

- Multiple early percutaneous transluminal coronary angioplasty failures related to lupus anticoagulant (Chambers et al). 1996;132:189-90 (Brief comm.)
- Prevalence and clinical significance of antiphospholipid antibodies in heart valve disease: a case-control study (Bouillianne et al). 1996;132:790-5

Anticoagulants

- Free-floating left atrial thrombus: medical management directed by transesophageal echocardiography (Harpaz et al). 1996;132:1311-3 (Brief comm.)
- No subacute thrombosis and femoral bleeding complications under full anticoagulation in 150 consecutive patients receiving non-heparin-coated intracoronary Palmaz-Schatz stents (Lee et al). 1996;132:1135-46

Antihypertensive agents

- Implications of the links between hypertension and myocardial infarction for choice of drug therapy in patients with hypertension (Meredith). 1996;132:222-8 (Symposium)

Antiphospholipid antibodies; see Antibodies, antiphospholipid**Antiplatelet agents; see Platelet aggregation inhibitors****Aorta**

- Isolated anomalous origin of left pulmonary artery from the ascending aorta (Tagliente et al). 1996;132:1289-92 (Brief comm.)
- Magnetic resonance imaging of anomalous origin of the right pulmonary artery from the ascending aorta in association with ventricular septal defect (Lin et al). 1996;132:1073-4 (Brief comm.)
- Progressive dehiscence and dynamic compression of an aortic root homograft: detection and characterization by transesophageal echocardiography (Nagueh et al). 1996;132:1070-3 (Brief comm.)

Aortic dissection; see Dissection**Aortic regurgitation; see Aortic valve insufficiency****Aortic thrombus; see Thrombosis****Aortic valve**

- Clinical and echocardiographic follow-up after aortic valve reconstruction with bovine or autologous pericardium (Björnstad et al). 1996;132:1173-8
- Correspondence of aortic valve area determination from transesophageal echocardiography, transthoracic echocardiography, and cardiac catheterization (Kim et al). 1996;132:1163-72
- Quadracuspid aortic valve diagnosed by transesophageal echocardiography (Georgeson and Neibart). 1996;132:1292-3 (Brief comm.)

Aortic valve endocarditis; see Endocarditis

- Combined rest and exercise electrocardiographic repolarization findings in relation to structural and functional abnormalities in asymptomatic aortic regurgitation (Chen et al). 1996;132:343-7

- Evaluation of eccentric aortic regurgitation by color Doppler jet and color Doppler-imaged vena contracta measurements: an animal study of quantified aortic regurgitation (Ishii et al). 1996;132:796-804

Aortic valve replacement; see Heart valve prosthesis**Aortic valve stenosis**

- Congenital absence of the pulmonary valve with tetralogy of Fallot with associated aortic stenosis and patent ductus arteriosus: a prenatal diagnosis (Rowland et al). 1996;132:1075-7 (Brief comm.)
- Doppler transesophageal echocardiographic determination of aortic valve area in adults with aortic stenosis (Stoddard et al). 1996;132:337-42
- Progression of valvular aortic stenosis in adults: literature review and clinical implications (Faggiano et al). 1996;132:408-17 (Curriculum cardi.)
- Quantitative assessment of stenotic aortic valve area by using intracardiac echocardiography: in vitro validation and initial in vivo illustration (Jiang et al). 1996;132:137-44
- Recurrent syncope after successful aortic valve replacement (Sharma et al). 1996;132:194-7 (Brief comm.)

Arginine

- L-Arginine decreases infarct size in rats exposed to environmental tobacco smoke (Zhu et al). 1996;132:91-100

Arrhythmia

- Active compression-decompression versus standard cardiopulmonary resuscitation in a porcine model: no improvement in outcome (Kern et al). 1996;132:1156-62

- Characterization of spontaneous recurrent ventricular arrhythmias detected by electrogram-storing defibrillators in sudden cardiac death survivors with no inducible ventricular arrhythmias at baseline electrophysiologic testing (Zaim et al). 1996;132:274-9

- First experience with a new nonthoracotomy defibrillation lead system (Trappe et al). 1996;132:599-607

Arrhythmia—cont'd

- Interatrial septal aneurysms and atrial arrhythmias in infants (Miga et al). 1996;132:776-8
Long-term results of electrophysiologically guided sotalol therapy for life-threatening ventricular arrhythmias (Lee et al). 1996;132:973-8
Twenty-four-hour ambulatory electrocardiography in elderly subjects: prevalence of various arrhythmias and prognostic implications (report from the Bronx Longitudinal Aging Study) (Frishman et al). 1996;132:297-302

Arrhythmogenic right ventricular cardiomyopathy; see Cardiomyopathy

Arterial catheterization; see Catheterization, peripheral

Arterial occlusive diseases

- Prolonged coronary artery occlusion—reperfusion sequences reduce myocardial free radical production: an electron paramagnetic resonance study (Lindower et al). 1996;132:1147-55
Transcatheter occlusion of patent ductus arteriosus: which method to use and which ductus to close (Rao). 1996;132:905-9 (Editorial)
Transient coronary occlusion with mental stress (Papademetriou et al). 1996;132:1299-1301 (Brief comm.)

Arteries; see also Specific arteries

- Effects of aging per se on arterial stiffness: systemic and regional compliance in beagles (Haidet et al). 1996;132:319-27
Vascular hypertrophy is an early finding in essential hypertension and is related to arterial pressure waveform contour (Tice et al). 1996;132:621-7
What have we learned from in vitro intravascular ultrasound? (Gussenhoven et al). 1996;132:702-10 (Editorial)

Arteritis, Takayasu's; see Pulseless disease

Artery implants; see Revascularization

Ascending aorta; see Aorta

Atherectomy, coronary

- Vascular repair mechanisms after directional atherectomy or percutaneous transluminal coronary angioplasty in atherosclerotic rabbit iliac arteries (Wilensky et al). 1996;132:13-22

Atherosclerosis, coronary; see Coronary arteriosclerosis

Atrial arrhythmia; see Arrhythmia

Atrial catheterization; see Heart catheterization

Atrial fibrillation

- An aggressive approach in converting resistant atrial fibrillation (Bleyer et al). 1996;132:1304-6 (Brief comm.)
Characterization of left atrial appendage Doppler flow in atrial fibrillation and flutter by Fourier analysis (Grimm et al). 1996;132:286-96
Effect of parenteral d-sotalol on transvenous atrial defibrillation threshold in a canine model of atrial fibrillation (Iskorski et al). 1996;132:116-9
Importance of assessing changes in ventricular response to atrial fibrillation during evaluation of new heart failure therapies: experience from trials of flecainide (Massie et al). 1996;132:130-6
Patterns of Doppler-measured blood flow velocity in the normal and fibrillating human left atrial appendage (Fatkin and Feneley). 1996;132:995-1003
Verapamil-induced acute right heart failure (Shimoni et al). 1996;132:193-4 (Brief comm.)

Atrial flutter

- Characterization of left atrial appendage Doppler flow in atrial fibrillation and flutter by Fourier analysis (Grimm et al). 1996;132:286-96
Diastolic mitral regurgitation with atrial flutter (Malcolm). 1996;132:1321-2 (Letter)

Atrial myxoma; see Myxoma

Atrial natriuretic factor

- Atrial natriuretic peptide release during myocardial ischemia induced by percutaneous transluminal coronary angioplasty (Nigri et al). 1996;132:698-9 (Brief comm.)

Atrial septal defects; see Heart septal defects, atrial

Atrial thrombus; see Thrombosis

Atroventricular block; see Heart block

Atroventricular nodal block; see Tachycardia, atroventricular nodal reentry

Atroventricular septum; see Heart septum

Autologous pericardium; see Pericardium

B

Balloon angioplasty; see Angioplasty, balloon

Balloon dilatation

- Feasibility and effectiveness of repeated balloon dilatation of

restenosed congenital obstructions after previous balloon valvuloplasty/angioplasty (Rao et al). 1996;132:403-7

Immediate and long-term effect of mitral balloon valvotomy on left ventricular volume and systolic function in severe mitral stenosis (Fawzy et al). 1996;132:356-60

Local intracoronary heparin delivery with a microporous balloon catheter (Thomas et al). 1996;132:969-72

Percutaneous balloon dilatation of cor triatriatum sinister (Kerker et al). 1996;132:888-91 (Brief comm.)

Renal artery stenosis complicated by hypertensive heart disease in a young child: successful therapy by balloon angioplasty (Liang et al). 1996;132:1077-9 (Brief comm.)

Right atrial thrombus complicating mitral valvuloplasty (Konnecky et al). 1996;132:893-4 (Brief comm.)

Balloon valvotomy; see Balloon dilatation

Band neutrophil count; see Neutrophils

Becker muscular dystrophy; see Muscular dystrophy

Behavior therapy

- Effect of type A behavioral counseling on frequency of episodes of silent myocardial ischemia in coronary patients (Friedman et al). 1996;132:933-7

Beta-blockade; see Adrenergic beta receptor blockers

Beta-estradiol; see Estradiol

Beta-type natriuretic peptide; see Peptides

Bioprosthesis

- Double-balloon dilatation of a stenosed bioprosthetic tricuspid valve in repaired tetralogy of Fallot (Benito et al). 1996;132:891-2 (Brief comm.)

Biopsy

- Endomyocardial biopsy in arrhythmogenic right ventricular cardiomyopathy (Angelini et al). 1996;132:203-6 (Editorial)

Biplane echocardiography; see Echocardiography, two-dimensional

Bisoprolol

- Effects of β -blockade with bisoprolol on heart rate variability in advanced heart failure: analysis of scatterplots of R-R intervals at selected heart rates (Copie et al). 1996;132:369-75

Bleeding; see Hemorrhage

Blood circulation

- Effects of aging per se on arterial stiffness: systemic and regional compliance in beagles (Haidet et al). 1996;132:319-27

Blood coagulation

- Effective therapy with transthoracic video-assisted endoscopic coagulation of the left stellate ganglion and upper sympathetic trunk in congenital long-QT syndrome (Wong et al). 1996;132:1060-3 (Brief comm.)

Blood coagulation disorders

- Cancer and venous thromboembolism (Piccoli et al). 1996;132:850-5 (Curriculum cardiol.)

Blood flow velocity

- Differential characterization of human coronary collateral blood flow velocity (Tron et al). 1996;132:508-15

- Distal coronary flow velocity immediately after direct angioplasty for acute myocardial infarction (Nakamura et al). 1996;132:251-7

- Estimation of coronary flow reserve with the instantaneous coronary flow velocity versus pressure relation: a new index of coronary flow reserve independent of perfusion pressure (Kondo et al). 1996;132:1127-34

- Mitral flow velocity changes after 6 months of optimized therapy provide important hemodynamic and prognostic information in patients with chronic heart failure (Traversi et al). 1996;132:809-19

- Patterns of Doppler-measured blood flow velocity in the normal and fibrillating human left atrial appendage (Fatkin and Feneley). 1996;132:995-1003

- Quantitative Doppler tissue imaging for assessment of regional myocardial velocities during transient ischemia and reperfusion (Bach et al). 1996;132:721-5

- Safety and feasibility of continuous monitoring of coronary flow velocity in acute myocardial infarction by Doppler guide wire (Nakamura et al). 1996;132:567-71

Blood pressure

- Novel delivery system for verapamil designed to achieve maximal blood pressure control during the early morning (Neutel et al). 1996;132:1202-6

Blood vessels

- Morphometric analysis in three-dimensional intracoronary ultrasound: an in vitro and in vivo study performed with a novel system for the contour detection of lumen and plaque (von Birgelen et al). 1996;132:516-27

Blunt injuries; see Wounds, nonpenetrating
Bolus recombinant urokinase; see Urokinase
Bovine pericardium; see Pericardium
Brief communications

Brief communications. 1996;132:187-202, 446-59, 685-701, 882-99, 1048-94, 1263-1313

Brigham and Women's Hospital DVT Registry

Epidemiologic characteristics, management, and outcome of deep venous thrombosis in a tertiary-care hospital: the Brigham and Women's Hospital DVT Registry (Piccoli et al). 1996;132:1010-4

Bronx Longitudinal Aging Study

Twenty-four-hour ambulatory electrocardiography in elderly subjects: prevalence of various arrhythmias and prognostic implications (report from the Bronx Longitudinal Aging Study) (Frishman et al). 1996;132:297-302

Bundle of His

Comparison of atrial-His intervals in patients with and without dual atrioventricular nodal physiology and atrioventricular nodal reentrant tachycardia (Bogun et al). 1996;132:758-64

C

Calcinosis

Detection of coronary calcification with electron-beam computed tomography: evaluation of interexamination reproducibility and comparison of three image-acquisition protocols (Wang et al). 1996;132:550-8

Intramural left atrial hematoma complicating mitral annular calcification (Schecter et al). 1996;132:455-7 (Brief comm.)

Intravascular ultrasonographic characterization of calcification of the patent ductus arteriosus in adults (Ho et al). 1996;132:457-9 (Brief comm.)

Intravascular ultrasound identification of calcified intraluminal lesions misdiagnosed as thrombi by coronary angiography (Duisaillant et al). 1996;132:687-9 (Brief comm.)

Cancer; see Neoplasms; specific neoplasms

Capillary permeability

Coronary microvascular abnormalities in Chagas' disease (Rossi and Ramos). 1996;132:207-10 (Editorial)

Carcinoma

Isolated cardiac metastasis of adrenal carcinoma: transesophageal echocardiographic features (Bilge et al). 1996;132:1066-8 (Brief comm.)

Cardiac catheterization; see Heart catheterization

Cardiac complications in noncardiac surgery; see Intraoperative complications

Cardiac dysfunction; see Heart, physiopathology

Cardiac neoplasms; see Heart neoplasms

Cardiac pacing, artificial

Congenital long-QT syndrome: deleterious effect of long-term high-rate ventricular pacing and definitive treatment by cardiac transplantation (Klein et al). 1996;132:1079-81 (Brief comm.)

Cardiac rehabilitation; see Heart diseases, rehabilitation

Cardiac rhabdomyoma; see Rhabdomyoma

Cardiac tamponade

Nonhemorrhagic cardiac tamponade after penetrating chest trauma (Narins et al). 1996;132:197-8 (Brief comm.)

Pericardial tamponade from Kaposi's sarcoma: role of early pericardial window (Vijay et al). 1996;132:897-9 (Brief comm.)

Respiratory variation of carotid artery flow in cardiac tamponade (Bhagwat and Hoyt). 1996;132:1068-70 (Brief comm.)

Cardiac transplant rejection; see Graft rejection

Cardiac tumors; see Heart neoplasms

Cardiology

Forty-two years in cardiology (Mason). 1996;132:1335-40 (Editorial)

Cardiology, education

Training in cardiac catheterization at high-volume and low-volume centers: Is there a difference in case mix? (Ballal et al). 1996;132:460-2 (Editorial)

Cardiomyopathy

Anesthesia in peripartum cardiomyopathy (Perkins) (Letter); (Lang) (Reply). 1996;132:1320

Endomyocardial biopsy in arrhythmogenic right ventricular cardiomyopathy (Angelini et al). 1996;132:203-6 (Editorial)

Cardiomyopathy, hypertrophic

Assessment of quantitative hypertrophy scores in hypertrophic

cardiomyopathy: magnetic resonance imaging versus echocardiography (Posma et al). 1996;132:1020-7

New diagnostic options in hypertrophic cardiomyopathy (Posma et al). 1996;132:1031-41 (Curriculum cardiol.)

Cardiopulmonary resuscitation

Active compression-decompression versus standard cardiopulmonary resuscitation in a porcine model: no improvement in outcome (Kern et al). 1996;132:1156-62

CPR during pregnancy (Perkins) (Letter); (Page) (Reply). 1996;132:1319

Infected sternal fracture hematoma after cardiopulmonary resuscitation initially seen as pericarditis (Wehrens et al). 1996;132:685-6 (Brief comm.)

Cardiothoracic trauma; see Heart injuries; Thoracic injuries

Cardiotonic agents

Intermittent inotropic therapy in an outpatient setting: a cost-effective therapeutic modality in patients with refractory heart failure (Marius-Nunez et al). 1996;132:805-8

Cardiovascular diseases

The placebo effect in cardiovascular disease (Bienenfeld et al). 1996;132:1207-21 (Curriculum cardiol.)

Recombinant growth hormone: a new cardiovascular drug therapy (Gomberg-Maitland and Frishman). 1996;132:1244-62 (Prog. cardiol.)

Selective and nonselective dopamine receptor agonists: an innovative approach to cardiovascular disease treatment (Frishman and Hotchkiss). 1996;132:861-70 (Prog. cardiol.)

Cardioversion; see Electric countershock

Carotid artery, blood supply

Respiratory variation of carotid artery flow in cardiac tamponade (Bhagwat and Hoyt). 1996;132:1068-70 (Brief comm.)

Catheter ablation

Lack of proarrhythmia as assessed by Holter monitor after atrial radiofrequency ablation of supraventricular tachycardia in children (Johnson et al). 1996;132:120-4

Left phrenic nerve palsy complicating catheter radiofrequency ablation for Wolff-Parkinson-White syndrome (Rumbak et al). 1996;132:1281-5 (Brief comm.)

Long-term outcome after radiofrequency catheter ablation of atrioventricular nodal reentrant tachycardia with the anterior-approach method (Pires et al). 1996;132:125-9

Radiofrequency ablation of ventricular tachycardia in an infant with cardiac tumors (Kohli et al). 1996;132:198-200 (Brief comm.)

Radiofrequency ablation therapy of the posteroseptal accessory pathway (Wen et al). 1996;132:612-20

Catheterization

Catheter-induced atrioventricular nodal block during radiofrequency ablation (King et al). 1996;132:979-85

Distortion of intravascular ultrasound images because of non-uniform angular velocity of mechanical-type transducers (Kimura et al). 1996;132:328-36

Catheterization, peripheral

Transcatheter occlusion of patent ductus arteriosus: which method to use and which ductus to close (Rao). 1996;132:905-9 (Editorial)

Cell adhesion molecules

Alterations in circulating intercellular adhesion molecule-1 and L-selectin: further evidence for chronic inflammation in ischemic heart disease (Haught et al). 1996;132:1-8

Cerebrovascular disorders

Embolic stroke after ligation of the pulmonary artery in patients with functional single ventricle (Osaki et al). 1996;132:836-40

Cervicothoracic pain syndrome; see Pain

Chagas disease

Coronary microvascular abnormalities in Chagas' disease (Rossi and Ramos). 1996;132:207-10 (Editorial)

Chemoreceptors

Peripheral chemoreflex in chronic heart failure: friend and foe (Chugh et al). 1996;132:900-4 (Editorial)

Chest pain

New concepts in pain management and in the application of low-power laser for relief of cervicothoracic pain syndromes (Lee et al). 1996;132:1329-34 (Editorial)

Chest trauma; see Thoracic injuries

Child; see also Infant

Lack of proarrhythmia as assessed by Holter monitor after atrial radiofrequency ablation of supraventricular tachycardia in children (Johnson et al). 1996;132:120-4

Child; see also Infant—cont'd

Radiofrequency ablation of ventricular tachycardia in an infant with cardiac tumors (Kohli et al). 1996;132:198-200 (Brief comm.)

Reciprocating supraventricular tachycardia in children: low rate at rest as a major factor related to propensity to syncope during exercise (Drago et al). 1996;132:280-5

Renal artery stenosis complicated by hypertensive heart disease in a young child: successful therapy by balloon angioplasty (Liang et al). 1996;132:1077-9 (Brief comm.)

Use of miniature biplane transesophageal echocardiography during pediatric atrial catheter interventional procedures (Douglas and Fyfe). 1996;132:179-86 (Prog. cardiol.)

Chronic renal insufficiency; see Kidney failure, chronic

Circadian rhythm

Circadian fluctuations of late potentials detected by signal-averaged electrocardiogram (Goldhammer and Abinader). 1996;132:1298-9 (Brief comm.)

Cocaine

Cocaine-induced aortic dissection (Rashid et al). 1996;132:1301-4 (Brief comm.)

Collateral circulation

Differential characterization of human coronary collateral blood flow velocity (Tron et al). 1996;132:508-15

Patent double internal mammary artery implants (Vineberg's procedure) 27 years later with development of collaterals supplying the left anterior descending and circumflex coronary arteries (Bashour et al). 1996;132:1285-7 (Brief comm.)

Compression-decompression resuscitation; see Resuscitation

Congenital heart disease; see Heart defects, congenital

Congenital long QT syndrome; see Long QT syndrome

Contrast echocardiography; see Echocardiography, contrast

Contrast media

Contrast nephropathy after coronary angioplasty in chronic renal insufficiency (Vlietstra et al). 1996;132:1049-50 (Brief comm.)

Myocardial contrast echocardiography: reliable, safe, and efficacious myocardial perfusion assessment after intravenous injections of a new echocardiographic contrast agent (Meza et al). 1996;132:871-81 (Prog. cardiol.)

Myocardial imaging with a new transpulmonary lipid-fluorocarbon echo contrast agent: experimental studies in pigs (Grauer et al). 1996;132:938-45

Quantification of the extent of area at risk with fast contrast-enhanced magnetic resonance imaging in experimental coronary artery stenosis (Saeed et al). 1996;132:921-32

Cor triatriatum

Percutaneous balloon dilatation of cor triatriatum sinister (Kerkar et al). 1996;132:888-91 (Brief comm.)

Coronary angiography

Anomalous sinus node artery originating from the left main coronary artery (Holdaway et al). 1996;132:449-51 (Brief comm.)

Intravascular ultrasound identification of calcified intraluminal lesions misdiagnosed as thrombi by coronary angiography (Duissaillant et al). 1996;132:687-9 (Brief comm.)

Management of restenosis after coronary intervention (Dangas and Fuster). 1996;132:428-36 (Prog. cardiol.)

Spontaneous coronary artery dissection in a young man with inferior wall myocardial infarction (Shah et al). 1996;132:696-8 (Brief comm.)

Structural and functional characterization of an intermediate stenosis with intracoronary ultrasound and Doppler: a case of "reverse Glagovian modeling" (von Birgelen et al). 1996;132:694-6 (Brief comm.)

Uncoupling clinical outcomes and coronary angiography: a review and perspective of recent trials in coronary artery disease (Rosenschein and Topol). 1996;132:910-20 (Editorial)

Coronary arteriosclerosis

Band neutrophil count and the presence and severity of coronary atherosclerosis (Kawaguchi et al). 1996;132:9-12

Morphometric analysis in three-dimensional intracoronary ultrasound: an in vitro and in vivo study performed with a novel system for the contour detection of lumen and plaque (von Birgelen et al). 1996;132:516-27

Vascular repair mechanisms after directional atherectomy or percutaneous transluminal coronary angioplasty in atherosclerotic rabbit iliac arteries (Wilensky et al). 1996;132:13-22

Coronary artery bypass

Current incidence and determinants of perioperative myocardial infarction in coronary artery surgery (Greaves et al). 1996;132:572-8

Intravascular imaging of serial changes of disease in saphenous vein grafts after coronary artery bypass grafting (Komiya et al). 1996;132:30-40

Papillary muscle rupture after successful coronary artery bypass procedures: report of three cases treated by prompt reoperation (Baladi et al). 1996;132:1272-5 (Brief comm.)

Tricuspid papillary muscle rupture after coronary artery bypass surgery: identification by transesophageal echocardiography (Joffe et al). 1996;132:1055-8 (Brief comm.)

Coronary artery dissection; see Dissection

Coronary artery occlusion; see Arterial occlusive diseases

Coronary artery stenosis; see Coronary disease entries

Coronary calcification; see Calcinosi

Coronary circulation

Differential characterization of human coronary collateral blood flow velocity (Tron et al). 1996;132:508-15

Ventricular premature beat-driven intermittent restoration of coronary blood flow reduces the incidence of reperfusion-induced ventricular fibrillation in a cat model of regional ischemia (Na et al). 1996;132:78-83

Coronary disease, analysis

Endothelin-1 plasma levels in essential hypertension: increased levels with coronary artery disease (Cassone et al). 1996;132:1048-9 (Brief comm.)

Coronary disease, complications

Dobutamine-induced ST segment elevation and ventricular fibrillation with nonsignificant coronary artery disease (Shaheen et al). 1996;132:1058-60 (Brief comm.)

Coronary disease, diagnosis

Estimation of regional end-systolic wall stress during exercise in coronary artery disease (Ginzton et al). 1996;132:733-46

Premature gray hair and coronary artery disease (Gould) (Letter); (Schnohr and Nyboe) (Reply). 1996;132:1317

Quantification of the extent of area at risk with fast contrast-enhanced magnetic resonance imaging in experimental coronary artery stenosis (Saeed et al). 1996;132:921-32

Uncoupling clinical outcomes and coronary angiography: a review and perspective of recent trials in coronary artery disease (Rosenschein and Topol). 1996;132:910-20 (Editorial)

Coronary disease, drug therapy

Exercise training and heparin pretreatment in patients with coronary artery disease (Gagliardi et al). 1996;132:946-51

Management of restenosis after coronary intervention (Dangas and Fuster). 1996;132:428-36 (Prog. cardiol.)

Coronary disease, prevention and control

High serum concentration of lipoprotein(a) is a risk factor for restenosis after percutaneous transluminal coronary angioplasty in Japanese patients with single-vessel disease (Miyata et al). 1996;132:269-73

Management of restenosis after coronary intervention (Dangas and Fuster). 1996;132:428-36 (Prog. cardiol.)

Preventive effects of probucol on restenosis after percutaneous transluminal coronary angioplasty (Watanabe et al). 1996;132:23-9

Coronary disease, therapy

Comparison of elective Wiktor stent placement with conventional balloon angioplasty for new-onset lesions of the right coronary artery (Eeckhout et al). 1996;132:263-8

Early exercise testing to stratify risk for development of restenosis after percutaneous transluminal coronary angioplasty (Coplan et al). 1996;132:1222-5 (Curriculum cardiol.)

Effect of percutaneous transluminal coronary angioplasty on exercise ventilation in patients with coronary artery disease and normal left ventricular function (Ajisaka et al). 1996;132:48-53

Feasibility and effectiveness of repeated balloon dilatation of restenosed congenital obstructions after previous balloon valvuloplasty/angioplasty (Rao et al). 1996;132:403-7

Repeat coronary angioplasty as the treatment of choice for restenosis (Kitazume et al). 1996;132:711-6

Treatment of ostial lesions of the left anterior descending coronary artery with Palmaz-Schatz coronary stent (De Cesare et al). 1996;132:716-20

Treatment of spontaneous coronary artery dissection with intracoronary stenting (Hong et al). 1996;132:200-2 (Brief comm.)

Coronary embolism; see Embolism**Coronary flow velocity; see Blood flow velocity****Coronary hyperemia; see Hyperemia****Coronary microvasculature abnormalities; see Coronary vessel anomalies****Coronary occlusion, transient; see Arterial occlusive diseases****Coronary vessel anomalies**

Anomalous sinus node artery originating from the left main coronary artery (Holdaway et al). 1996;132:449-51 (Brief comm.)

Coronary microvascular abnormalities in Chagas' disease (Rosi and Ramos). 1996;132:207-10 (Editorial)

Isolated anomalous origin of left pulmonary artery from the ascending aorta (Tagliente et al). 1996;132:1289-92 (Brief comm.)

Magnetic resonance imaging of anomalous origin of the right pulmonary artery from the ascending aorta in association with ventricular septal defect (Lin et al). 1996;132:1073-4 (Brief comm.)

Total anomalous pulmonary venous connection to unroofed coronary sinus in patient with no symptoms (Banitt). 1996;132:886-8 (Brief comm.)

Coronary vessels

Endothelin-1: A scientist's curiosity, or a real player in ischemic heart disease? (Cesari et al). 1996;132:1236-43 (Prog. cardi.)

Structural and functional characterization of an intermediate stenosis with intracoronary ultrasound and Doppler: a case of "reverse Glagovian modeling" (von Birgelen et al). 1996;132:694-6 (Brief comm.)

Correspondence; see Letters**Costs and cost analysis**

Clinical status of patients removed from a transplant waiting list rivals that of transplant recipients at significant cost savings (Levine et al). 1996;132:1189-94

Intermittent inotropic therapy in an outpatient setting: a cost-effective therapeutic modality in patients with refractory heart failure (Marius-Nunez et al). 1996;132:805-8

Remodeling cardiac rehabilitation into secondary prevention programs (Merz and Rozanski). 1996;132:418-27 (Curriculum cardi.)

Curriculum in cardiology

Curriculum in cardiology. 1996;132:152-5, 408-27, 664-71, 841-60, 1031-41, 1207-25

D**d-Sotalol; see Sotalol****Death, sudden**

Characterization of spontaneous recurrent ventricular arrhythmias detected by electrogram-storing defibrillators in sudden cardiac death survivors with no inducible ventricular arrhythmias at baseline electrophysiologic testing (Zaim et al). 1996;132:274-9

Sudden death in patients with implantable cardioverter-defibrillators (Li et al). 1996;132:986-8

Deep venous thrombosis; see Thrombophlebitis**Defibrillators, implantable**

Characterization of spontaneous recurrent ventricular arrhythmias detected by electrogram-storing defibrillators in sudden cardiac death survivors with no inducible ventricular arrhythmias at baseline electrophysiologic testing (Zaim et al). 1996;132:274-9

Effect of parenteral d-sotalol on transvenous atrial defibrillation threshold in a canine model of atrial fibrillation (Iskos et al). 1996;132:116-9

First experience with a new nonthoracotomy defibrillation lead system (Trappe et al). 1996;132:599-607

Sudden death in patients with implantable cardioverter-defibrillators (Li et al). 1996;132:986-8

Depression

Effects of cardiac rehabilitation and exercise training programs on depression in patients after major coronary events (Milani et al). 1996;132:726-32

Dextrocardia

Mediastinal lipoma mimicking dextrocardia and cardiac enlargement: diagnosis by magnetic resonance imaging (Reddy et al). 1996;132:894-7 (Brief comm.)

Dextrose; see Glucose**Diabetic ketoacidosis**

Acute electrocardiographic pseudoinfarction pattern in the setting of diabetic ketoacidosis and severe hyperkalemia (Sweterlitsch and Murphy). 1996;132:1086-9 (Brief comm.)

Diagnostic errors

Electrocardiograms of Wolff-Parkinson-White syndrome simulating other conditions (Wang et al). 1996;132:152-5 (Curriculum cardi.)

Intravascular ultrasound identification of calcified intraluminal lesions misdiagnosed as thrombi by coronary angiography (Duissailant et al). 1996;132:687-9 (Brief comm.)

Diagnostic imaging

Intravascular imaging of serial changes of disease in saphenous vein grafts after coronary artery bypass grafting (Komiya et al). 1996;132:30-40

New diagnostic options in hypertrophic cardiomyopathy (Posma et al). 1996;132:1031-41 (Curriculum cardi.)

What have we learned from in vitro intravascular ultrasound? (Gussenhoven et al). 1996;132:702-10 (Editorial)

Diastole

Diastolic mitral regurgitation with atrial flutter (Malcolm). 1996;132:1321-2 (Letter)

Effects of changes in atrioventricular gradient and contractility on left ventricular filling in human diastolic cardiac dysfunction (Lenihan et al). 1996;132:1179-88

Dipyridamole

Cardiac complications in noncardiac surgery: relative value of resting two-dimensional echocardiography and dipyridamole thallium imaging (Kontos et al). 1996;132:559-66

Dipyridamole technetium 99m sestamibi myocardial tomography for preoperative cardiac risk stratification before major or minor nonvascular surgery (Stratmann et al). 1996;132:536-41

Directional coronary atherectomy; see Atherectomy, coronary**Disease models, animal**

Active compression-decompression versus standard cardiopulmonary resuscitation in a porcine model: no improvement in outcome (Kern et al). 1996;132:1156-62

Dissection

Bailout stenting for extensive dissection complicating direct infarct angioplasty (Altmann et al). 1996;132:191-2 (Brief comm.)

Cocaine-induced aortic dissection (Rashid et al). 1996;132:1301-4 (Brief comm.)

The pulsatile pain of acute aortic dissection: a neurosurgeon's personal experience (Hunt and Wooley). 1996;132:1267-8 (Brief comm.)

Spontaneous coronary artery dissection in a young man with inferior wall myocardial infarction (Shah et al). 1996;132:696-8 (Brief comm.)

Treatment of spontaneous coronary artery dissection with intracoronary stenting (Hong et al). 1996;132:200-2 (Brief comm.)

Dobutamine

Dobutamine-induced ST segment elevation and ventricular fibrillation with nonsignificant coronary artery disease (Shaheen et al). 1996;132:1058-60 (Brief comm.)

Evaluation of contractile reserve by dobutamine echocardiography: noninvasive estimation of the severity of heart failure (Marmor et al). 1996;132:1195-1201

Inotropic stimulation by dobutamine increases left ventricular regional function at the expense of metabolism in hibernating myocardium (Indolfi et al). 1996;132:542-9

Dobutamine echocardiography; see Echocardiography, stress**Dopaminergic agents**

Selective and nonselective dopamine receptor agonists: an innovative approach to cardiovascular disease treatment (Frishman and Hotchkiss). 1996;132:861-70 (Prog. cardi.)

Doppler echocardiography; see Echocardiography, Doppler**Doppler guide wire; see Equipment and supplies****Doppler tissue imaging; see Echocardiography, Doppler****Double-balloon dilatation; see Balloon dilatation****Doxazosin**

Effect of doxazosin on fibrinolysis in hypertensive patients with and without insulin resistance (Jeng et al). 1996;132:783-9

Dromotropism; see Neural conduction**Drug interactions**

Effects of verapamil, propranolol, and procainamide on adeno-

Drug interactions—cont'd

sine-induced negative dromotropism in human beings (Lai et al). 1996;132:768-75

Ductus arteriosus

Medium-term results of experimental stent implantation into the ductus arteriosus (Rosenthal et al). 1996;132:657-63

Ductus arteriosus, patent

Congenital absence of the pulmonary valve with tetralogy of Fallot with associated aortic stenosis and patent ductus arteriosus: a prenatal diagnosis (Rowland et al). 1996;132:1075-7 (Brief comm.)

Intravascular ultrasonographic characterization of calcification of the patent ductus arteriosus in adults (Ho et al). 1996;132:457-9 (Brief comm.)

Transcatheter closure with single or multiple Gianturco coils of patent ductus arteriosus in infants weighing ≤ 8 kg: retrograde versus antegrade approach (Hijazi et al). 1996;132:827-35

Transcatheter occlusion of patent ductus arteriosus: which method to use and which ductus to close (Rao). 1996;132:905-9 (Editorial)

Duplicate publications

Duplicate publication—Left atrial function after atrial fibrillation cardioversion (Mason). 1996;132:1322-3 (Letter)

E

Echinococcosis, cardiac

Echinococcosis of the heart: clinical and echocardiographic features in 19 patients (Bashour et al). 1996;132:1028-30

Echocardiography

Assessment of quantitative hypertrophy scores in hypertrophic cardiomyopathy: magnetic resonance imaging versus echocardiography (Posma et al). 1996;132:1020-7

Clinical and echocardiographic follow-up after aortic valve reconstruction with bovine or autologous pericardium (Björnstad et al). 1996;132:1173-8

Echinococcosis of the heart: clinical and echocardiographic features in 19 patients (Bashour et al). 1996;132:1028-30

Echocardiography in the evaluation of cardiac pheochromocytoma (Mandak et al). 1996;132:1063-6 (Brief comm.)

Intrapericardial echogenic images and development of constrictive pericarditis in patients with pericardial effusion (Sinha et al). 1996;132:1968-72 (Brief comm.)

Quantitative assessment of stenotic aortic valve area by using intracardiac echocardiography: in vitro validation and initial in vivo illustration (Jiang et al). 1996;132:137-44

Relation between severity of mitral regurgitation and prognosis of mitral valve prolapse: echocardiographic follow-up study (Kim et al). 1996;132:348-55

Spectrum of structural abnormalities in floppy mitral valve echocardiographic evaluation (Malkowski et al). 1996;132:145-51

Echocardiography, ambulatory

Effects of β -blockade with bisoprolol on heart rate variability in advanced heart failure: analysis of scatterplots of R-R intervals at selected heart rates (Copie et al). 1996;132:369-75

Echocardiography, contrast

Myocardial contrast echocardiography: reliable, safe, and efficacious myocardial perfusion assessment after intravenous injections of a new echocardiographic contrast agent (Meza et al). 1996;132:871-81 (Prog. cardiol.)

Myocardial contrast echocardiography in human beings: correlation of resting perfusion defects to sestamibi single photon emission computed tomography (Meza et al). 1996;132:528-35

Myocardial imaging with a new transpulmonary lipid-fluorocarbon echo contrast agent: experimental studies in pigs (Grauer et al). 1996;132:938-45

Potential clinical implications of abnormal myocardial perfusion patterns immediately after reperfusion in a canine model: a myocardial contrast echocardiography (Kates et al). 1996;132:303-13

Echocardiography, Doppler

Characterization of left atrial appendage Doppler flow in atrial fibrillation and flutter by Fourier analysis (Grimm et al). 1996;132:286-96

Contrast enhancement of mitral regurgitation to estimate left ventricular systolic pressure (Donovan and Armstrong). 1996;132:884-6 (Brief comm.)

Determination of mitral valve area in patients with mitral stenosis by the flow-convergence-region method during

changing hemodynamic conditions (Deng et al). 1996;132:633-41

Doppler transesophageal echocardiographic determination of aortic valve area in adults with aortic stenosis (Stoddard et al). 1996;132:337-42

Evaluation of eccentric aortic regurgitation by color Doppler jet and color Doppler-imaged vena contracta measurements: an animal study of quantified aortic regurgitation (Ishii et al). 1996;132:796-804

Myocardial wall velocity assessment by pulsed Doppler tissue imaging: characteristic findings in normal subjects (Garcia et al). 1996;132:648-56

Patterns of Doppler-measured blood flow velocity in the normal and fibrillating human left atrial appendage (Fatkin and Feneley). 1996;132:995-1003

Quantitative Doppler tissue imaging for assessment of regional myocardial velocities during transient ischemia and reperfusion (Bach et al). 1996;132:721-5

Echocardiography, four-dimensional

Four-dimensional echocardiography: methods and clinical application (Wang et al). 1996;132:672-84 (Prog. cardiol.)

Echocardiography, stress

Detection of regional perfusion abnormalities during adenosine stress echocardiography with intravenous perfluorocarbon-exposed sonicated dextrose albumin (Porter et al). 1996;132:41-7

Evaluation of contractile reserve by dobutamine echocardiography: noninvasive estimation of the severity of heart failure (Marmor et al). 1996;132:1195-201

Echocardiography, three-dimensional

Volume-rendered, three-dimensional echocardiographic determination of the size, shape, and position of atrial septal defects: validation in an in vitro model (Magni et al). 1996;132:376-81

Echocardiography, transesophageal

Correspondence of aortic valve area determination from transesophageal echocardiography, transthoracic echocardiography, and cardiac catheterization (Kim et al). 1996;132:1163-72

Diagnosis of mitral valve aneurysms by transesophageal echocardiography (Roguin et al). 1996;132:689-91 (Brief comm.)

Doppler transesophageal echocardiographic determination of aortic valve area in adults with aortic stenosis (Stoddard et al). 1996;132:337-42

Four-dimensional echocardiography: methods and clinical application (Wang et al). 1996;132:672-84 (Prog. cardiol.)

Free-floating left atrial thrombus: medical management directed by transesophageal echocardiography (Harpaz et al). 1996;132:1311-3 (Brief comm.)

Intracardiac thrombus formation associated with a nonpenetrating gunshot wound of the right ventricular outflow tract demonstrated by transesophageal echocardiography (Nishio et al). 1996;132:1265-7 (Brief comm.)

Isolated cardiac metastasis of adrenal carcinoma: transesophageal echocardiographic features (Bilge et al). 1996;132:1066-8 (Brief comm.)

Massive aortic thrombus detected by transesophageal echocardiography as a cause of peripheral emboli in young patients (Wells et al). 1996;132:882-3 (Brief comm.)

Patterns of Doppler-measured blood flow velocity in the normal and fibrillating human left atrial appendage (Fatkin and Feneley). 1996;132:995-1003

Penetration of the atrialventricular septum by spread of infection from aortic valve endocarditis: early diagnosis by transesophageal echocardiography and implications for surgical management (Barbour et al). 1996;132:1287-9 (Brief comm.)

Progressive dehiscence and dynamic compression of an aortic root homograft: detection and characterization by transesophageal echocardiography (Nagueh et al). 1996;132:1070-3 (Brief comm.)

Quadracuspid aortic valve diagnosed by transesophageal echocardiography (Georgeson and Neibart). 1996;132:1292-3 (Brief comm.)

Right atrial thrombus complicating mitral valvuloplasty (Konecky et al). 1996;132:893-4 (Brief comm.)

Transesophageal echocardiography in the evaluation of cardiothoracic trauma (Mollod and Felner). 1996;132:841-9 (Curriculum cardiol.)

Tricuspid papillary muscle rupture after coronary artery bypass surgery: identification by transesophageal echocardiography (Joffe et al). 1996;132:1055-8 (Brief comm.)

Echocardiography, transesophageal—cont'd

Use of miniature biplane transesophageal echocardiography during pediatric atrial catheter interventional procedures (Douglas and Fyfe). 1996;132:179-86 (Prog. cardiol.)

Echocardiography, transthoracic

Correspondence of aortic valve area determination from transesophageal echocardiography, transthoracic echocardiography, and cardiac catheterization (Kim et al). 1996;132:1163-72

Echocardiography, two-dimensional

Cardiac complications in noncardiac surgery: relative value of resting two-dimensional echocardiography and dipyridamole thallium imaging (Kontos et al). 1996;132:559-66

Use of miniature biplane transesophageal echocardiography during pediatric atrial catheter interventional procedures (Douglas and Fyfe). 1996;132:179-86 (Prog. cardiol.)

Editor-in-chief, American Heart Journal

Publisher's announcement (Trumbold and Van Schaik). 1996;132:1107

Editorial staff, American Heart Journal

In appreciation (Mason). 1996;132:1324 (Letter)

Looking back (Young). 1996;132:1324 (Letter)

Stepping off the treadmill (Flatt). 1996;132:1323-4 (Letter)

Editorials

Editorials. 1996;132:203-10, 460-2, 463-4, 702-10, 900-20, 1095-106, 1329-40

Elderly; see Aged**Electric countershock**

An aggressive approach in converting resistant atrial fibrillation (Bleyer et al). 1996;132:1304-6 (Brief comm.)

Electrocardiography

Acute electrocardiographic pseudoinfarction pattern in the setting of diabetic ketoacidosis and severe hyperkalemia (Swetters and Murphy). 1996;132:1086-9 (Brief comm.)

Cardiac transplant rejection is associated with a decrease in the high-frequency components of the high-resolution, signal-averaged electrocardiogram (Graceffo and O'Rourke). 1996;132:820-6

Circadian fluctuations of late potentials detected by signal-averaged electrocardiogram (Goldhammer and Abinader). 1996;132:1298-9 (Brief comm.)

Combined rest and exercise electrocardiographic repolarization findings in relation to structural and functional abnormalities in asymptomatic aortic regurgitation (Chen et al). 1996;132:343-7

Dobutamine-induced ST segment elevation and ventricular fibrillation with nonsignificant coronary artery disease (Shaheen et al). 1996;132:1058-60 (Brief comm.)

Electrocardiograms of Wolff-Parkinson-White syndrome simulating other conditions (Wang et al). 1996;132:152-5 (Curriculum cardi.)

Erythromycin-induced polymorphous ventricular tachycardia with normal QT interval (Chennareddy et al). 1996;132:691-4 (Brief comm.)

Monophasic action potential recordings during T-wave alternans in congenital long QT syndrome (Shimizu et al). 1996;132:699-701 (Brief comm.)

P mitrale-P pulmonale variation (Malcolm). 1996;132:1322 (Letter)

Right ventricular infarction mimicking acute anteroseptal left ventricular infarction (Khan and Chou). 1996;132:1089-93 (Brief comm.)

Electrocardiography, ambulatory

Lack of proarrhythmia as assessed by Holter monitor after atrial radiofrequency ablation of supraventricular tachycardia in children (Johnson et al). 1996;132:120-4

Twenty-four-hour ambulatory electrocardiography in elderly subjects: prevalence of various arrhythmias and prognostic implications (report from the Bronx Longitudinal Aging Study) (Frishman et al). 1996;132:297-302

Electrolytes

Significance of magnesium in congestive heart failure (Douban et al). 1996;132:664-71 (Curriculum cardi.)

Electron-beam computed tomography; see Tomography**Electron spin resonance**

Prolonged coronary artery occlusion-reperfusion sequences reduce myocardial free radical production: an electron paramagnetic resonance study (Lindower et al). 1996;132:1147-55

Electrophysiology

Characterization of spontaneous recurrent ventricular arrhythmias detected by electrogram-storing defibrillators in sudden cardiac death survivors with no inducible ventricular ar-

rhythmias at baseline electrophysiologic testing (Zaim et al). 1996;132:274-9

Clinical and electrophysiologic features of exercise-induced atrioventricular block (Sumiyoshi et al). 1996;132:1277-81 (Brief comm.)

Effect of an intravenous angiotensin-converting enzyme inhibitor on the electrophysiologic features of normal and hypertrophied feline ventricles (Rials et al). 1996;132:989-94

Long-term results of electrophysiologically guided sotalol therapy for life-threatening ventricular arrhythmias (Lee et al). 1996;132:973-8

Embolic stroke; see Cerebrovascular disorders**Embolism**

Bullet embolus from the heart to the right subclavian artery after gunshot wound to the right chest (Bilsker et al). 1996;132:1093-4 (Brief comm.)

Coronary embolism (Cheng) (Letter); (Takenaka) (Reply). 1996;132:1314-6

Massive aortic thrombus detected by transesophageal echocardiography as a cause of peripheral emboli in young patients (Wells et al). 1996;132:882-3 (Brief comm.)

End-systolic wall stress; see Stroke volume**Endocarditis**

Penetration of the atrioventricular septum by spread of infection from aortic valve endocarditis: early diagnosis by transesophageal echocardiography and implications for surgical management (Barbour et al). 1996;132:1287-9 (Brief comm.)

Endomyocardial biopsy; see Biopsy**Endoscopy**

Effective therapy with transthoracic video-assisted endoscopic coagulation of the left stellate ganglion and upper sympathetic trunk in congenital long-QT syndrome (Wong et al). 1996;132:1060-3 (Brief comm.)

Endothelins

Endothelin-1: A scientist's curiosity, or a real player in ischemic heart disease? (Cesari et al). 1996;132:1236-43 (Prog. cardi.)

Endothelin-1 and myocardial preconditioning (Erikson and Velasco). 1996;132:84-90

Endothelin-1 plasma levels in essential hypertension: increased levels with coronary artery disease (Cassone et al). 1996;132:1048-9 (Brief comm.)

Endothelin and pulmonary blood flow (Ross) (Letter); (Gorenflo) (Reply). 1996;132:1317-9

Endothelium

Impaired endothelial function with essential hypertension assessed by ultrasonography (Iiyama et al). 1996;132:779-82

Environmental tobacco smoke; see Tobacco smoke pollution**Epidemiologic factors**

Implications of the links between hypertension and myocardial infarction for choice of drug therapy in patients with hypertension (Meredith). 1996;132:222-8 (Symposium)

Links between hypertension and myocardial infarction (Rakugi et al). 1996;132:213-21 (Symposium)

Equipment and supplies; see also Surgical equipment

Catheter-induced atrioventricular nodal block during radiofrequency ablation (King et al). 1996;132:979-85

Distortion of intravascular ultrasound images because of non-uniform angular velocity of mechanical-type transducers (Kimura et al). 1996;132:328-36

First experience with a new nonthoracotomy defibrillation lead system (Trappe et al). 1996;132:599-607

Four-dimensional echocardiography: methods and clinical application (Wang et al). 1996;132:672-84 (Prog. cardi.)

Safety and feasibility of continuous monitoring of coronary flow velocity in acute myocardial infarction by Doppler guide wire (Nakamura et al). 1996;132:567-71

Erythromycin

Erythromycin-induced polymorphous ventricular tachycardia with normal QT interval (Chennareddy et al). 1996;132:691-4 (Brief comm.)

Estradiol

β -Estradiol, but not α -estradiol, reduces myocardial necrosis in rabbits after ischemia and reperfusion (Hale et al). 1996;132:258-62

Estrogen replacement therapy

Changes in plasma lipids and lipoproteins associated with starting or stopping postmenopausal hormone replacement therapy (Folsom et al). 1996;132:952-8

Ethics

Duplicate publication—Left atrial function after atrial fibrillation cardioversion (Mason). 1996;132:1322-3 (Letter)

Exercise

Effects of cardiac rehabilitation and exercise training programs on depression in patients after major coronary events (Milani et al). 1996;132:726-32

Effects of exercise training on left ventricular filling at rest and during exercise in patients with ischemic cardiomyopathy and severe left ventricular systolic dysfunction (Belardinelli et al). 1996;132:61-70

Exercise training and heparin pretreatment in patients with coronary artery disease (Gagliardi et al). 1996;132:946-51

Exercise test

Combined rest and exercise electrocardiographic repolarization findings in relation to structural and functional abnormalities in asymptomatic aortic regurgitation (Chen et al). 1996;132:343-7

Early exercise testing to stratify risk for development of restenosis after percutaneous transluminal coronary angioplasty (Coplan et al). 1996;132:1222-5 (Curriculum cardiol.)

Effect of percutaneous transluminal coronary angioplasty on exercise ventilation in patients with coronary artery disease and normal left ventricular function (Ajisaka et al). 1996;132:48-53

Estimation of regional end-systolic wall stress during exercise in coronary artery disease (Ginzton et al). 1996;132:733-46

Exercise-induced neurocardiogenic syncope (Kosinski et al). 1996;132:451-2 (Brief comm.)

Influence of intrinsic limb vasodilator capacity on exercise tolerance in patients with recent myocardial infarction (Hattori et al). 1996;132:593-8

Reciprocating supraventricular tachycardia in children: low rate at rest as a major factor related to propensity to syncope during exercise (Drago et al). 1996;132:280-5

Extrasystole

Ventricular premature beat-driven intermittent restoration of coronary blood flow reduces the incidence of reperfusion-induced ventricular fibrillation in a cat model of regional ischemia (Na et al). 1996;132:78-83

Extremities

Elevated levels of basic fibroblast growth factor in patients with limb ischemia (Rohovsky et al). 1996;132:1015-9

Influence of intrinsic limb vasodilator capacity on exercise tolerance in patients with recent myocardial infarction (Hattori et al). 1996;132:593-8

F

Fatty acids

Myocardial viability: methods of assessment and clinical relevance (Iskandrian et al). 1996;132:1226-35 (Prog. cardiol.)

Femoral bleeding; see Hemorrhage

Fibrillating left atrial appendage; see Atrial fibrillation

Fibrinolysis

Effect of doxazosin on fibrinolysis in hypertensive patients with and without insulin resistance (Jeng et al). 1996;132:783-9

Fibroblast growth factor

Elevated levels of basic fibroblast growth factor in patients with limb ischemia (Rohovsky et al). 1996;132:1015-9

Fibrosarcoma

Primary cardiac fibrosarcoma (Anand et al) (Letter); (Valente and Basso) (Reply). 1996;132:1320-1

Floppy mitral valve; see Mitral valve prolapse

Flosequinan

Importance of assessing changes in ventricular response to atrial fibrillation during evaluation of new heart failure therapies: experience from trials of flosequinan (Massie et al). 1996;132:130-6

Fluorocarbons

Detection of regional perfusion abnormalities during adenosine stress echocardiography with intravenous perfluorocarbon-exposed sonicated dextrose albumin (Porter et al). 1996;132:41-7

Myocardial imaging with a new transpulmonary lipid-fluorocarbon echo contrast agent: experimental studies in pigs (Grauer et al). 1996;132:938-45

Thrombolytic enhancement with perfluorocarbon-exposed sonicated dextrose albumin microbubbles (Porter et al). 1996;132:964-8

Four-dimensional echocardiography; see Echocardiography, four-dimensional

Fourier analysis

Characterization of left atrial appendage Doppler flow in atrial fibrillation and flutter by Fourier analysis (Grimm et al). 1996;132:286-96

Fourth International Study of Infarct Survival (ISIS-4)

Editorial: Magnesium in acute myocardial infarction (Smetana). 1996;132:463-4 (Symposium)

Framingham Study

Epidemiologic assessment of angina before and after myocardial infarction: the Framingham Study (Brand et al). 1996;132:174-8 (Prog. cardiol.)

Free radicals

Prolonged coronary artery occlusion-reperfusion sequences reduce myocardial free radical production: an electron paramagnetic resonance study (Lindower et al). 1996;132:1147-55

G

Gianturco coils; see Surgical equipment

Glucose

Detection of regional perfusion abnormalities during adenosine stress echocardiography with intravenous perfluorocarbon-exposed sonicated dextrose albumin (Porter et al). 1996;132:41-7

Thrombolytic enhancement with perfluorocarbon-exposed sonicated dextrose albumin microbubbles (Porter et al). 1996;132:964-8

Glycoproteins

Pericardial mesothelioma secreting thrombomodulin (Okura et al). 1996;132:1309-11 (Brief comm.)

Graft rejection

Cardiac transplant rejection is associated with a decrease in the high-frequency components of the high-resolution, signal-averaged electrocardiogram (Graceffo and O'Rourke). 1996;132:820-6

Gray hair, premature; see Hair

Growth hormone; see Somatotropin

Guide wire; see Equipment and supplies

Gunshot wound; see Wounds, gunshot

H

Hair

Premature gray hair and coronary artery disease (Gould) (Letter); (Schnohr and Nyboe) (Reply). 1996;132:1317

Heart, anatomy and histology

The Holmes heart: historic associations and pathologic anatomy (Dobell and Van Praagh). 1996;132:437-45 (Prog. cardiol.)

Heart, blood supply

Technetium 99m-Q12 kinetics in perfused rat myocardium: effects of hypoxia and low flow (Okada et al). 1996;132:108-15

Heart, physiopathology

Cardiac dysfunction with Becker muscular dystrophy (Saito et al). 1996;132:642-7

Effects of changes in atrioventricular gradient and contractility on left ventricular filling in human diastolic cardiac dysfunction (Lenihan et al). 1996;132:1179-88

Myocardial wall velocity assessment by pulsed Doppler tissue imaging: characteristic findings in normal subjects (Garcia et al). 1996;132:648-56

Heart aneurysm

Interatrial septal aneurysms and atrial arrhythmias in infants (Miga et al). 1996;132:776-8

Heart atrium

Comparison of atrial-His intervals in patients with and without dual atrioventricular nodal physiology and atrioventricular nodal reentrant tachycardia (Bogun et al). 1996;132:758-64

Effects of changes in atrioventricular gradient and contractility on left ventricular filling in human diastolic cardiac dysfunction (Lenihan et al). 1996;132:1179-88

Juxtaposition of the morphologically left atrial appendage in solitus and inversus atria: a study of 18 postmortem cases (Van Praagh et al). 1996;132:391-402

Juxtaposition of the morphologically right atrial appendage in solitus and inversus atria: a study of 35 postmortem cases (Van Praagh et al). 1996;132:382-90

Separate myxomas in left atrium and right ventricle (Bashour et al). 1996;132:1295-8 (Brief comm.)

Heart block

Clinical and electrophysiologic features of exercise-induced atrioventricular block (Sumiyoshi et al). 1996;132:1277-81 (Brief comm.)

Heart catheterization

Correspondence of aortic valve area determination from transesophageal echocardiography, transthoracic echocardiography, and cardiac catheterization (Kim et al). 1996;132:1163-72

Progression of valvular aortic stenosis in adults: literature review and clinical implications (Faggiano et al). 1996;132:408-17 (Curriculum cardiol.)

Training in cardiac catheterization at high-volume and low-volume centers: Is there a difference in case mix? (Ballal et al). 1996;132:460-2 (Editorial)

Transient coronary occlusion with mental stress (Papademetriou et al). 1996;132:1299-1301 (Brief comm.)

Use of miniature biplane transthoracic echocardiography during pediatric atrial catheter interventional procedures (Douglas and Fyfe). 1996;132:179-86 (Prog. cardiol.)

Heart conduction system

Comparison of the ages of tachycardia onset in patients with atrioventricular nodal reentrant tachycardia and accessory pathway-mediated tachycardia (Goyal et al). 1996;132:765-7

Long-term outcome after radiofrequency catheter ablation of atrioventricular nodal reentrant tachycardia with the anterior-approach method (Pires et al). 1996;132:125-9

Radiofrequency ablation therapy of the posteroseptal accessory pathway (Wen et al). 1996;132:612-20

Heart contractility; see Myocardial contraction**Heart defects, congenital**

Atrial septal defect: increase in left-to-right shunt after myocardial infarction (Bhagwat and Maze). 1996;132:1308-9 (Brief comm.)

Congenital absence of the pulmonary valve with tetralogy of Fallot with associated aortic stenosis and patent ductus arteriosus: a prenatal diagnosis (Rowland et al). 1996;132:1075-7 (Brief comm.)

Congenital defect of the left pericardium with sick sinus syndrome (Hano et al). 1996;132:1293-5 (Brief comm.)

Congenital long-QT syndrome: deleterious effect of long-term high-rate ventricular pacing and definitive treatment by cardiac transplantation (Klein et al). 1996;132:1079-81 (Brief comm.)

Effective therapy with transthoracic video-assisted endoscopic coagulation of the left stellate ganglion and upper sympathetic trunk in congenital long-QT syndrome (Wong et al). 1996;132:1060-3 (Brief comm.)

Embolic stroke after ligation of the pulmonary artery in patients with functional single ventricle (Osaki et al). 1996;132:836-40

Feasibility and effectiveness of repeated balloon dilatation of restenosed congenital obstructions after previous balloon valvuloplasty/angioplasty (Rao et al). 1996;132:403-7

The Holmes heart: historic associations and pathologic anatomy (Dobell and Van Praagh). 1996;132:437-45 (Prog. cardiol.)

Juxtaposition of the morphologically left atrial appendage in solitus and inversus atria: a study of 18 postmortem cases (Van Praagh et al). 1996;132:391-402

Juxtaposition of the morphologically right atrial appendage in solitus and inversus atria: a study of 35 postmortem cases (Van Praagh et al). 1996;132:382-90

Medium-term results of experimental stent implantation into the ductus arteriosus (Rosenthal et al). 1996;132:657-63

Monophasic action potential recordings during T-wave alternans in congenital long QT syndrome (Shimizu et al). 1996;132:699-701 (Brief comm.)

Percutaneous balloon dilatation of cor triatriatum sinister (Kerker et al). 1996;132:888-91 (Brief comm.)

Quadracuspid aortic valve diagnosed by transesophageal echocardiography (Georgeson and Neibart). 1996;132:1292-3 (Brief comm.)

Spectrum of structural abnormalities in floppy mitral valve echocardiographic evaluation (Malkowski et al). 1996;132:145-51

Transcatheter closure with single or multiple Gianturco coils of patent ductus arteriosus in infants weighing ≤ 8 kg: retrograde versus antegrade approach (Hijazi et al). 1996;132:827-35

Volume-rendered, three-dimensional echocardiographic determination of the size, shape, and position of atrial septal defects: validation in an in vitro model (Magni et al). 1996;132:376-81

Heart disease, ischemic; see Myocardial ischemia**Heart diseases, diagnosis**

Electrocardiograms of Wolff-Parkinson-White syndrome simulating other conditions (Wang et al). 1996;132:152-5 (Curriculum cardiol.)

Magnetic resonance imaging in ischemic heart disease (Steffens et al). 1996;132:156-73 (Prog. cardiol.)

Heart diseases, prevention and control

Remodeling cardiac rehabilitation into secondary prevention programs (Merz and Rozanski). 1996;132:418-27 (Curriculum cardiol.)

Heart diseases, rehabilitation

Effects of cardiac rehabilitation and exercise training programs on depression in patients after major coronary events (Milani et al). 1996;132:726-32

Remodeling cardiac rehabilitation into secondary prevention programs (Merz and Rozanski). 1996;132:418-27 (Curriculum cardiol.)

Heart failure, congestive

Clinical status of patients removed from a transplant waiting list rivals that of transplant recipients at significant cost savings (Levine et al). 1996;132:1189-94

Effects of β -blockade with bisoprolol on heart rate variability in advanced heart failure: analysis of scatterplots of R-R intervals at selected heart rates (Copie et al). 1996;132:369-75

Evaluation of contractile reserve by dobutamine echocardiography: noninvasive estimation of the severity of heart failure (Marmor et al). 1996;132:1195-201

Importance of assessing changes in ventricular response to atrial fibrillation during evaluation of new heart failure therapies: experience from trials of flosequinan (Massie et al). 1996;132:130-6

Intermittent inotropic therapy in an outpatient setting: a cost-effective therapeutic modality in patients with refractory heart failure (Marius-Nunez et al). 1996;132:805-8

Mitral flow velocity changes after 6 months of optimized therapy provide important hemodynamic and prognostic information in patients with chronic heart failure (Traversi et al). 1996;132:809-19

A novel inotropic vasodilator, OPC-18790, reduces myocardial oxygen consumption and improves mechanical efficiency with congestive heart failure (Kanda et al). 1996;132:361-8

Peripheral chemoreflex in chronic heart failure: friend and foe (Chugh et al). 1996;132:900-4 (Editorial)

The role of neurohormonal activation in chronic heart failure and postmyocardial infarction (Sigurdsson and Swedberg). 1996;132:229-34 (Symposium)

Significance of magnesium in congestive heart failure (Douban et al). 1996;132:664-71 (Curriculum cardiol.)

Verapamil-induced acute right heart failure (Shimoni et al). 1996;132:193-4 (Brief comm.)

Heart hypertrophy

Mediastinal lipoma mimicking dextrocardia and cardiac enlargement: diagnosis by magnetic resonance imaging (Reddy et al). 1996;132:894-7 (Brief comm.)

Heart injuries

Transesophageal echocardiography in the evaluation of cardiothoracic trauma (Mollod and Felner). 1996;132:841-9 (Curriculum cardiol.)

Heart neoplasms; see also Specific neoplasms

Echocardiography in the evaluation of cardiac pheochromocytoma (Mandak et al). 1996;132:1063-6 (Brief comm.)

Isolated cardiac metastasis of adrenal carcinoma: transesophageal echocardiographic features (Bilge et al). 1996;132:1066-8 (Brief comm.)

Pericardial mesothelioma secreting thrombomodulin (Okura et al). 1996;132:1309-11 (Brief comm.)

Primary cardiac fibrosarcoma (Anand et al) (Letter); (Valente and Basso) (Reply). 1996;132:1320-1

Radiofrequency ablation of ventricular tachycardia in an infant with cardiac tumors (Kohli et al). 1996;132:198-200 (Brief comm.)

Separate myxomas in left atrium and right ventricle (Bashour et al). 1996;132:1295-8 (Brief comm.)

Ventricular tachycardia caused by cardiac rhabdomyoma in a young adult with tuberous sclerosis (Enbergs et al). 1996;132:1263-5 (Brief comm.)

Heart rate

Effects of β -blockade with bisoprolol on heart rate variability in advanced heart failure: analysis of scatterplots of R-R intervals at selected heart rates (Copie et al). 1996;132:369-75

Heart rate—cont'd

Heart rate variability during the first 24 hours of successfully reperfused acute myocardial infarction: paradoxical decrease after reperfusion (Chakko et al). 1996;132:586-92

The pulsatile pain of acute aortic dissection: a neurosurgeon's personal experience (Hunt and Wooley). 1996;132:1967-8 (Brief comm.)

Heart septal defects, atrial

Atrial septal defect: increase in left-to-right shunt after myocardial infarction (Bhagwat and Maze). 1996;132:1308-9 (Brief comm.)

Total anomalous pulmonary venous connection to unroofed coronary sinus in patient with no symptoms (Banitt). 1996;132:886-8 (Brief comm.)

Volume-rendered, three-dimensional echocardiographic determination of the size, shape, and position of atrial septal defects: validation in an in vitro model (Magni et al). 1996;132:376-81

Heart septal defects, ventricular

Magnetic resonance imaging of anomalous origin of the right pulmonary artery from the ascending aorta in association with ventricular septal defect (Lin et al). 1996;132:1073-4 (Brief comm.)

Heart septum

Penetration of the atrioventricular septum by spread of infection from aortic valve endocarditis: early diagnosis by transesophageal echocardiography and implications for surgical management (Barbour et al). 1996;132:1287-9 (Brief comm.)

Heart transplantation

Cardiac transplant rejection is associated with a decrease in the high-frequency components of the high-resolution, signal-averaged electrocardiogram (Graceto and O'Rourke). 1996;132:820-6

Clinical status of patients removed from a transplant waiting list rivals that of transplant recipients at significant cost savings (Levine et al). 1996;132:1189-94

Congenital long-QT syndrome: deleterious effect of long-term high-rate ventricular pacing and definitive treatment by cardiac transplantation (Klein et al). 1996;132:1079-81 (Brief comm.)

Right atrial thrombus mimicking myxoma in a heart transplant recipient (Rankin et al). 1996;132:452-4 (Brief comm.)

Heart valve diseases

Combined rest and exercise electrocardiographic repolarization findings in relation to structural and functional abnormalities in asymptomatic aortic regurgitation (Chen et al). 1996;132:343-7

Coronary embolism (Cheng) (Letter); (Takenaka) (Reply). 1996;132:1314-6

Doppler transesophageal echocardiographic determination of aortic valve area in adults with aortic stenosis (Stoddard et al). 1996;132:337-42

Evaluation of eccentric aortic regurgitation by color Doppler jet and color Doppler-imaged vena contracta measurements: an animal study of quantified aortic regurgitation (Ishii et al). 1996;132:796-804

Immediate and long-term effect of mitral balloon valvotomy on left ventricular volume and systolic function in severe mitral stenosis (Fawzy et al). 1996;132:356-60

Prevalence and clinical significance of antiphospholipid antibodies in heart valve disease: a case-control study (Bouillianne et al). 1996;132:790-5

Quantitative assessment of stenotic aortic valve area by using intracardiac echocardiography: in vitro validation and initial in vivo illustration (Jiang et al). 1996;132:137-44

Relation between severity of mitral regurgitation and prognosis of mitral valve prolapse: echocardiographic follow-up study (Kim et al). 1996;132:348-55

Severely symptomatic mitral stenosis with a low gradient: a case for low-technology medicine (Rayburn and Fortuin). 1996;132:628-32

Heart valve prosthesis

Contrast enhancement of mitral regurgitation to estimate left ventricular systolic pressure (Donovan and Armstrong). 1996;132:884-6 (Brief comm.)

Double-balloon dilatation of a stenosed bioprosthetic tricuspid valve in repaired tetralogy of Fallot (Benito et al). 1996;132:891-2 (Brief comm.)

Prevalence and clinical significance of antiphospholipid antibodies in heart valve disease: a case-control study (Bouillianne et al). 1996;132:790-5

Recurrent syncope after successful aortic valve replacement (Sharma et al). 1996;132:194-7 (Brief comm.)

Severely symptomatic mitral stenosis with a low gradient: a case for low-technology medicine (Rayburn and Fortuin). 1996;132:628-32

Heart ventricle

Effects of changes in atrioventricular gradient and contractility on left ventricular filling in human diastolic cardiac dysfunction (Lenihan et al). 1996;132:1179-88

Endomyocardial biopsy in arrhythmogenic right ventricular cardiomyopathy (Angelini et al). 1996;132:203-6 (Editorial)

Intracardiac thrombus formation associated with a nonpenetrating gunshot wound of the right ventricular outflow tract demonstrated by transesophageal echocardiography (Nishioka et al). 1996;132:1265-7 (Brief comm.)

Separate myxomas in left atrium and right ventricle (Bashour et al). 1996;132:1295-8 (Brief comm.)

Hematoma

Infected sternal fracture hematoma after cardiopulmonary resuscitation initially seen as pericarditis (Wehrens et al). 1996;132:685-6 (Brief comm.)

Intramural left atrial hematoma complicating mitral annular calcification (Schechter et al). 1996;132:455-7 (Brief comm.)

Hemodynamics

Determination of mitral valve area in patients with mitral stenosis by the flow-convergence-region method during changing hemodynamic conditions (Deng et al). 1996;132:633-41

Mitral flow velocity changes after 6 months of optimized therapy provide important hemodynamic and prognostic information in patients with chronic heart failure (Traversi et al). 1996;132:809-19

Progression of valvular aortic stenosis in adults: literature review and clinical implications (Faggiano et al). 1996;132:408-17 (Curriculum cardiol.)

Hemorrhage

No subacute thrombosis and femoral bleeding complications under full anticoagulation in 150 consecutive patients receiving non-heparin-coated intracoronary Palmaz-Schatz stents (Lee et al). 1996;132:1135-46

Reduction of thrombotic and hemorrhagic complications after stent implantation (Pan et al). 1996;132:1119-26

Heparin

Bolus recombinant urokinase versus heparin in deep venous thrombosis: a randomized controlled trial (Goldhaber et al). 1996;132:314-8

Exercise training and heparin pretreatment in patients with coronary artery disease (Gagliardi et al). 1996;132:946-51

Local intracoronary heparin delivery with a microporous balloon catheter (Thomas et al). 1996;132:969-72

Hibernating myocardium; see Myocardium entries

Historical article

The Holmes heart: historic associations and pathologic anatomy (Dobell and Van Praagh). 1996;132:437-45 (Prog. cardiol.)

Historical articles

Forty-two years in cardiology (Mason). 1996;132:1335-40 (Editorial)

HIV

Pericardial tamponade from Kaposi's sarcoma: role of early pericardial window (Vijay et al). 1996;132:897-9 (Brief comm.)

Holmes, Andrew F.

The Holmes heart: historic associations and pathologic anatomy (Dobell and Van Praagh). 1996;132:437-45 (Prog. cardiol.)

Holter monitor; see Electrocardiography, ambulatory

Homograft; see Transplantation, homologous

Hormone replacement therapy, post-menopausal; see Estrogen replacement therapy

Hormones

The role of neurohormonal activation in chronic heart failure and postmyocardial infarction (Sigurdsson and Swedberg). 1996;132:229-34 (Symposium)

Hospitals

Epidemiologic characteristics, management, and outcome of deep venous thrombosis in a tertiary-care hospital: the Brigham and Women's Hospital DVT Registry (Piccoli et al). 1996;132:1010-4

Human immunodeficiency virus; see HIV

Hydatid cyst

Echinococcosis of the heart: clinical and echocardiographic features in 19 patients (Bashour et al). 1996;132:1028-30

Hyperemia

Dynamic planar myocardial perfusion imaging in patients with one-vessel disease with intracoronary injection of technetium 99m tetroxime during papaverine-induced coronary hyperemia (Tartagni et al). 1996;132:1042-7 (Prog. cardiol.)

Hyperkalemia

Acute electrocardiographic pseudoinfarction pattern in the setting of diabetic ketoacidosis and severe hyperkalemia (Sweterlitsch and Murphy). 1996;132:1086-9 (Brief comm.)

Hypertension

Effect of doxazosin on fibrinolysis in hypertensive patients with and without insulin resistance (Jeng et al). 1996;132:783-9

Endothelin-1 plasma levels in essential hypertension: increased levels with coronary artery disease (Cassone et al). 1996;132:1048-9 (Brief comm.)

Impaired endothelial function with essential hypertension assessed by ultrasonography (Iiyama et al). 1996;132:779-82

Implications of the links between hypertension and myocardial infarction for choice of drug therapy in patients with hypertension (Meredith). 1996;132:222-8 (Symposium)

Links between hypertension and myocardial infarction (Rakugi et al). 1996;132:213-21 (Symposium)

Myocardial infarction and hypertension links and interactions: introduction (Sleight). 1996;132:211-2 (Symposium)

Novel delivery system for verapamil designed to achieve maximal blood pressure control during the early morning (Neutel et al). 1996;132:1202-6

Renal artery stenosis complicated by hypertensive heart disease in a young child: successful therapy by balloon angioplasty (Liang et al). 1996;132:1077-9 (Brief comm.)

Treatment and post-treatment effects of α - versus β -receptor blockers on left ventricular structure and function in essential hypertension (Schobel et al). 1996;132:1004-9

Vascular hypertrophy is an early finding in essential hypertension and is related to arterial pressure waveform contour (Tice et al). 1996;132:621-7

Hypertrophic cardiomyopathy; see Cardiomyopathy, hypertrophic**Hypertrophy**

Vascular hypertrophy is an early finding in essential hypertension and is related to arterial pressure waveform contour (Tice et al). 1996;132:621-7

Hypertrophy, left ventricular

Effect of an intravenous angiotensin-converting enzyme inhibitor on the electrophysiologic features of normal and hypertrophied feline ventricles (Rials et al). 1996;132:989-94

Hypoxia; see Anoxia**I****Iliac artery**

Vascular repair mechanisms after directional atherectomy or percutaneous transluminal coronary angioplasty in atherosclerotic rabbit iliac arteries (Wilensky et al). 1996;132:13-22

Implantable cardioverter-defibrillators; see Defibrillators, implantable**In vitro intravascular ultrasound; see Ultrasonography****Infant; see also Child**

Interatrial septal aneurysms and atrial arrhythmias in infants (Miga et al). 1996;132:776-8

Radiofrequency ablation of ventricular tachycardia in an infant with cardiac tumors (Kohli et al). 1996;132:198-200 (Brief comm.)

Infant, small for gestational age

Transcatheter closure with single or multiple Gianturco coils of patent ductus arteriosus in infants weighing 8 kg: retrograde versus antegrade approach (Hijazi et al). 1996;132:827-35

Infarction

Right ventricular infarction mimicking acute anteroseptal left ventricular infarction (Khan and Chou). 1996;132:1089-93 (Brief comm.)

Infection

Infected sternal fracture hematoma after cardiopulmonary resuscitation initially seen as pericarditis (Wehrens et al). 1996;132:685-6 (Brief comm.)

Penetration of the atrioventricular septum by spread of infection from aortic valve endocarditis: early diagnosis by transthoracic echocardiography and implications for surgical management (Barbour et al). 1996;132:1287-9 (Brief comm.)

Inflammation

Alterations in circulating intercellular adhesion molecule-1 and L-selectin: further evidence for chronic inflammation in ischemic heart disease (Haught et al). 1996;132:1-8

The inflammatory etiology of unstable angina (Azar and Waters). 1996;132:1101-6 (Editorial)

Infusions, intracoronary

Local intracoronary heparin delivery with a microporous balloon catheter (Thomas et al). 1996;132:969-72

Infusions, intravenous

Acute myocardial infarction, reperfusion injury, and intravenous magnesium therapy: basic concepts and clinical implications (Steurer et al). 1996;132:478-82 (Symposium)

Effect of an intravenous angiotensin-converting enzyme inhibitor on the electrophysiologic features of normal and hypertrophied feline ventricles (Rials et al). 1996;132:989-94

Is there a place for magnesium in the treatment of acute myocardial infarction? (Seelig and Elin). 1996;132:471-7 (Symposium)

Inotropic therapy; see Cardiotonic agents**Insulin**

Effect of doxazosin on fibrinolysis in hypertensive patients with and without insulin resistance (Jeng et al). 1996;132:783-9

Interatrial septal aneurysm; see Heart aneurysm**Intercellular adhesion molecule-1; see Cell adhesion molecules****Intracardiac echocardiography; see Echocardiography****Intracardiac thrombus; see Thrombosis****Intracoronary stenting; see Stents****Intracoronary ultrasound; see Ultrasonography****Intraoperative complications**

Cardiac complications in noncardiac surgery: relative value of resting two-dimensional echocardiography and dipyridamole thallium imaging (Kontos et al). 1996;132:559-66

Dipyridamole technetium 99m sestamibi myocardial tomography for preoperative cardiac risk stratification before major or minor nonvascular surgery (Stratmann et al). 1996;132:536-41

Reduction in angioplasty complications after the introduction of coronary stents: results from a consecutive series of 2242 patients (Altmann et al). 1996;132:503-7

Intrapericardial echogenic images; see Echocardiography**Intravascular imaging; see Diagnostic imaging****Intravascular ultrasound; see Ultrasonography****Inversus atria; see Heart defects, congenital****Ischemia**

Elevated levels of basic fibroblast growth factor in patients with limb ischemia (Rohovsky et al). 1996;132:1015-9

Ischemic cardiomyopathy; see Myocardial ischemia**Ischemic heart disease; see Myocardial ischemia****J****Juxtaposition of atrial appendage; see Heart defects, congenital****K****Kaposi's sarcoma; see Sarcoma****Kidney failure, chronic**

Contrast nephropathy after coronary angioplasty in chronic renal insufficiency (Vlietstra et al). 1996;132:1049-50 (Brief comm.)

Kinetics

Technetium 99m-Q12 kinetics in perfused rat myocardium: effects of hypoxia and low flow (Okada et al). 1996;132:108-15

L**L-Arginine; see Arginine****Lasers**

New concepts in pain management and in the application of low-power laser for relief of cervicothoracic pain syndromes (Lee et al). 1996;132:1329-34 (Editorial)

Left atrial hematoma; see Hematoma**Left ventricular ejection fraction; see Stroke volume****Left ventricular infarction; see Infarction****Left ventricular pseudoaneurysm; see Heart aneurysm****Left ventricular systolic dysfunction; see Ventricular function, left****Left ventricular systolic pressure; see Systole****Left ventricular volumes; see Stroke volume**

Leg

Chronic venous insufficiency: mechanisms and management (Ibrahim et al). 1996;132:856-60 (Curriculum cardi.)

Leg ulcer

Chronic venous insufficiency: mechanisms and management (Ibrahim et al). 1996;132:856-60 (Curriculum cardi.)

Leicester Intravenous Magnesium Intervention Trial (LIMIT-2)

Editorial: Magnesium in acute myocardial infarction (Smetana). 1996;132:463-4 (Symposium)

Letters

Anesthesia in peripartum cardiomyopathy (Perkins) (Letter); (Lang) (Reply). 1996;132:1320
In appreciation (Mason). 1996;132:1324
Coronary embolism (Cheng) (Letter); (Takenaka) (Reply). 1996;132:1314-6
CPR during pregnancy (Perkins) (Letter); (Page) (Reply). 1996;132:1319
Diastolic mitral regurgitation with atrial flutter (Malcolm). 1996;132:1321-2
Duplicate publication—Left atrial function after atrial fibrillation cardioversion (Mason). 1996;132:1322-3
Endothelin and pulmonary blood flow (Ross) (Letter); (Gorenflo) (Reply). 1996;132:1317-9
Letters of appreciation. 1996;132:1325-8
Looking back (Young). 1996;132:1324
Oxygen administration and acute myocardial infarct size (Weisse) (Letter); (Kelly et al) (Reply). 1996;132:1316-7
P mitrale—P pulmonale variation (Malcolm). 1996;132:1322
Premature gray hair and coronary artery disease (Gould) (Letter); (Schnohr and Nyboe) (Reply). 1996;132:1317
Primary cardiac fibrosarcoma (Anand et al) (Letter); (Valente and Basso) (Reply). 1996;132:1320-1
Sinus of Valsalva aneurysms (Cheng) (Letter); (Rahko) (Reply). 1996;132:1319
Stepping off the treadmill (Flatt). 1996;132:1323-4

Leukocyte count

Band neutrophil count and the presence and severity of coronary atherosclerosis (Kawaguchi et al). 1996;132:9-12

Limbs; see Extremities

Lipids

Changes in plasma lipids and lipoproteins associated with starting or stopping postmenopausal hormone replacement therapy (Folsom et al). 1996;132:952-8
Myocardial imaging with a new transpulmonary lipid-fluorocarbon echo contrast agent: experimental studies in pigs (Grauer et al). 1996;132:938-45

Lipoma

Mediastinal lipoma mimicking dextrocardia and cardiac enlargement: diagnosis by magnetic resonance imaging (Reddy et al). 1996;132:894-7 (Brief comm.)

Lipoprotein(a)

High serum concentration of lipoprotein(a) is a risk factor for restenosis after percutaneous transluminal coronary angioplasty in Japanese patients with single-vessel disease (Miyata et al). 1996;132:269-73

Lipoproteins

Changes in plasma lipids and lipoproteins associated with starting or stopping postmenopausal hormone replacement therapy (Folsom et al). 1996;132:952-8

Liposomes

Reduction of canine infarct size by bolus intravenous administration of liposomal prostaglandin E₁: comparison with control, placebo liposomes, and continuous intravenous infusion of prostaglandin E₁ (Feld et al). 1996;132:747-57

Long QT syndrome

Atrial septal defect: increase in left-to-right shunt after myocardial infarction (Bhagwat and Maze). 1996;132:1308-9 (Brief comm.)

Congenital long-QT syndrome: deleterious effect of long-term high-rate ventricular pacing and definitive treatment by cardiac transplantation (Klein et al). 1996;132:1079-81 (Brief comm.)

Effective therapy with transthoracic video-assisted endoscopic coagulation of the left stellate ganglion and upper sympathetic trunk in congenital long-QT syndrome (Wong et al). 1996;132:1060-3 (Brief comm.)

Monophasic action potential recordings during T-wave alternans in congenital long QT syndrome (Shimizu et al). 1996;132:699-701 (Brief comm.)

Lupus coagulation inhibitor

Multiple early percutaneous transluminal coronary angioplasty failures related to lupus anticoagulant (Chambers et al). 1996;132:189-90 (Brief comm.)

M

Magnesium

Acute myocardial infarction, reperfusion injury, and intravenous magnesium therapy: basic concepts and clinical implications (Steurer et al). 1996;132:478-82 (Symposium)

Editorial: Magnesium in acute myocardial infarction (Smetana). 1996;132:463-4 (Symposium)

Is there a place for magnesium in the treatment of acute myocardial infarction? (Seelig and Elin). 1996;132:471-7 (Symposium)

Magnesium in acute myocardial infarction: overview of available evidence (Antman). 1996;132:487-95 (Symposium)

Management of acute myocardial infarction: evaluating the past, practicing in the present, elaborating the future (Glogar et al). 1996;132:465-70 (Symposium)

The rationale of magnesium as alternative therapy for patients with acute myocardial infarction without thrombolytic therapy (Shechter et al). 1996;132:483-6 (Symposium)

Significance of magnesium in congestive heart failure (Douban et al). 1996;132:664-71 (Curriculum cardi.)

Magnetic resonance imaging

Assessment of quantitative hypertrophy scores in hypertrophic cardiomyopathy: magnetic resonance imaging versus echocardiography (Posma et al). 1996;132:1020-7

Magnetic resonance imaging in ischemic heart disease (Steffens et al). 1996;132:156-73 (Prog. cardi.)

Magnetic resonance imaging of anomalous origin of the right pulmonary artery from the ascending aorta in association with ventricular septal defect (Lin et al). 1996;132:1073-4 (Brief comm.)

Mediastinal lipoma mimicking dextrocardia and cardiac enlargement: diagnosis by magnetic resonance imaging (Reddy et al). 1996;132:894-7 (Brief comm.)

Quantification of the extent of area at risk with fast contrast-enhanced magnetic resonance imaging in experimental coronary artery stenosis (Saeed et al). 1996;132:921-32

Mammary arteries

Patent double internal mammary artery implants (Vineberg's procedure) 27 years later with development of collaterals supplying the left anterior descending and circumflex coronary arteries (Bashour et al). 1996;132:1285-7 (Brief comm.)

Mediastinal lipoma; see Lipoma

Medical centers

Training in cardiac catheterization at high-volume and low-volume centers: Is there a difference in case mix? (Ballal et al). 1996;132:460-2 (Editorial)

Mental stress; see Stress, psychological

Mesothelioma

Pericardial mesothelioma secreting thrombomodulin (Okura et al). 1996;132:1309-11 (Brief comm.)

Metoprolol

Comparative study of the efficacy of metoprolol and verapamil in patients with syncope and positive head-up tilt test response (Jhamb et al). 1996;132:608-11

Microporous balloon catheter; see Balloon dilatation

Mitral annular calcification; see Calcinosi

Mitral regurgitation; see Mitral valve insufficiency

Mitral valve aneurysm; see Aneurysm

Mitral valve insufficiency

Cardiac dysfunction with Becker muscular dystrophy (Saito et al). 1996;132:642-7

Contrast enhancement of mitral regurgitation to estimate left ventricular systolic pressure (Donovan and Armstrong). 1996;132:884-6 (Brief comm.)

Diastolic mitral regurgitation with atrial flutter (Malcolm). 1996;132:1321-2 (Letter)

Relation between severity of mitral regurgitation and prognosis of mitral valve prolapse: echocardiographic follow-up study (Kim et al). 1996;132:348-55

Mitral valve prolapse

Relation between severity of mitral regurgitation and prognosis of mitral valve prolapse: echocardiographic follow-up study (Kim et al). 1996;132:348-55

Spectrum of structural abnormalities in floppy mitral valve echocardiographic evaluation (Malkowski et al). 1996;132:145-51

Mitral valve stenosis

Determination of mitral valve area in patients with mitral stenosis by the flow-convergence-region method during changing hemodynamic conditions (Deng et al). 1996;132:633-41

Immediate and long-term effect of mitral balloon valvotomy on left ventricular volume and systolic function in severe mitral stenosis (Fawzy et al). 1996;132:356-60

Severely symptomatic mitral stenosis with a low gradient: a case for low-technology medicine (Rayburn and Fortuin). 1996;132:628-32

Mitral valvuloplasty; see Balloon dilatation**Muscular dystrophy**

Cardiac dysfunction with Becker muscular dystrophy (Saito et al). 1996;132:642-7

Myocardial contraction

Evaluation of contractile reserve by dobutamine echocardiography: noninvasive estimation of the severity of heart failure (Marmor et al). 1996;132:1195-1201

Myocardial free radicals; see Free radicals**Myocardial imaging; see Echocardiography****Myocardial infarction**

Acute electrocardiographic pseudoinfarction pattern in the setting of diabetic ketoacidosis and severe hyperkalemia (Swetters and Murphy). 1996;132:1086-9 (Brief comm.)

Myocardial infarction, complications

Atrial septal defect: increase in left-to-right shunt after myocardial infarction (Bhagwat and Maze). 1996;132:1308-9 (Brief comm.)

Circadian fluctuations of late potentials detected by signal-averaged electrocardiogram (Goldhammer and Abinador). 1996;132:1298-9 (Brief comm.)

Epidemiologic assessment of angina before and after myocardial infarction: the Framingham Study (Brand et al). 1996;132:174-8 (Prog. cardiol.)

Papillary muscle rupture after successful coronary artery bypass procedures: report of three cases treated by prompt reoperation (Baladi et al). 1996;132:1272-5 (Brief comm.)

Myocardial infarction, diagnosis

Myocardial integrated ultrasonic backscatter in patients with old myocardial infarction: comparison with radionuclide evaluation (Naito et al). 1996;132:54-60

Pseudo-myocardial infarction in transurethral resection syndrome (Gustafson et al). 1996;132:1053-4 (Brief comm.)

Right ventricular infarction mimicking acute anteroapical left ventricular infarction (Khan and Chou). 1996;132:1089-93 (Brief comm.)

Myocardial infarction, drug therapy

Benefit of converting enzyme inhibition on left ventricular volumes and ejection fraction in patients receiving β -blockade after myocardial infarction (Bonarjee et al). 1996;132:71-7

Who should be treated with angiotensin-converting enzyme inhibitors after myocardial infarction? (Ball and Hall). 1996;132:244-50 (Symposium)

Myocardial infarction, epidemiology

Circadian, day-of-week, and seasonal variability in myocardial infarction: comparison between working and retired patients (Spielberg et al). 1996;132:579-85

Myocardial infarction, etiology

Acute myocardial infarction caused by blunt chest trauma: successful treatment by direct coronary angioplasty (Marcum et al). 1996;132:1275-7 (Brief comm.)

Current incidence and determinants of perioperative myocardial infarction in coronary artery surgery (Greaves et al). 1996;132:572-8

L-Arginine decreases infarct size in rats exposed to environmental tobacco smoke (Zhu et al). 1996;132:91-100

Spontaneous coronary artery dissection in a young man with inferior wall myocardial infarction (Shah et al). 1996;132:696-8 (Brief comm.)

Myocardial infarction, pathology

Early increase of vasoactive intestinal peptide in acute myocardial infarction (Lucia et al). 1996;132:187-9 (Brief comm.)

Myocardial infarction, physiopathology

Influence of intrinsic limb vasodilator capacity on exercise tolerance in patients with recent myocardial infarction (Hattori et al). 1996;132:593-8

Myocardial infarction, prevention and control

Angiotensin-converting enzyme inhibition after myocardial infarction: the Trandolapril Cardiac Evaluation study (Torp-Pedersen et al). 1996;132:235-43 (Symposium)

Endothelin-1 and myocardial preconditioning (Erikson and Velasco). 1996;132:84-90

Implications of the links between hypertension and myocardial infarction for choice of drug therapy in patients with hypertension (Meredith). 1996;132:222-8 (Symposium)

Links between hypertension and myocardial infarction (Rakugi et al). 1996;132:213-21 (Symposium)

Myocardial infarction and hypertension links and interactions: introduction (Sleight). 1996;132:211-2 (Symposium)

The role of neurohormonal activation in chronic heart failure and postmyocardial infarction (Sigurdsson and Swedberg). 1996;132:229-34 (Symposium)

Who should be treated with angiotensin-converting enzyme inhibitors after myocardial infarction? (Ball and Hall). 1996;132:244-50 (Symposium)

Myocardial infarction, therapy

Acute myocardial infarction, reperfusion injury, and intravenous magnesium therapy: basic concepts and clinical implications (Steurer et al). 1996;132:478-82 (Symposium)

Attenuation of the no-reflow phenomenon after coronary angioplasty for acute myocardial infarction with intracoronary papaverine (Ishihara et al). 1996;132:959-63

Coronary stenting after unsuccessful emergency angioplasty in acute myocardial infarction: results in a series of consecutive patients (Steffenino et al). 1996;132:1115-8

Distal coronary flow velocity immediately after direct angioplasty for acute myocardial infarction (Nakamura et al). 1996;132:251-7

Editorial: Magnesium in acute myocardial infarction (Smetana). 1996;132:463-4 (Symposium)

Heart rate variability during the first 24 hours of successfully reperfused acute myocardial infarction: paradoxical decrease after reperfusion (Chakko et al). 1996;132:586-92

Is there a place for magnesium in the treatment of acute myocardial infarction? (Seelig and Elin). 1996;132:471-7 (Symposium)

Magnesium in acute myocardial infarction: overview of available evidence (Antman). 1996;132:487-95 (Symposium)

Management of acute myocardial infarction: evaluating the past, practicing in the present, elaborating the future (Glogar et al). 1996;132:465-70 (Symposium)

Oxygen administration and acute myocardial infarct size (Weisse) (Letter); (Kelly et al) (Reply). 1996;132:1316-7

The rationale of magnesium as alternative therapy for patients with acute myocardial infarction without thrombolytic therapy (Shechter et al). 1996;132:483-6 (Symposium)

Reduction of canine infarct size by bolus intravenous administration of liposomal prostaglandin E_1 : comparison with control, placebo liposomes, and continuous intravenous infusion of prostaglandin E_1 (Feld et al). 1996;132:747-57

Safety and feasibility of continuous monitoring of coronary flow velocity in acute myocardial infarction by Doppler guide wire (Nakamura et al). 1996;132:567-71

Myocardial ischemia

Alterations in circulating intercellular adhesion molecule-1 and L-selectin: further evidence for chronic inflammation in ischemic heart disease (Haught et al). 1996;132:1-8

Atrial natriuretic peptide release during myocardial ischemia induced by percutaneous transluminal coronary angioplasty (Nigri et al). 1996;132:698-9 (Brief comm.)

Effect of type A behavioral counseling on frequency of episodes of silent myocardial ischemia in coronary patients (Friedman et al). 1996;132:933-7

Effects of exercise training on left ventricular filling at rest and during exercise in patients with ischemic cardiomyopathy and severe left ventricular systolic dysfunction (Belardinelli et al). 1996;132:61-70

Endothelin-1: A scientist's curiosity, or a real player in ischemic heart disease? (Cesari et al). 1996;132:1236-43 (Prog. cardiol.)

β -Estradiol, but not α -estradiol, reduces myocardial necrosis in rabbits after ischemia and reperfusion (Hale et al). 1996;132:258-62

Fatal myocardial ischemia caused by compression of the left coronary system by a large left sinus of Valsalva aneurysm (Bashour et al). 1996;132:1050-2 (Brief comm.)

Magnetic resonance imaging in ischemic heart disease (Steffens et al). 1996;132:156-73 (Prog. cardiol.)

Quantitative Doppler tissue imaging for assessment of regional myocardial velocities during transient ischemia and reperfusion (Bach et al). 1996;132:721-5

Myocardial ischemia—cont'd

Ventricular premature beat-driven intermittent restoration of coronary blood flow reduces the incidence of reperfusion-induced ventricular fibrillation in a cat model of regional ischemia (Na et al). 1996;132:78-83

Myocardial necrosis; see Necrosis

Myocardial oxygen consumption; see Oxygen consumption

Myocardial perfusion; see Perfusion

Myocardial reperfusion; see Reperfusion

Myocardial tomography; see Tomography

Myocardial velocity; see Blood flow velocity

Myocardium, metabolism

Inotropic stimulation by dobutamine increases left ventricular regional function at the expense of metabolism in hibernating myocardium (Indolfi et al). 1996;132:542-9

Myocardial viability: methods of assessment and clinical relevance (Iskandrian et al). 1996;132:1226-35 (Prog. cardiol.)

Myocardium, physiopathology

Myocardial contrast echocardiography in human beings: correlation of resting perfusion defects to sestamibi single photon emission computed tomography (Meza et al). 1996;132:528-35

Myocardial viability: methods of assessment and clinical relevance (Iskandrian et al). 1996;132:1226-35 (Prog. cardiol.)

Myocardial wall velocity assessment by pulsed Doppler tissue imaging: characteristic findings in normal subjects (Garcia et al). 1996;132:648-56

Potential clinical implications of abnormal myocardial perfusion patterns immediately after reperfusion in a canine model: a myocardial contrast echocardiography (Kates et al). 1996;132:303-13

Technetium 99m-Q12 kinetics in perfused rat myocardium: effects of hypoxia and low flow (Okada et al). 1996;132:108-15

Myotonia atrophica

Suppression of ventricular tachycardia by sotalol in myotonic dystrophy (Cohen et al). 1996;132:446-9 (Brief comm.)

Myxoma

Right atrial thrombus mimicking myxoma in a heart transplant recipient (Rankin et al). 1996;132:452-4 (Brief comm.)

Separate myxomas in left atrium and right ventricle (Bashour et al). 1996;132:1295-8 (Brief comm.)

N

Necrosis

β -Estradiol, but not α -estradiol, reduces myocardial necrosis in rabbits after ischemia and reperfusion (Hale et al). 1996;132:258-62

Negative dromotropism; see Neural conduction

Neoplasm metastasis

Isolated cardiac metastasis of adrenal carcinoma: transesophageal echocardiographic features (Bilge et al). 1996;132:1066-8 (Brief comm.)

Neoplasms; see also Specific neoplasms

Cancer and venous thromboembolism (Piccioli et al). 1996;132:850-5 (Curriculum cardiol.)

Neural conduction

Effects of verapamil, propranolol, and procainamide on adenosine-induced negative dromotropism in human beings (Lai et al). 1996;132:768-75

Neurocardiogenic syncope; see Syncope

Neurohormonal activation; see Hormones

Neutrophils

Band neutrophil count and the presence and severity of coronary atherosclerosis (Kawaguchi et al). 1996;132:9-12

Nonthoracotomy defibrillation lead system; see Equipment and supplies

Nonuniform angular velocity; see Transducers

O

OPC-18790; see Vasodilator agents

Osler, William

The Holmes heart: historic associations and pathologic anatomy (Dobell and Van Praagh). 1996;132:437-45 (Prog. cardiol.)

Outpatient care; see Ambulatory care

Oxygen

Oxygen administration and acute myocardial infarct size (Weisse) (Letter); (Kelly et al) (Reply). 1996;132:1316-7

Oxygen consumption

A novel inotropic vasodilator, OPC-18790, reduces myocardial oxygen consumption and improves mechanical efficiency with congestive heart failure (Kanda et al). 1996;132:361-8

P

P mitrale-P pulmonale; see Electrocardiography

Pain

New concepts in pain management and in the application of low-power laser for relief of cervicothoracic pain syndromes (Lee et al). 1996;132:1329-34 (Editorial)

The pulsatile pain of acute aortic dissection: a neurosurgeon's personal experience (Hunt and Wooley). 1996;132:1967-8 (Brief comm.)

Palmaz-Schatz coronary stent; see Stents

Papaverine

Attenuation of the no-reflow phenomenon after coronary angioplasty for acute myocardial infarction with intracoronary papaverine (Ishihara et al). 1996;132:959-63

Dynamic planar myocardial perfusion imaging in patients with one-vessel disease with intracoronary injection of technetium 99m tetroxime during papaverine-induced coronary hyperemia (Tartagni et al). 1996;132:1042-7 (Prog. cardiol.)

Papillary muscles

Papillary muscle rupture after successful coronary artery bypass procedures: report of three cases treated by prompt reoperation (Baladi et al). 1996;132:1272-5 (Brief comm.)

Tricuspid papillary muscle rupture after coronary artery bypass surgery: identification by transesophageal echocardiography (Joffe et al). 1996;132:1055-8 (Brief comm.)

Paramagnetic resonance; see Electron spin resonance

Paresis

Left phrenic nerve paresis complicating catheter radiofrequency ablation for Wolff-Parkinson-White syndrome (Rumbak et al). 1996;132:1281-5 (Brief comm.)

Passive smoking; see Tobacco smoke pollution

Patent ductus arteriosus; see Ductus arteriosus, patent

Patient self-management; see Self care

Penetrating trauma; see Wounds, penetrating

Peptides

Increased plasma levels of B-type natriuretic peptide in patients with unstable angina (Kikuta et al). 1996;132:101-7

Percutaneous balloon dilatation; see Balloon dilatation

Percutaneous transluminal coronary angioplasty; see Angioplasty, transluminal, percutaneous coronary

Perfluorocarbon; see Fluorocarbons

Perfusion

Detection of regional perfusion abnormalities during adenosine stress echocardiography with intravenous perfluorocarbon-exposed sonicated dextrose albumin (Porter et al). 1996;132:41-7

Dynamic planar myocardial perfusion imaging in patients with one-vessel disease with intracoronary injection of technetium 99m tetroxime during papaverine-induced coronary hyperemia (Tartagni et al). 1996;132:1042-7 (Prog. cardiol.)

Estimation of coronary flow reserve with the instantaneous coronary flow velocity versus pressure relation: a new index of coronary flow reserve independent of perfusion pressure (Kondo et al). 1996;132:1127-34

Myocardial contrast echocardiography: reliable, safe, and efficacious myocardial perfusion assessment after intravenous injections of a new echocardiographic contrast agent (Meza et al). 1996;132:871-81 (Prog. cardiol.)

Myocardial contrast echocardiography in human beings: correlation of resting perfusion defects to sestamibi single photon emission computed tomography (Meza et al). 1996;132:528-35

Potential clinical implications of abnormal myocardial perfusion patterns immediately after reperfusion in a canine model: a myocardial contrast echocardiography (Kates et al). 1996;132:303-13

Pericardial effusion

Intrapericardial echogenic images and development of constrictive pericarditis in patients with pericardial effusion (Sinha et al). 1996;132:1968-72 (Brief comm.)

Pericardial tamponade; see Cardiac tamponade

Pericarditis

Infected sternal fracture hematoma after cardiopulmonary resuscitation initially seen as pericarditis (Wehrens et al). 1996;132:685-6 (Brief comm.)

Pericarditis, constrictive

Intrapericardial echogenic images and development of constrictive pericarditis in patients with pericardial effusion (Sinha et al). 1996;132:1968-72 (Brief comm.)

Pericardium

Clinical and echocardiographic follow-up after aortic valve re-

Pericardium—cont'd

construction with bovine or autologous pericardium (Björnstad et al). 1996;132:1173-8

Congenital defect of the left pericardium with sick sinus syndrome (Hano et al). 1996;132:1293-5 (Brief comm.)

Peripheral chemoreflex; see Chemoreceptors**Pheochromocytoma**

Echocardiography in the evaluation of cardiac pheochromocytoma (Mandak et al). 1996;132:1063-6 (Brief comm.)

Phrenic nerve

Left phrenic nerve paresis complicating catheter radiofrequency ablation for Wolff-Parkinson-White syndrome (Rumbak et al). 1996;132:1281-5 (Brief comm.)

Pituitary gland

Recombinant growth hormone: a new cardiovascular drug therapy (Gomberg-Maitland and Frishman). 1996;132:1244-62 (Prog. cardiol.)

Placebo effect

The placebo effect in cardiovascular disease (Bienenfeld et al). 1996;132:1207-21 (Curriculum cardiol.)

Plasma

Early increase of vasoactive intestinal peptide in acute myocardial infarction (Lucia et al). 1996;132:187-9 (Brief comm.)

Endothelin-1 plasma levels in essential hypertension: increased levels with coronary artery disease (Cassone et al). 1996;132:1048-9 (Brief comm.)

Increased plasma levels of B-type natriuretic peptide in patients with unstable angina (Kikuta et al). 1996;132:101-7

Plasma lipids; see Lipids**Platelet aggregation inhibitors**

No subacute thrombosis and femoral bleeding complications under full anticoagulation in 150 consecutive patients receiving non-heparin-coated intracoronary Palmaz-Schatz stents (Lee et al). 1996;132:1135-46

Polymorphous ventricular tachycardia; see Tachycardia, ventricular**Porcine model; see Disease models, animal****Post-menopausal hormone replacement therapy; see Estrogen replacement therapy****Postmyocardial infarction; see Myocardial infarction entries****Postoperative complications**

Reduction of thrombotic and hemorrhagic complications after stent implantation (Pan et al). 1996;132:1119-26

Practice guidelines

Training in cardiac catheterization at high-volume and low-volume centers: Is there a difference in case mix? (Ballal et al). 1996;132:460-2 (Editorial)

Pregnancy

Anesthesia in peripartum cardiomyopathy (Perkins) (Letter); (Lang) (Reply). 1996;132:1320

CPR during pregnancy (Perkins) (Letter); (Page) (Reply). 1996;132:1319

Premature gray hair; see Hair**Prenatal diagnosis**

Congenital absence of the pulmonary valve with tetralogy of Fallot with associated aortic stenosis and patent ductus arteriosus: a prenatal diagnosis (Rowland et al). 1996;132:1075-7 (Brief comm.)

Probulol

Preventive effects of probucol on restenosis after percutaneous transluminal coronary angioplasty (Watanabe et al). 1996;132:23-9

Procainamide

Effects of verapamil, propranolol, and procainamide on adenosine-induced negative dromotropism in human beings (Lai et al). 1996;132:768-75

Progress in cardiology

Progress in cardiology. 1996;132:156-86, 428-45, 672-84, 861-81, 1042-7, 1226-62

Propranolol

Effects of verapamil, propranolol, and procainamide on adenosine-induced negative dromotropism in human beings (Lai et al). 1996;132:768-75

Prostaglandins E

Reduction of canine infarct size by bolus intravenous administration of liposomal prostaglandin E₁: comparison with control, placebo liposomes, and continuous intravenous infusion of prostaglandin E₁ (Feld et al). 1996;132:747-57

Prostatectomy

Pseudo-myocardial infarction in transurethral resection syndrome (Gustafson et al). 1996;132:1053-4 (Brief comm.)

Pseudo-myocardial infarction; see Myocardial infarction**Pulmonary artery**

Embolic stroke after ligation of the pulmonary artery in patients with functional single ventricle (Osaki et al). 1996;132:836-40

Isolated anomalous origin of left pulmonary artery from the ascending aorta (Tagliente et al). 1996;132:1289-92 (Brief comm.)

Left ventricular pseudoaneurysm: a cause of unilateral pulmonary edema by compressing the left pulmonary artery (Cocina et al). 1996;132:1306-7 (Brief comm.)

Magnetic resonance imaging of anomalous origin of the right pulmonary artery from the ascending aorta in association with ventricular septal defect (Lin et al). 1996;132:1073-4 (Brief comm.)

Pulmonary blood flow; see Regional blood flow**Pulmonary edema**

Left ventricular pseudoaneurysm: a cause of unilateral pulmonary edema by compressing the left pulmonary artery (Cocina et al). 1996;132:1306-7 (Brief comm.)

Pulmonary embolism

Bolus recombinant urokinase versus heparin in deep venous thrombosis: a randomized controlled trial (Goldhaber et al). 1996;132:314-8

Pulsatile pain; see Pain**Pulsed Doppler tissue imaging; see Echocardiography, Doppler****Pulseless disease**

Percutaneous transluminal coronary angioplasty in Takayasu's arteritis (Lee and Rao). 1996;132:1084-6 (Brief comm.)

Q**QT interval; see Electrocardiography****Quadracuspid aortic valve; see Aortic valve****R****Radiofrequency ablation; see Catheter ablation****Radionuclide imaging**

Myocardial integrated ultrasonic backscatter in patients with old myocardial infarction: comparison with radionuclide evaluation (Naito et al). 1996;132:54-60

Reciprocating-supraventricular tachycardia; see Tachycardia, supraventricular**Refractory heart failure; see Heart failure, congestive****Regional blood flow**

Endothelin and pulmonary blood flow (Ross) (Letter); (Gorenflo) (Reply). 1996;132:1317-9

Quantitative Doppler tissue imaging for assessment of regional myocardial velocities during transient ischemia and reperfusion (Bach et al). 1996;132:721-5

Respiratory variation of carotid artery flow in cardiac tamponade (Bhagwat and Hoi). 1996;132:1068-70 (Brief comm.)

Renal artery obstruction

Renal artery stenosis complicated by hypertensive heart disease in a young child: successful therapy by balloon angioplasty (Liang et al). 1996;132:1077-9 (Brief comm.)

Renal insufficiency, chronic; see Kidney failure, chronic**Reoperation**

Papillary muscle rupture after successful coronary artery bypass procedures: report of three cases treated by prompt reoperation (Baladi et al). 1996;132:1272-5 (Brief comm.)

Repeat coronary angioplasty as the treatment of choice for restenosis (Kitazume et al). 1996;132:711-6

Reperfusion

β -Estradiol, but not α -estradiol, reduces myocardial necrosis in rabbits after ischemia and reperfusion (Hale et al). 1996;132:258-62

Heart rate variability during the first 24 hours of successfully reperfused acute myocardial infarction: paradoxical decrease after reperfusion (Chakko et al). 1996;132:586-92

Potential clinical implications of abnormal myocardial perfusion patterns immediately after reperfusion in a canine model: a myocardial contrast echocardiography (Kates et al). 1996;132:303-13

Prolonged coronary artery occlusion-reperfusion sequences reduce myocardial free radical production: an electron paramagnetic resonance study (Lindower et al). 1996;132:1147-55

Reperfusion—cont'd

Quantitative Doppler tissue imaging for assessment of regional myocardial velocities during transient ischemia and reperfusion (Bach et al). 1996;132:721-5

Ventricular premature beat-driven intermittent restoration of coronary blood flow reduces the incidence of reperfusion-induced ventricular fibrillation in a cat model of regional ischemia (Na et al). 1996;132:78-83

Reperfusion injury

Acute myocardial infarction, reperfusion injury, and intravenous magnesium therapy: basic concepts and clinical implications (Steurer et al). 1996;132:478-82 (Symposium)

Reproducibility of results

Detection of coronary calcification with electron-beam computed tomography: evaluation of interexamination reproducibility and comparison of three image-acquisition protocols (Wang et al). 1996;132:550-8

Respiratory function tests

Effect of percutaneous transluminal coronary angioplasty on exercise ventilation in patients with coronary artery disease and normal left ventricular function (Ajisaka et al). 1996;132:48-53

Restenosis; see Coronary disease entries

Resuscitation

Active compression-decompression versus standard cardiopulmonary resuscitation in a porcine model: no improvement in outcome (Kern et al). 1996;132:1156-62

Retirement

Circadian, day-of-week, and seasonal variability in myocardial infarction: comparison between working and retired patients (Spielberg et al). 1996;132:579-85

Revascularization

Patent double internal mammary artery implants (Vineberg's procedure) 27 years later with development of collaterals supplying the left anterior descending and circumflex coronary arteries (Bashour et al). 1996;132:1285-7 (Brief comm.)

Rhabdomyoma

Ventricular tachycardia caused by cardiac rhabdomyoma in a young adult with tuberous sclerosis (Enbergs et al). 1996;132:1263-5 (Brief comm.)

Right atrial thrombus; see Thrombosis

Right coronary artery lesions; see Coronary disease entries

Right heart failure; see Heart failure, congestive

Right ventricular cardiomyopathy; see Cardiomyopathy

Right ventricular infarction; see Infarction

Risk factors

Dipyridamole technetium 99m sestamibi myocardial tomography for preoperative cardiac risk stratification before major or minor nonvascular surgery (Stratmann et al). 1996;132:536-41

High serum concentration of lipoprotein(a) is a risk factor for restenosis after percutaneous transluminal coronary angioplasty in Japanese patients with single-vessel disease (Miyata et al). 1996;132:269-73

Rupture

Papillary muscle rupture after successful coronary artery bypass procedures: report of three cases treated by prompt reoperation (Baladi et al). 1996;132:1272-5 (Brief comm.)

Tricuspid papillary muscle rupture after coronary artery bypass surgery: identification by transesophageal echocardiography (Joffe et al). 1996;132:1055-8 (Brief comm.)

S

Saphenous vein

Intravascular imaging of serial changes of disease in saphenous vein grafts after coronary artery bypass grafting (Komiya et al). 1996;132:30-40

Sarcoma

Pericardial tamponade from Kaposi's sarcoma: role of early pericardial window (Vijay et al). 1996;132:897-9 (Brief comm.)

Scientific misconduct

Duplicate publication—Left atrial function after atrial fibrillation cardioversion (Mason). 1996;132:1322-3 (Letter)

Self care

Evolving models of warfarin management: anticoagulation clinics, patient self-monitoring and patient self-management (Ansell and Hughes). 1996;132:1095-1100 (Editorial)

Sick sinus syndrome

Congenital defect of the left pericardium with sick sinus syndrome (Hano et al). 1996;132:1293-5 (Brief comm.)

Signal-averaged electrocardiography; see Electrocardiography

Single ventricle; see Heart defects, congenital

Sinoatrial node

Anomalous sinus node artery originating from the left main coronary artery (Holdaway et al). 1996;132:449-51 (Brief comm.)

Sinus of Valsalva

Fatal myocardial ischemia caused by compression of the left coronary system by a large left sinus of Valsalva aneurysm (Bashour et al). 1996;132:1050-2 (Brief comm.)

Sinus of Valsalva aneurysms (Cheng) (Letter); (Rahko) (Reply). 1996;132:1319

Somatotropin

Recombinant growth hormone: a new cardiovascular drug therapy (Gomberg-Maitland and Frishman). 1996;132:1244-62 (Prog. cardiol.)

Sotalol

Effect of parenteral d-sotalol on transvenous atrial defibrillation threshold in a canine model of atrial fibrillation (Iskos et al). 1996;132:116-9

Long-term results of electrophysiologically guided sotalol therapy for life-threatening ventricular arrhythmias (Lee et al). 1996;132:973-8

Suppression of ventricular tachycardia by sotalol in myotonic dystrophy (Cohen et al). 1996;132:446-9 (Brief comm.)

Spontaneous coronary artery dissection; see Dissection

ST-segment; see Electrocardiography

Stellate ganglion

Effective therapy with transthoracic video-assisted endoscopic coagulation of the left stellate ganglion and upper sympathetic trunk in congenital long-QT syndrome (Wong et al). 1996;132:1060-3 (Brief comm.)

Stents

Bailout stenting for extensive dissection complicating direct infarct angioplasty (Altmann et al). 1996;132:191-2 (Brief comm.)

Comparison of elective Wiktor stent placement with conventional balloon angioplasty for new-onset lesions of the right coronary artery (Eckhout et al). 1996;132:263-8

Coronary stenting after unsuccessful emergency angioplasty in acute myocardial infarction: results in a series of consecutive patients (Steffenino et al). 1996;132:1115-8

Medium-term results of experimental stent implantation into the ductus arteriosus (Rosenthal et al). 1996;132:657-63

No subacute thrombosis and femoral bleeding complications under full anticoagulation in 150 consecutive patients receiving non-heparin-coated intracoronary Palmaz-Schatz stents (Lee et al). 1996;132:1135-46

Reduction in angioplasty complications after the introduction of coronary stents: results from a consecutive series of 2242 patients (Altmann et al). 1996;132:503-7

Reduction of thrombotic and hemorrhagic complications after stent implantation (Pan et al). 1996;132:1119-26

Treatment of ostial lesions of the left anterior descending coronary artery with Palmaz-Schatz coronary stent (De Cesare et al). 1996;132:716-20

Treatment of spontaneous coronary artery dissection with intracoronary stenting (Hong et al). 1996;132:200-2 (Brief comm.)

Ultrasound-guided treatment of acute coronary stent thrombosis (Pasquett et al). 1996;132:1081-4 (Brief comm.)

Sternal fracture hematoma; see Hematoma

Stress, psychological

Transient coronary occlusion with mental stress (Papademetriou et al). 1996;132:1299-1301 (Brief comm.)

Stress echocardiography; see Echocardiography, stress

Stroke; see Cerebrovascular disorders

Stroke volume

Benefit of converting enzyme inhibition on left ventricular volumes and ejection fraction in patients receiving β -blockade after myocardial infarction (Bonarjee et al). 1996;132:71-7

Estimation of regional end-systolic wall stress during exercise in coronary artery disease (Ginzton et al). 1996;132:733-46

Immediate and long-term effect of mitral balloon valvotomy on left ventricular volume and systolic function in severe mitral stenosis (Fawzy et al). 1996;132:356-60

Subclavian artery

Bullet embolus from the heart to the right subclavian artery af-

Subclavian artery—cont'd

ter gunshot wound to the right chest (Bilsker et al). 1996;132:1093-4 (Brief comm.)

Substance abuse

Cocaine-induced aortic dissection (Rashid et al). 1996;132:1301-4 (Brief comm.)

Sudden cardiac death; see Death, sudden**Sudden death; see Death, sudden****Supraventricular tachycardia; see Tachycardia, supraventricular****Surgical equipment; see also Equipment and supplies**

Transcatheter closure with single or multiple Gianturco coils of patent ductus arteriosus in infants weighing ≤ 8 kg: retrograde versus antegrade approach (Hijazi et al). 1996;132:827-35

Surgical wound dehiscence

Progressive dehiscence and dynamic compression of an aortic root homograft: detection and characterization by transesophageal echocardiography (Nagueh et al). 1996;132:1070-3 (Brief comm.)

Syncope

Comparative study of the efficacy of metoprolol and verapamil in patients with syncope and positive head-up tilt test response (Jhamb et al). 1996;132:608-11

Exercise-induced neurocardiogenic syncope (Kosinski et al). 1996;132:451-2 (Brief comm.)

Reciprocating supraventricular tachycardia in children: low rate at rest as a major factor related to propensity to syncope during exercise (Drago et al). 1996;132:280-5

Recurrent syncope after successful aortic valve replacement (Sharma et al). 1996;132:194-7 (Brief comm.)

Systole

Contrast enhancement of mitral regurgitation to estimate left ventricular systolic pressure (Donovan and Armstrong). 1996;132:884-6 (Brief comm.)

Effects of exercise training on left ventricular filling at rest and during exercise in patients with ischemic cardiomyopathy and severe left ventricular systolic dysfunction (Belardinelli et al). 1996;132:61-70

T**T-wave alternans; see Electrocardiography****Tachycardia**

Comparison of the ages of tachycardia onset in patients with atrioventricular nodal reentrant tachycardia and accessory pathway-mediated tachycardia (Goyal et al). 1996;132:765-7

Tachycardia, atrioventricular nodal reentry

Catheter-induced atrioventricular nodal block during radiofrequency ablation (King et al). 1996;132:979-85

Comparison of atrial-His intervals in patients with and without dual atrioventricular nodal physiology and atrioventricular nodal reentrant tachycardia (Bogun et al). 1996;132:758-64

Comparison of the ages of tachycardia onset in patients with atrioventricular nodal reentrant tachycardia and accessory pathway-mediated tachycardia (Goyal et al). 1996;132:765-7

Long-term outcome after radiofrequency catheter ablation of atrioventricular nodal reentrant tachycardia with the anterior-approach method (Pires et al). 1996;132:125-9

Tachycardia, supraventricular

Lack of proarrhythmia as assessed by Holter monitor after atrial radiofrequency ablation of supraventricular tachycardia in children (Johnson et al). 1996;132:120-4

Reciprocating supraventricular tachycardia in children: low rate at rest as a major factor related to propensity to syncope during exercise (Drago et al). 1996;132:280-5

Tachycardia, ventricular

Erythromycin-induced polymorphous ventricular tachycardia with normal QT interval (Chennareddy et al). 1996;132:691-4 (Brief comm.)

First experience with a new nonthoracotomy defibrillation lead system (Trappe et al). 1996;132:599-607

Radiofrequency ablation of ventricular tachycardia in an infant with cardiac tumors (Kohli et al). 1996;132:198-200 (Brief comm.)

Sudden death in patients with implantable cardioverter-defibrillators (Li et al). 1996;132:986-8

Suppression of ventricular tachycardia by sotalol in myotonic dystrophy (Cohen et al). 1996;132:446-9 (Brief comm.)

Ventricular tachycardia caused by cardiac rhabdomyoma in a young adult with tuberous sclerosis (Enbergs et al). 1996;132:1263-5 (Brief comm.)

Takayasu's arteritis; see Pulseless disease**Technetium Tc 99m**

Technetium 99m-Q12 kinetics in perfused rat myocardium: effects of hypoxia and low flow (Okada et al). 1996;132:108-15

Technetium Tc 99m sestamibi

Dipyridamole technetium 99m sestamibi myocardial tomography for preoperative cardiac risk stratification before major or minor nonvascular surgery (Stratmann et al). 1996;132:536-41

Technetium Tc 99m teboroxime

Dynamic planar myocardial perfusion imaging in patients with one-vessel disease with intracoronary injection of technetium 99m teboroxime during papaverine-induced coronary hyperemia (Tartagni et al). 1996;132:1042-7 (Prog. cardiol.)

Tertiary-care hospital; see Hospitals**Tetralogy of Fallot**

Congenital absence of the pulmonary valve with tetralogy of Fallot with associated aortic stenosis and patent ductus arteriosus: a prenatal diagnosis (Rowland et al). 1996;132:1075-7 (Brief comm.)

Double-balloon dilatation of a stenosed bioprosthetic tricuspid valve in repaired tetralogy of Fallot (Benito et al). 1996;132:891-2 (Brief comm.)

Thallium

Cardiac complications in noncardiac surgery: relative value of resting two-dimensional echocardiography and dipyridamole thallium imaging (Kontos et al). 1996;132:559-66

Thoracic injuries

Acute myocardial infarction caused by blunt chest trauma: successful treatment by direct coronary angioplasty (Marcum et al). 1996;132:1275-7 (Brief comm.)

Bullet embolus from the heart to the right subclavian artery after gunshot wound to the right chest (Bilsker et al). 1996;132:1093-4 (Brief comm.)

Nonhemorrhagic cardiac tamponade after penetrating chest trauma (Narins et al). 1996;132:197-8 (Brief comm.)

Transesophageal echocardiography in the evaluation of cardiothoracic trauma (Mollod and Felner). 1996;132:841-9 (Curriculum cardiol.)

Three-dimensional echocardiography; see Echocardiography, three dimensional**Thromboembolism**

Cancer and venous thromboembolism (Piccoli et al). 1996;132:850-5 (Curriculum cardiol.)

Thrombolytic therapy

Management of acute myocardial infarction: evaluating the past, practicing in the present, elaborating the future (Glogar et al). 1996;132:465-70 (Symposium)

Thrombolytic enhancement with perfluorocarbon-exposed sonicated dextrose albumin microbubbles (Porter et al). 1996;132:964-8

Thrombomodulin; see Glycoproteins**Thrombophlebitis**

Bolus recombinant urokinase versus heparin in deep venous thrombosis: a randomized controlled trial (Goldhaber et al). 1996;132:314-8

Epidemiologic characteristics, management, and outcome of deep venous thrombosis in a tertiary-care hospital: the Brigham and Women's Hospital DVT Registry (Piccoli et al). 1996;132:1010-4

Thrombosis

Free-floating left atrial thrombus: medical management directed by transesophageal echocardiography (Harpaz et al). 1996;132:1311-3 (Brief comm.)

Intracardiac thrombus formation associated with a nonpenetrating gunshot wound of the right ventricular outflow tract demonstrated by transesophageal echocardiography (Nishioka et al). 1996;132:1265-7 (Brief comm.)

Massive aortic thrombus detected by transesophageal echocardiography as a cause of peripheral emboli in young patients (Wells et al). 1996;132:882-3 (Brief comm.)

Reduction of thrombotic and hemorrhagic complications after stent implantation (Pan et al). 1996;132:1119-26

Right atrial thrombus complicating mitral valvuloplasty (Konecky et al). 1996;132:893-4 (Brief comm.)

Thrombosis—cont'd

Right atrial thrombus mimicking myxoma in a heart transplant recipient (Rankin et al). 1996;132:452-4 (Brief comm.)

Ultrasound-guided treatment of acute coronary stent thrombosis (Pasquett et al). 1996;132:1081-4 (Brief comm.)

Thrombosis, venous; see Thrombophlebitis

Tilt test

Comparative study of the efficacy of metoprolol and verapamil in patients with syncope and positive head-up tilt test response (Jhamb et al). 1996;132:608-11

Tobacco smoke pollution

L-Arginine decreases infarct size in rats exposed to environmental tobacco smoke (Zhu et al). 1996;132:91-100

Tomography

Detection of coronary calcification with electron-beam computed tomography: evaluation of interexamination reproducibility and comparison of three image-acquisition protocols (Wang et al). 1996;132:550-8

Dipyridamole technetium 99m sestamibi myocardial tomography for preoperative cardiac risk stratification before major or minor nonvascular surgery (Stratmann et al). 1996;132:536-41

Tomography, emission-computed, single-photon

Myocardial contrast echocardiography in human beings: correlation of resting perfusion defects to sestamibi single photon emission computed tomography (Meza et al). 1996;132:528-35

Trandolapril Cardiac Evaluation study

Angiotensin-converting enzyme inhibition after myocardial infarction: the Trandolapril Cardiac Evaluation study (Torp-Pedersen et al). 1996;132:235-43 (Symposium)

Transcatheter occlusion; see Arterial occlusive diseases

Transducers

Distortion of intravascular ultrasound images because of non-uniform angular velocity of mechanical-type transducers (Kimura et al). 1996;132:328-36

Transient coronary occlusion; see Arterial occlusive diseases

Transplant waiting list; see Heart transplantation

Transplantation, homologous

Progressive dehiscence and dynamic compression of an aortic root homograft: detection and characterization by transesophageal echocardiography (Nagueh et al). 1996;132:1070-3 (Brief comm.)

Transpulmonary lipid-fluorocarbon; see Fluorocarbons

Transthoracic echocardiography; see Echocardiography, transthoracic

Transthoracic endoscopic coagulation; see Blood coagulation

Transurethral resection syndrome; see Prostatectomy

Tricuspid papillary muscle rupture; see Papillary muscles

Tricuspid valve

Double-balloon dilatation of a stenosed bioprosthetic tricuspid valve in repaired tetralogy of Fallot (Benito et al). 1996;132:891-2 (Brief comm.)

Tuberous sclerosis

Ventricular tachycardia caused by cardiac rhabdomyoma in a young adult with tuberous sclerosis (Enbergs et al). 1996;132:1263-5 (Brief comm.)

Two-dimensional echocardiography; see Echocardiography, two-dimensional

Type A personality

Effect of type A behavioral counseling on frequency of episodes of silent myocardial ischemia in coronary patients (Friedman et al). 1996;132:933-7

U

Ultrasonography

Distortion of intravascular ultrasound images because of non-uniform angular velocity of mechanical-type transducers (Kimura et al). 1996;132:328-36

Impaired endothelial function with essential hypertension assessed by ultrasonography (Iiyama et al). 1996;132:779-82

Intravascular ultrasonographic characterization of calcification of the patent ductus arteriosus in adults (Ho et al). 1996;132:457-9 (Brief comm.)

Intravascular ultrasound identification of calcified intraluminal lesions misdiagnosed as thrombi by coronary angiography (Duissailant et al). 1996;132:687-9 (Brief comm.)

Morphometric analysis in three-dimensional intracoronary ultrasound: an in vitro and in vivo study performed with a novel system for the contour detection of lumen and plaque (von Birgelen et al). 1996;132:516-27

Myocardial integrated ultrasonic backscatter in patients with old myocardial infarction: comparison with radionuclide evaluation (Naito et al). 1996;132:54-60

Structural and functional characterization of an intermediate stenosis with intracoronary ultrasound and Doppler: a case of "reverse Glagovian modeling" (von Birgelen et al). 1996;132:694-6 (Brief comm.)

Ultrasound-guided treatment of acute coronary stent thrombosis (Pasquett et al). 1996;132:1081-4 (Brief comm.)

What have we learned from in vitro intravascular ultrasound? (Gussenhoven et al). 1996;132:702-10 (Editorial)

Unroofed coronary sinus; see Heart septal defects, atrial

Unstable angina; see Angina, unstable

Urokinase

Bolus recombinant urokinase versus heparin in deep venous thrombosis: a randomized controlled trial (Goldhaber et al). 1996;132:314-8

V

Valvuloplasty; see Balloon dilatation

Varicose veins

Chronic venous insufficiency: mechanisms and management (Ibrahim et al). 1996;132:856-60 (Curriculum cardi.)

Vascular hypertrophy; see Hypertrophy

Vascular patency

Repeat coronary angioplasty as the treatment of choice for restenosis (Kitazume et al). 1996;132:711-6

Vasoactive intestinal peptide

Early increase of vasoactive intestinal peptide in acute myocardial infarction (Lucia et al). 1996;132:187-9 (Brief comm.)

Vasodilation

Influence of intrinsic limb vasodilator capacity on exercise tolerance in patients with recent myocardial infarction (Hattori et al). 1996;132:593-8

Vasodilator agents

A novel inotropic vasodilator, OPC-18790, reduces myocardial oxygen consumption and improves mechanical efficiency with congestive heart failure (Kanda et al). 1996;132:361-8

Venous insufficiency

Chronic venous insufficiency: mechanisms and management (Ibrahim et al). 1996;132:856-60 (Curriculum cardi.)

Venous thrombosis; see Thrombophlebitis

Ventricular arrhythmias; see Arrhythmia

Ventricular end-systolic volume; see Stroke volume

Ventricular fibrillation

Dobutamine-induced ST segment elevation and ventricular fibrillation with nonsignificant coronary artery disease (Shaheen et al). 1996;132:1058-60 (Brief comm.)

Ventricular premature beat-driven intermittent restoration of coronary blood flow reduces the incidence of reperfusion-induced ventricular fibrillation in a cat model of regional ischemia (Na et al). 1996;132:78-83

Ventricular function, left

Effects of changes in atrioventricular gradient and contractility on left ventricular filling in human diastolic cardiac dysfunction (Lenihan et al). 1996;132:1179-88

Effects of exercise training on left ventricular filling at rest and during exercise in patients with ischemic cardiomyopathy and severe left ventricular systolic dysfunction (Belardinelli et al). 1996;132:61-70

Immediate and long-term effect of mitral balloon valvotomy on left ventricular volume and systolic function in severe mitral stenosis (Fawzy et al). 1996;132:356-60

Importance of assessing changes in ventricular response to atrial fibrillation during evaluation of new heart failure therapies: experience from trials of flecainide (Massie et al). 1996;132:130-6

Inotropic stimulation by dobutamine increases left ventricular regional function at the expense of metabolism in hibernating myocardium (Indolfi et al). 1996;132:542-9

Treatment and post-treatment effects of α - versus β -receptor

Ventricular function, left—cont'd

blockers on left ventricular structure and function in essential hypertension (Schobel et al). 1996;132:1004-9

Ventricular myxoma; see Myxoma**Ventricular pacing; see Cardiac pacing, artificial****Ventricular premature beat; see Extrasystole****Ventricular pseudoaneurysm; see Heart aneurysm****Ventricular tachycardia; see Tachycardia, ventricular****Verapamil**

Comparative study of the efficacy of metoprolol and verapamil in patients with syncope and positive head-up tilt test response (Jhamb et al). 1996;132:608-11

Effects of verapamil, propranolol, and procainamide on adenosine-induced negative dromotropism in human beings (Lai et al). 1996;132:768-75

Novel delivery system for verapamil designed to achieve maximal blood pressure control during the early morning (Neutel et al). 1996;132:1202-6

Verapamil-induced acute right heart failure (Shimoni et al). 1996;132:193-4 (Brief comm.)

Vineberg's procedure; see Revascularization**W****Warfarin**

Evolving models of warfarin management: anticoagulation clinics, patient self-monitoring and patient self-management (Ansell and Hughes). 1996;132:1095-1100 (Editorial)

Wiktor stent; see Stents**Wolff-Parkinson-White syndrome**

Left phrenic nerve paresis complicating catheter radiofre-

quency ablation for Wolff-Parkinson-White syndrome (Rumbak et al). 1996;132:1281-5 (Brief comm.)

Radiofrequency ablation therapy of the posteroseptal accessory pathway (Wen et al). 1996;132:612-20

Work

Circadian, day-of-week, and seasonal variability in myocardial infarction: comparison between working and retired patients (Spielberg et al). 1996;132:579-85

Wounds, gunshot

Bullet embolus from the heart to the right subclavian artery after gunshot wound to the right chest (Bilsker et al). 1996;132:1093-4 (Brief comm.)

Intracardiac thrombus formation associated with a nonpenetrating gunshot wound of the right ventricular outflow tract demonstrated by transesophageal echocardiography (Nishio et al). 1996;13. 1996;132:1265-7 (Brief comm.)

Wounds, nonpenetrating

Acute myocardial infarction caused by blunt chest trauma: successful treatment by direct coronary angioplasty (Marcum et al). 1996;132:1275-7 (Brief comm.)

Intracardiac thrombus formation associated with a nonpenetrating gunshot wound of the right ventricular outflow tract demonstrated by transesophageal echocardiography (Nishio et al). 1996;132:1265-7 (Brief comm.)

Wounds, penetrating

Nonhemorrhagic cardiac tamponade after penetrating chest trauma (Narins et al). 1996;132:197-8 (Brief comm.)

Wounds and injuries

Transesophageal echocardiography in the evaluation of cardiothoracic trauma (Molloy and Felner). 1996;132:841-9 (Curriculum cardiol.)

